





OPTIONAL EXTRAS

English

In the column “accessories/extras“ you can find out which listed accessories is offered as additional options for your shock absorber, respectively, if it is a whole suspension kit.

Please note the listing on the following page.

Part number	Description	Suitable for	Price
	<p>Ride height adjustment Adjustability in shock absorber length for +/- 5 mm. This creates a model-specific raising respectively lowering.</p>	Mono and stereo shock absorber	¥13,000
	<p>Hydraulic preload adjustment Adjustment for the spring basis using a hand knob on a hose for setting the spring preload.</p>	Mono shock absorbers 630, 631, 632 + 633	¥44,000
	<p>ZF preoad adjustment Adjustment of the spring basis using an integrated hand knob.</p>	Mono shock absorbers 630, 631, 632 + 633	¥32,000
	<p>X-PA preload adjustment With our X-PA you can modify the spring preload of your shock absorber using the included socket wrench. The advantages lie with the mechanical gear, an adjustment range of 15 mm, the light weight and easy handling. The X-PA preload is absolutely service free.</p>	Mono shock absorbers 630, 631, 632 + 633	¥41,000
625-0136-00		Mono shock absorbers 640, 641, 642, 643 + 646	¥41,000
625-0146-00		Sereo shock absorbers 630, 631, 632 + 633	¥57,000
625-0136-01		Stereo shock absorbers 640, 641, 642, 643 + 646	¥57,000
625-0146-01			

WILBERS Adjustline

Zubehör/Extras				630 / 640	631 / 641	632 / 642	633 / 643	PS O / OS PSD QSD QMV QRRS / P PS O / OS PSD QSD QMV	mm	English
APRILIA										
RS 50	SE	03-05		630-0014-01	¥103,000	-	-	-	-	-25 -45
AF1 125 Futura	FM	90-91		630-0133-00	¥103,000	631-0133-00	¥164,000	-	-	
Tuareg 125	PH	85-89		640-0134-00	¥103,000	-	-	-	-	
125 Scarabeo	PC	99-02		630-0650-00	¥103,000	631-0650-00	¥164,000	-	-	Scooter
SR 125 LC	PX	99-02		630-0657-00	¥103,000	-	-	632-0657-00	¥156,000	Ditech Scooter, only with racing air filter
RS 125 Extrema/SP/ ADAC Junior Cup		93-98	*	630-0135-00	¥103,000	631-0135-00	¥164,000	-	-	Road / Race, height ride adjustment not possibl. hydraulic preload adjustment possible only as special solution without certification of operation
RS4 125	TW	11-17	P	630-1046-00	¥103,000	-	-	-	633-1046-00	S ¥164,000 +30 -20 Hydr. preload recommended
Tuareg 125 Rally	GG	91-94		630-0686-00	¥103,000	-	-	-	-	
RS 250 / Replica	LD / LD 01	95-02	A	630-0216-00	¥103,000	631-0216-00	¥164,000	-	-	Road
RS 250 / Replica	LD / LD 01	95-02	A	640-0216-00	¥103,000	641-0216-00	¥148,000	-	643-0216-00	Q ¥177,000 Racetrack, type 643: incl. ride height adjustment
TX 311		1985		630-0136-00	¥103,000	631-0136-00	¥164,000	-	-	
350 Tuareg-Wind	350 Wind	87-89		630-0590-00	¥103,000	-	-	-	-	
RXV 450	VP	08-15		640-1083-00	¥103,000	-	-	642-1083-00	¥164,000	-
RXV 450	VP	08-15		640-1083-01	¥103,000	-	-	642-1083-01	¥164,000	-50 Lowering 50 mm
RXV 450	VP	08-15		640-1083-02	¥103,000	-	-	642-1083-02	¥164,000	-100 Lowering 100 mm
RXV 550	VP	09-13		640-1083-03	¥103,000	-	-	642-1083-03	¥164,000	-
RXV 550	VP	09-13		640-1083-04	¥103,000	-	-	642-1083-04	¥164,000	-50 Lowering 50 mm
RXV 550	VP	09-13		640-1083-05	¥103,000	-	-	642-1083-05	¥164,000	-100 Lowering 100 mm
Tuareg-Wind 6,35	6,35 Wind	89-96	A	630-0217-00	¥103,000	-	-	-	-	
Tuareg-Wind 600	EP	88-91		630-0557-00	¥103,000	-	-	-	-	
600 Pegaso	FP	88-91	P	630-0486-00	¥103,000	-	-	-	-	
650 Pegaso	GA	92-96	B	630-0002-00	¥103,000	631-0002-00	¥164,000	-	-	-25 -50
650 Pegaso	ML	97-00	B	640-0123-00	¥103,000	641-0123-00	¥148,000	-	-	+25 -45 -70
650 Pegaso Strada i.e. / Strada	VD	05-10	P	640-0879-00	¥103,000	-	-	-	643-0879-00	QS ¥181,000 +10 -55 Type 643 with ride height adjustment less stroke
650 Pegaso i.e. / Garda	RW	01-04	P	640-0508-00	¥103,000	641-0508-00	¥148,000	-	-	-30 -60 Handwheel of the hydraulic spring preload is mounted on the handlebar (-bock)
Moto 6.5	MH 00	95-00	B*	630-0125-00	¥103,000	631-0125-00	¥164,000	-	-	+45 +25 -25 -50 Wilbers standard height = suspension + 15 mm, type 630: hydraulic preload adjustment possible only as special solution without certification of operation
RS 660	KV	≥20	R*	640-1298-00	¥103,000	-	-	642-1298-00	¥197,000	S - X-PA recommended, typ 642S
RS 660	KV	≥20	R*	640-1298-01	¥103,000	-	-	642-1298-01	¥197,000	S - Raising 10 mm, X-PA recommended, typ 642S
RS 660	KV	≥20	R*	640-1298-02	¥103,000	-	-	642-1298-02	¥197,000	S - Lowering 30 mm, X-PA recommended, Typ 642S
Shiver 750	RA	07-09	I*	640-0876-00	¥103,000	-	-	642-0876-00	¥164,000	- +20 -45 Only without ABS / *Ride height adj. not with Type 640 possible
Shiver 750 GT	RA	09-13	B	640-0977-00	¥103,000	-	-	-	-	-25 with ABS
Shiver 750	RA	10-17		640-1003-00	¥103,000	641-1003-00	¥148,000	-	-	with ABS
SMV 750 Dorsoduro	SM	08-17	T	640-0928-00	¥103,000	-	-	642-0928-00	¥164,000	- +30 -45
SMV 750 Dorsoduro Factory	SM	11-17	P	640-0928-01	¥103,000	-	-	642-0928-01	¥164,000	- +30 -45 Lowering 45 mm possible
Mana 850 (PIAGGIO)	RC	09-15	P*	640-0890-00	¥103,000	-	-	642-0890-00	¥164,000	- +10 -40 Type 640: hydraulic preload adjustment not possible
Shiver 900	KH	≥17	D	640-1268-00	¥103,000	-	-	642-1268-00	¥164,000	-

APRILIA															
Shiver 900	KH	≥17	D		640-1268-01	¥103,000	-	-	642-1268-01	¥164,000	-	-	-	+20	Raising 20 mm
Shiver 900	KH	≥17	D		640-1268-02	¥103,000	-	-	642-1268-02	¥164,000	-	-	-	-30	Lowering 30 mm
RST 1000 Futura	PW	01-04	P		640-0428-00	¥103,000	641-0428-00	¥148,000	-	-	-	-	-	-25	
RSV4	RK	09-16	P*		640-0994-00	¥103,000	-	-	-	-	643-0994-00	QS	¥181,000	+10 -20	Hydr. preload only possible with Type 643
Tuono V4 R (1000 ccm)	TY	11-15	P		640-1055-00	¥103,000	-	-	-	-	643-1055-00	QS	¥181,000		
Tuono V4 R (1000 ccm)	TY	11-15	P		640-1055-01	¥103,000	-	-	-	-	643-1055-01	QS	¥181,000	+10	Raising 10 mm
Tuono V4 R (1000 ccm)	TY	11-15	P		640-1055-02	¥103,000	-	-	-	-	643-1055-02	QS	¥181,000	-30	Lowering 30 mm
RSV 1000 Mille	ME	98-00	B*		640-0466-00	¥103,000	-	-	-	-	643-0466-00	P	¥177,000	+15 -25 -45	Type 643 incl. ride height adjustment
RSV 1000 Mille	ME	98-00	B*		-	-	-	-	-	-	643-0466-01	QS	¥181,000	+15 -25 -45	Type 643 incl. ride height adjustment
RSV 1000 Mille	RP	01-04	B*		640-0400-00	¥116,000	-	-	-	-	643-0400-00	P	¥177,000	-20	Including ride height adjustment
RSV 1000 Mille Factory	RR	04-09	P		640-0791-00	¥116,000	-	-	-	-	643-0791-00	QS	¥194,000	+30	Including ride height adjustment
SL 1000 Falco	PA	99-04	P		640-0554-00	¥103,000	-	-	642-0554-00	¥164,000	-	-	-		Type 642: Wilbers standard length: + 10 mm
ETV 1000 Caponord	PS	01-09	B		640-0620-00	¥103,000	641-0620-00	¥148,000	-	-	-	-	-	-25 -50	
RSV 1000 R Tuono	RP	02-05	P		640-0270-00	¥103,000	641-0270-00	¥148,000	-	-	-	-	-	+30	
RSV 1000 R Tuono	RR	06-10	P		640-0832-00	¥103,000	641-0832-00	¥148,000	-	-	643-0832-00	QS	¥181,000	-30	
SMV 1200 Dorsoduro	TV	10-16	T*		640-1047-00	¥103,000	-	-	-	-	643-1047-00	QS	¥181,000	+10 -45	*Hydr. preload - even in combination with ride height adj. - only with type 643 possible.
BENELLI															
TNT 999 / S	TN	08-17	P*		640-0750-01	¥103,000	-	-	642-0750-01	¥164,000	-	-	-		*Type 642: incl. ride height adjustment + 5 mm at the top installed, only adjustable when shock absorber is removed
Tornado 1130 Tre	TB	06-12	P		640-0751-00	¥103,000	641-0751-00	¥148,000	-	-	-	-	-		
TNT 1130	TN	04-17	P*		640-0750-00	¥103,000	-	-	642-0750-00	¥164,000	-	-	-		*Type 642: incl. ride height adjustment + 5 mm at the top installed, only adjustable when shock absorber is removed
BETA															
Evo 125/200/250/290 (2 Takt)	T 6	09-13	P*		630-0978-00	¥103,000	631-0978-00	¥164,000	-	-	-	-	-	+30	
Alp 200	T 1	01-07	P		630-0582-00	¥103,000	-	-	-	-	-	-	-		Length 318 mm
Alp 4.0	T 2	04-11	B		630-0884-00	¥103,000	-	-	-	-	-	-	-	-65	Length 333 mm
Alp 4.0	T 2	12-17	B		630-1101-00	¥103,000	-	-	-	-	-	-	-		
Alp 4.0	T 2	12-17	B		630-1101-01	¥103,000	-	-	-	-	-	-	-	-30	Lowering 30 mm
Alp 4.0	T 2	12-17	B		630-1101-02	¥103,000	-	-	-	-	-	-	-	-70	Lowering 70 mm
Motard 4.0 / M4	T 2	04-15	P*		630-0933-00	¥103,000	-	-	-	-	-	-	-	-70	Height adj.+ lowering not possible
450 RR Supermoto	ZD 3 E 11	08-14	P		640-0889-00	¥103,000	-	-	642-0889-00	¥164,000	-	-	-	-45	
BIMOTA															
DB 1		85-90			640-0137-00	¥103,000	641-0137-00	¥148,000	-	-	-	-	-		Hydraulic preload adjustment not tested and possible only as special solution without certification of operation
DB 2 EF		97-98	P		640-0481-00	¥103,000	641-0481-00	¥148,000	-	-	-	-	-		
DB 3 Mantra		94-95	P*		640-0556-00	¥116,000	-	-	-	-	-	-	-	-20 -40	
Tesi 3D E	BT 3 E	09-18			630-1103-00	¥103,000	-	-	-	-	633-1103-00	S	¥164,000		Front
Tesi 3D E	BT 3 E	09-18			-	-	-	-	-	-	643-1103-00	P	¥164,000		Rear
KB 1		78-82	P		-	-	641-0204-00	¥148,000	-	-	-	-	-		
KB 2		1983	P		630-0138-00	¥103,000	-	-	-	-	-	-	-		

BIMOTA														
KB 3/ HB 2/ 3		82-83	P		640-0139-00	¥103,000	-	-	-	-	-	-		
SB 2		1979	P		640-0227-00	¥103,000	-	-	-	-	-	-		
SB 3		79-82	P		640-0228-00	¥103,000	-	-	-	-	-	-		
SB 4 /SB 5		83-85	A		640-0229-00	¥103,000	-	-	-	-	-	-	Hydraulic preload adjustment not tested.	
DB 6 R		2007	P		-	-	-	-	-	643-1109-00	P	¥177,000	Incl. ride height adjustment	
SB 6		94-96	P		640-0230-00	¥103,000	641-0230-00	¥148,000	-	-	-	-	Capacity: 1100 cc	
SB 6 R	SB 6	97-98	P		-	-	631-0408-00	¥164,000	-	-	-	-	TL 1000 engine	
YB 4/ 6/ 8		88-90	P		640-0231-00	¥103,000	641-0231-00	¥148,000	-	-	-	-	+25	
YB 5		1987	A		640-0232-00	¥103,000	641-0232-00	¥148,000	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation	
DB 07	DB 7	08-15	P		630-0942-00	¥103,000	-	-	-	633-0942-00	PS	¥181,000		
DB 08	DB 8	13-18	P		630-1112-00	¥103,000	-	-	-	633-1112-00	PS	¥181,000		
DB 9 Brivido	DB 09	12-18	P*		630-1113-00	¥103,000	-	-	-	633-1113-00	PS	¥181,000	Type 630: hydraulic preload adjustment not possible	
YB 9 SR		94-95	P		630-0233-00	¥103,000	631-0233-00	¥164,000	-	-	-	-		
YB 9 SRI		1996	P		640-0234-00	¥103,000	641-0234-00	¥148,000	-	-	-	-		
DB 10	DB 06	12-15	B		640-1102-00	¥103,000	-	-	-	643-1102-00	PS	¥189,000		
YB 11 / Superleggera		96-00	P*		630-1065-00	¥103,000	-	-	-	633-1065-00	QS	¥181,000	+20 Hydr. preload (only Superleggera) in combination with ride height adjustment not possible	
HB 1		1975	P		-	-	641-0191-00	¥148,000	-	-	-	-		
BMW														
C 1	C 1	00-04			630-0531-01	¥103,000	-	-	-	-	-	-	Front	
C 1	C 1	00-04	P		630-0531-00	¥103,000	-	-	-	-	-	-	Rear (attention: only 1 shock absorber/ only for driver's till 85 kg)	
C 1	C 1	00-04	A	X	630-0531-02	¥186,000	-	-	-	-	-	-	Rear (two shocks)	
G 310 GS	5 G 31	≥17	B		640-1236-00	¥103,000	641-1236-00	¥148,000	-	-	-	-		
G 310 GS	5 G 31	≥17	B		640-1236-01	¥103,000	641-1236-01	¥148,000	-	-	-	-	+25 Raising 25 mm (seating height 865 mm)	
G 310 GS	5 G 31	≥17	B		640-1236-02	¥103,000	641-1236-02	¥148,000	-	-	-	-	-20 Lowering 20 mm (seating height 820 mm)	
G 310 GS	5 G 31	≥17	B		640-1236-03	¥103,000	641-1236-03	¥148,000	-	-	-	-	-40 Lowering 40 mm (seating height 800 mm)	
G 310 GS	5 G 31	≥17	B		640-1236-04	¥103,000	641-1236-04	¥148,000	-	-	-	-	-60 Lowering 60 mm (seating height 780 mm)	
G 310 R	5 R 31	≥16	T		640-1212-00	¥103,000	641-1212-00	¥148,000	-	-	-	-		
G 310 R	5 R 31	≥16	T		640-1212-01	¥103,000	641-1212-01	¥148,000	-	-	-	-	+ 30 Raising 30 mm (seating height 820 mm)	
G 310 R	5 R 31	≥16	T		640-1212-02	¥103,000	641-1212-02	¥148,000	-	-	-	-	- 20 Lowering 20 mm (seating height 770 mm)	
G 310 R	5 R 31	≥16	T		640-1212-03	¥103,000	641-1212-03	¥148,000	-	-	-	-	-40 Lowering 40 mm (seating height 750 mm)	
G 310 R	5 R 31	≥16	KIT		640-1212-10	¥135,000	-	-	-	-	-	-	-40 Suspension kit lowering 40 mm = shock absorber, fork springs, reduction bushings, fork oil.	
G 450 X	E 45 X	08-11	P		640-0974-00	¥103,000	-	-	642-0974-00	¥164,000	-	-	-50 Lowering 50 mm possible - only with 600-0326-07	
R 45 N	BMW 248	78-85		X	630-0007-00	¥186,000	-	-	632-0007-00	¥285,000	633-0007-00	S	¥296,000	
R 50/5	BMW R 50/5	69-73	A	X	630-0181-00	¥186,000	-	-	632-0181-00	¥285,000	633-0181-00	S	¥296,000	X-PA preload adjustment recommended, type 632: shock absorber up side down installed
R 60/5/6/7	BMW R 60/5/6/7/247E	69-80	A	X	630-0181-01	¥186,000	-	-	632-0181-01	¥285,000	633-0181-01	S	¥296,000	X-PA preload adjustment recommended, type 632: shock absorber up side down installed

BMW															
R 65 G/S	BMW 247 E	87-92	T*		630-0208-02	¥103,000	631-0208-02	¥164,000	-	-	633-0208-02	S	¥164,000	+15 -30 -50	X-PA preload adjustment recommended, type 633: X-PA 15 mm less stroke, hydraulic preload not possible
R 65 / LS	BMW 248	78-85		X	630-0007-01	¥186,000	-	-	632-0007-01	¥285,000	633-0007-01	S	¥296,000		
R 65 / RT	BMW 247	85-95	T		630-0206-00	¥103,000	631-0206-00	¥164,000	-	-	-	-	-	-25 -50	Single-sided-swing-arm, X-PA preload adjustment recommended
C 600 GT / Sport	C 65	12-15	K		630-1086-00	¥103,000	-	-	-	-	-	-	-		
C 650 GT / Sport	C 65	12-15	K		630-1086-00	¥103,000	-	-	-	-	-	-	-		
F 650	BMW 169	93-00	B		640-0179-00	¥103,000	641-0179-00	¥148,000	-	-	-	-	-		
F 650	BMW 169	93-00	B		640-0179-02	¥103,000	641-0179-02	¥148,000	-	-	-	-	-	-25	Lowering 25 mm
F 650	BMW 169	93-00	B		640-0179-01	¥103,000	641-0179-01	¥148,000	-	-	-	-	-	-45	Lowering 45 mm
F 650 CS Scarver	K 14 / E 650 C	02-05	B*		640-0618-00	¥103,000	641-0618-00	¥148,000	-	-	-	-	-	-25 -50	Road/Race
F 650 GS	R 13 / E 650 G	00-07	I		640-0543-00	¥103,000	641-0543-00	¥148,000	-	-	-	-	-	-15 -40	Not for lowering ex-factory. Hydraulic spring preload recommended, otherwise not adjustable from the outside.
F 650 GS	R 13 / E 650 G	00-07	P		640-0898-00	¥103,000	641-0898-00	¥148,000	-	-	-	-	-	+25 -30	Only for lowering ex-factory
F 650 GS Dakar	R 13 / E 650 G	00-07	B		640-0544-00	¥103,000	641-0544-00	¥148,000	-	-	-	-	-	-25 -40	
F 650 GS	E 8 GS	08-12	P		640-0874-00	¥103,000	641-0874-00	¥148,000	-	-	-	-	-		Standard height, suitable fork springs recommended
F 650 GS	E 8 GS	08-12	P		640-0874-04	¥103,000	641-0874-04	¥148,000	-	-	-	-	-	+20	Raising 20 mm, suitable fork springs recommended
F 650 GS	E 8 GS	08-12	P		640-0874-03	¥103,000	641-0874-03	¥148,000	-	-	-	-	-	-25	Lowering 25 mm, only with suitable fork springs available!
F 650 GS	E 8 GS	08-12	P		640-0874-01	¥103,000	641-0874-01	¥148,000	-	-	-	-	-	-50	Lowering 50 mm, only with suitable fork springs available!
F 650 GS	E 8 GS	08-12	B		640-0874-02	¥103,000	641-0874-02	¥148,000	-	-	-	-	-		For lowering ex-factory, only with suitable fork springs available!
F 650 ST	BMW 169	95-00	A		640-0474-01	¥103,000	-	-	-	-	-	-	-	-30	
G 650 GS	E 650 G	11-15	I*		640-1030-00	¥103,000	641-1030-00	¥148,000	-	-	-	-	-		
G 650 GS	E 650 G	11-15	I*		640-1030-01	¥103,000	641-1030-01	¥148,000	-	-	-	-	-	+10	Raising 10 mm
G 650 GS	E 650 G	11-15	I*		640-1030-02	¥103,000	641-1030-02	¥148,000	-	-	-	-	-	-25	Lowering 25 mm
G 650 GS	E 650 G	11-15	I*		640-1030-03	¥103,000	641-1030-03	¥148,000	-	-	-	-	-	-50	Lowering 50 mm
G 650 GS Sertão	E 650 G	12-14	B*		640-1087-00	¥103,000	641-1087-00	¥148,000	-	-	-	-	-		Hydr. preload recommended
G 650 GS Sertão	E 650 G	12-14	B*		640-1087-01	¥103,000	641-1087-01	¥148,000	-	-	-	-	-	-30	Lowering 30 mm, hydr. preload recommended
G 650 GS Sertão	E 650 G	12-14	B*		640-1087-02	¥103,000	641-1087-02	¥148,000	-	-	-	-	-	-60	Lowering 60 mm, hydr. preload recommended
G 650 Xchallenge	E 65 X	07-11	P*		640-0842-00	¥103,000	-	-	642-0842-00	¥164,000	-	-	-	-50 -115	Type 642: Combination of ride height adj. or hydr. preload not possible, with lowering send fork for reconstruction!
G 650 Xcountry	E 65 X	07-11	P		640-0837-00	¥103,000	-	-	642-0837-00	¥164,000	-	-	-	-50 -75	Lowering max. 75 mm, with lowering send fork for reconstruction!
G 650 Xcountry	E 65 X	07-11	P		640-0951-00	¥103,000	-	-	642-0951-00	¥164,000	-	-	-	+25 -40	With lowering send fork for reconstruction!
G 650 Xmoto	E 65 X	07-11	P		640-0839-00	¥103,000	-	-	642-0839-00	¥164,000	-	-	-	-50 -125	With lowering send fork for reconstruction!
F 700 GS	E 8 GS / 4G80 / 4G80R	12-17	T*		640-1082-00	¥103,000	641-1082-00	¥148,000	-	-	-	-	-		Preload adjustment recommended
F 700 GS	E 8 GS / 4G80 / 4G80R	12-17	P*		640-1082-03	¥103,000	641-1082-03	¥148,000	-	-	-	-	-	+20	Raising 20 mm, hydraulic preload adjustment recommended
F 700 GS	E 8 GS / 4G80 / 4G80R	12-17	P*		640-1082-01	¥103,000	641-1082-01	¥148,000	-	-	-	-	-	-25	Lowering 25 mm, hydraulic preload adjustment recommended

BMW															
F 700 GS	E 8 GS / 4G80 / 4G80R	12-17	P*		640-1082-02	¥103,000	641-1082-02	¥148,000	-	-	-	-	-	-40	Lowering 40 mm, hydraulic preload adjustment recommended
F 750 GS	4 G 85	≥18	P*		640-1272-00	¥103,000	-	-	642-1272-00	¥164,000	-	-	-		hydraulic preload adjustment recommended
F 750 GS	4 G 85	≥18	P*		640-1272-01	¥103,000	-	-	642-1272-01	¥164,000	-	-	-		Raising 15 mm, hydraulic preload adjustment recommended, typ 642S
F 750 GS	4 G 85	≥18	P*		640-1272-02	¥103,000	-	-	642-1272-02	¥164,000	-	-	-	-30	Lowering 30 mm, hydraulic preload adjustment recommended, typ 642S
F 750 GS	4 G 85	≥18	P*		640-1272-03	¥103,000	-	-	642-1272-03	¥164,000	-	-	-	-60	Lowering 60 mm, hydraulic preload adjustment recommended, typ 642S
R 75/5/6/7	BMW R 75/5/6/7 / 247E	69-80	A	X	630-0181-03	¥186,000	-	-	632-0181-03	¥285,000	633-0181-03	S	¥296,000		X-PA preload adjustment recommended, Type 632: shock absorber up side down installed
K 75	BMW 75	83-96	P*		630-0004-00	¥103,000	-	-	632-0004-00	¥156,000	-	-	-	+20 -25 -50	X-PA preload adjustment recommended, Type 632: hydr. preload not possible
K 75	75 C	83-96	P		630-0004-05	¥103,000	631-0004-05	¥164,000	-	-	-	-	-	+20 -25 -50	With ABS 1, X-PA preload adjustment recommended
K 75 RT	75 C	83-96	P*		630-0004-02	¥103,000	-	-	632-0004-02	¥156,000	-	-	-	+20 -25 -50	X-PA preload adjustment recommended, Type 632: hydr. preload not possible
K 75 RT	75 C	83-96	P		630-0004-07	¥103,000	631-0004-07	¥164,000	-	-	-	-	-	+20 -25 -50	With ABS 1, X-PA preload adjustment recommended
K 75 S	75 C	85-95	P*		630-0005-00	¥103,000	-	-	632-0005-00	¥156,000	-	-	-	-20 -40	X-PA preload adjustment recommended, with ride height adjustment less stroke than original, type 632: hydr. preload not possible
K 75 S	75 C	85-95	P		630-0005-03	¥103,000	631-0005-03	¥164,000	632-0005-03	¥156,000	-	-	-	-20 -40	X-PA preload adjustment recommended, with ABS 1, with ride height adjustment less stroke than original
R 80/7	BMW 247	77-84	A	X	630-0181-04	¥186,000	-	-	632-0181-04	¥285,000	633-0181-04	S	¥296,000		X-PA preload adjustment recommended, Type 632: shock absorber up side down installed
R 80 G/S	BMW 247 E	80-88	T*		630-0208-00	¥103,000	-	-	-	-	633-0208-00	S	¥164,000	+15 -30 -50	X-PA preload adjustment recommended, type 633: X-PA 15 mm less stroke, hydraulic preload not possible
R 80 GS	BMW 247 E	88-97	T*		640-0008-00	¥103,000	641-0008-00	¥148,000	642-0008-00	¥164,000	-	-	-	-25 -50	Paralever, X-PA preload adjustment recommended, ride height adjustment -10 mm only, type 642S only X-PA possible
R 80 R	BMW 247 E	91-95	T		640-0207-00	¥103,000	641-0207-00	¥148,000	-	-	-	-	-	-35	Paralever / Mystic / All, X-PA preload adjustment recommended Type 641 Please state if standard or mystic
R 80/RS/RT	BMW 247	84-94	T		630-0206-01	¥103,000	631-0206-01	¥164,000	-	-	-	-	-	-25 -50	Single-sided-swing-arm, X-PA preload adjustment recommended
R 80 RT	BMW 247	82-84	A	X	630-0181-02	¥186,000	-	-	632-0181-02	¥285,000	633-0181-02	S	¥296,000		Double-sided-swing-arm, X-PA preload adjustment recommended, type 632: shock absorber up side down installed
R 80 ST	BMW 247	82-84	T		630-0209-00	¥103,000	-	-	-	-	633-0209-00	S	¥164,000	-25 -50	
F 800 GS	E 8 GS	08-12	P		640-0882-00	¥103,000	641-0882-00	¥148,000	-	-	-	-	-	+20 -30 -60	With lowering send fork for reconstruction!
F 800 GS	E 8 GS / 4G80 / 4G80r	13-17	P*		640-1085-00	¥103,000	641-1085-00	¥148,000	-	-	-	-	-		Hydr. preload recommended
F 800 GS	E 8 GS / 4G80 / 4G80r	13-17	P*		640-1085-03	¥103,000	641-1085-03	¥148,000	-	-	-	-	-	+20	Raising 20 mm, hydr. preload recommended
F 800 GS	E 8 GS / 4G80 / 4G80r	13-17	P*		640-1085-01	¥103,000	641-1085-01	¥148,000	-	-	-	-	-	-30	Lowering 30 mm, hydr. preload recommended
F 800 GS	E 8 GS / 4G80 / 4G80r	13-17	P*		640-1085-02	¥103,000	641-1085-02	¥148,000	-	-	-	-	-	-60	Lowering 60 mm, hydr. preload recommended

BMW														
F 800 GS Adventure	E 8 GS / 4G80 / 4G80r	13-17	P*		640-1085-04	¥103,000	641-1085-04	¥148,000	-	-	-	-	-	Hydr. preload recommended
F 800 GS Adventure	E 8 GS / 4G80 / 4G80r	13-17	P*		640-1085-05	¥103,000	641-1085-05	¥148,000	-	-	-	-	+20	Raising 20 mm, hydr. preload recommended
F 800 GS Adventure	E 8 GS / 4G80 / 4G80r	13-17	P*		640-1085-06	¥103,000	641-1085-06	¥148,000	-	-	-	-	-30	Lowering 30 mm, hydr. preload recommended
F 800 GS Adventure	E 8 GS / 4G80 / 4G80r	13-17	P*		640-1085-07	¥103,000	641-1085-07	¥148,000	-	-	-	-	-60	Lowering 60 mm, hydr. preload recommended
F 800 GT	E 8 ST / 4R80	13-19	P*		640-1097-00	¥103,000	641-1097-00	¥148,000	-	-	-	-	-	Hydr. preload recommended
F 800 GT	E 8 ST / 4R80	13-19	P*		640-1097-01	¥103,000	641-1097-01	¥148,000	-	-	-	-	+10	Raising 10 mm, hydr. preload recommended
F 800 GT	E 8 ST / 4R80	13-19	P*		640-1097-02	¥103,000	641-1097-02	¥148,000	-	-	-	-	-20	Lowering 20 mm, reduction bushings 660-0200-07 needed, hydr. preload recommended
F 800 GT	E 8 ST / 4R80	13-19	P*		640-1097-03	¥103,000	641-1097-03	¥148,000	-	-	-	-	-40	Lowering 40 mm, hydr. preload recommended
F 800 R	E 8 ST	09-14	I		640-0952-00	¥103,000	641-0952-00	¥148,000	-	-	-	-	+25 +15 -40	
F 800 R	E 8 ST / 4R80	15-19	P*		640-1159-00	¥103,000	641-1159-00	¥148,000	-	-	-	-	-	Hydraulic preload adjustment recommended
F 800 R	E 8 ST / 4R80	15-19	P*		640-1159-01	¥103,000	641-1159-01	¥148,000	-	-	-	-	+25	Raising 25 mm, hydraulic preload adjustment recommended
F 800 R	E 8 ST / 4R80	15-19	B*		640-1159-02	¥103,000	641-1159-02	¥148,000	-	-	-	-	-25	Lowering 25 mm, hydraulic preload adjustment recommended
F 800 S / ST	E 8 ST	06-12	P		640-0807-00	¥103,000	641-0807-00	¥148,000	-	-	-	-	-30 -40 -50	
F 850 GS / Adventure	4 G 85 / MG85	≥18	P*		640-1242-00	¥103,000	-	-	642-1242-00	¥197,000	-	S	-	hydraulic preload adjustment recommended, typ 642S
F 850 GS / Adventure	4 G 85 / MG85	≥18	P*		640-1242-01	¥103,000	-	-	642-1242-01	¥197,000	-	S	+20	Raising 20 mm, hydraulic preload adjustment recommended, typ 642S
F 850 GS / Adventure	4 G 85 / MG85	≥18	P*		640-1242-02	¥103,000	-	-	642-1242-02	¥197,000	-	S	-30	Lowering 30 mm, hydraulic preload adjustment recommended, typ 642S
F 850 GS / Adventure	4 G 85 / MG85	≥18	P*		640-1242-03	¥103,000	-	-	642-1242-03	¥197,000	-	S	-60	Lowering 60 mm, hydraulic preload adjustment recommended, typ 642S
R 850 C	BMW 259 C	98-01			630-0013-02	¥103,000	-	-	-	-	-	-	-	
R 850 C	BMW 259 C	98-01	B		640-0013-02	¥103,000	641-0013-02	¥148,000	-	-	-	-	-	Rear / fork mount
R 850 GS	BMW 259 / R 21	98-00			630-0012-02	¥103,000	-	-	-	-	-	-	-25 -50	Front / 17" wheel? If yes: original height wanted?
R 850 GS	BMW 259 / R 21	98-00	B		640-0012-02	¥103,000	641-0012-02	¥148,000	-	-	-	-	-25 -50	Rear, if with ride height adjustment = at top, only adjustable when shock absorber is removed
R 850 R	BMW 259 / R 21	94-02			630-0009-00	¥103,000	-	-	-	-	-	-	-30	Front, Hydraulic preload adjustment possible only as special solution without certification of operation, ride height adjustment little stroke
R 850 R	BMW 259 / R 21	94-02	P		640-0010-00	¥103,000	641-0010-00	¥148,000	-	-	-	-	-30	Rear, fork mount bottom, ride height adjustment at the top installed, only adjustable when shock absorber is removed
R 850 R	R 11 / R 28	03-06			630-0369-01	¥103,000	-	-	-	-	-	-	-20 -45	Front
R 850 R	R 11 / R 28	03-06	P		640-0369-01	¥103,000	641-0369-01	¥148,000	-	-	-	-	-20 -45	Rear, eye mount bottom, hydraulic preload not in original position
R 850 RT	BMW 259	96-01	A		630-0011-03	¥103,000	-	-	-	-	-	-	-30	Front
R 850 RT	BMW 259	96-01	P		640-0010-04	¥103,000	641-0010-04	¥148,000	-	-	-	-	-30	Rear, fork mount bottom
R 850 RT	R 11 RT / R 22	02-06	P		640-0586-01	¥103,000	641-0586-01	¥148,000	-	-	-	-	-30	Rear
F 900 R	4 R 90	≥20	R		640-1281-00	¥103,000	-	-	642-1281-00	¥197,000	-	S	-	X-PA preload adjustment recommended, typ 642S
F 900 R	4 R 90	≥20	R		640-1281-01	¥103,000	-	-	642-1281-01	¥197,000	-	S	+20	Raising 20 mm, X-PA preload adjustment recommended, typ 642S

BMW															
F 900 R	4 R 90	≥20	R		640-1281-02	¥103,000	-	-	642-1281-02	¥197,000	-	S	-	-30	Lowering 30 mm, X-PA preload adjustment recommended, typ 642S
F 900 XR	4 R 90	≥20	R		640-1280-00	¥103,000	-	-	642-1280-00	¥197,000		S			X-PA preload adjustment recommended, typ 642S
F 900 XR	4 R 90	≥20	R		640-1280-01	¥103,000	-	-	642-1280-01	¥197,000		S		+15	Raising 15 mm, X-PA preload adjustment recommended, typ 642S
F 900 XR	4 R 90	≥20	R		640-1280-02	¥103,000	-	-	642-1280-02	¥197,000		S		-25	Lowering 25 mm, X-PA preload adjustment recommended, typ 642S
F 900 XR	4 R 90	≥20	R		640-1280-03	¥103,000	-	-	642-1280-03	¥197,000		S		-50	Lowering 50 mm, X-PA preload adjustment recommended, typ 642S
R 90 S / R 90 6	BMW R 90 S / R 90 6	73-76	A	X	630-0181-05	¥186,000	-	-	632-0181-05	¥285,000	633-0181-05	S	¥296,000		X-PA preload adjustment recommended, type 632: shock absorber up side down installed
K 1	BMW 100	89-93	P		630-0003-00	¥103,000	631-0003-00	¥164,000	-	-	-	-	-	-15 -30	Hydr. preload adjustment recommended
K 100	BMW 100	83-89	P*		630-0004-01	¥103,000	-	-	632-0004-01	¥156,000	-	-	-	+20 -25 -50	X-PA preload adjustment recommended, Type 632: hydr. preload not possible
K 100	BMW 100	83-89	P		630-0004-06	¥103,000	631-0004-06	¥164,000	-	-	-	-	-	+20 -25 -50	With ABS 1, X-PA preload adjustment recommended
K 100 LT/ RT	BMW 100	83-99	P*		630-0004-04	¥103,000	-	-	632-0004-04	¥156,000	-	-	-	+20 -25 -50	No ABS, X-PA preload adjustment recommended, Type 632: hydr. preload not possible
K 100 LT/ RT	BMW 100	83-90	P		630-0004-04	¥103,000	631-0004-04	¥164,000	-	-	-	-	-	+20 -25 -50	With ABS 1, X-PA preload adjustment recommended
K 100 RS	BMW 100	83-89	P*		630-0004-03	¥103,000	-	-	632-0004-03	¥156,000	-	-	-	+20 -25 -50	No ABS, X-PA preload adjustment recommended, Type 632: hydr. preload not possible
K 100 RS	BMW 100	83-89	P		630-0004-09	¥103,000	631-0004-09	¥164,000	-	-	-	-	-	+20 -25 -50	With ABS 1, X-PA preload adjustment recommended
K 100 RS	BMW 100	83-89	P*		630-0005-01	¥103,000	-	-	632-0005-01	¥156,000	-	-	-	-20 -40	Sport-suspension no ABS 1, X-PA preload adjustment recommended, with ride height adjustment less stroke than original
K 100 RS	BMW 100	83-89	P		630-0005-02	¥103,000	631-0005-02	¥164,000	-	-	-	-	-	-20 -40	Sport-suspension with ABS 1, X-PA preload adjustment recommended, with ride height adjustment less stroke than original
K 100 RS	BMW 100	90-96	P		630-0003-04	¥103,000	631-0003-04	¥164,000	632-0003-04	¥156,000	-	-	-	-15 -30	16 V no ABS, hydr. preload adjustment recommended
K 100 RS	BMW 100	90-96	P		630-0003-05	¥103,000	631-0003-05	¥164,000	-	-	633-0003-05	S	¥164,000		16 V with ABS 1, hydr. preload adjustment recommended
K 100 S	BMW 100	83-90	P*		630-0005-10	¥103,000	-	-	632-0005-10	¥156,000	-	-	-	-20 -40	Sport-suspension without ABS 1, X-PA preload adjustment recommended, with ride height adjustment less stroke than original, type 632: hydraulic preload adjustment not possible
K 100 S	BMW 100	83-90			630-0005-03	¥103,000	631-0005-03	¥164,000	-	-	-	-	-		Sport-suspension with ABS 1, X-PA preload adjustment recommended, with ride height adjustment less stroke than original
R 100 CS / R 100 RS / R 100 7	BMW 100 / BMW 247	76-84	D*	X	630-0181-06	¥186,000	-	-	632-0181-06	¥285,000	633-0181-06	S	¥296,000		X-PA preload adjustment recommended, type 632: shock absorber up side down installed
R 100 GS	BMW 247 E	88-96	T*		640-0008-01	¥103,000	641-0008-01	¥148,000	642-0008-01	¥164,000	-	-	-	-25 -50	Paralever, X-PA preload adjustment recommended, ride height adjustment -10 mm only
R 100 GS Paris Dakar	BMW 247 E	88-96	T*		640-0008-02	¥103,000	641-0008-02	¥148,000	-	-	-	-	-	-25 -50	Paralever, X-PA preload adjustment recommended, ride height adjustment -10 mm only, typ 642S

BMW															
R 100 R	BMW 247 E	91-96	T		640-0207-01	¥103,000	641-0207-01	¥148,000	-	-	-	-	-35	Paralever / Mystic / All. X-PA preload adjustment recommended Type 641 with hydraulic preload adjustment. Please state if standard or mystic	
R 100 RT/ RS	BMW 247	85-96	T		630-0206-02	¥103,000	631-0206-02	¥164,000	-	-	-	-	-25 -50	Single-sided-swing-arm, X-PA preload adjustment recommended	
S 1000 R (ohne DDC)	K 10 / 2R10	13-20	B		640-1153-00	¥103,000	-	-	-	643-1153-00	QS	¥181,000		With type 643 a bracket to move the brake fluid reservoir is included	
S 1000 R (ohne DDC)	K 10 / 2R10	13-20	B		640-1153-01	¥103,000	-	-	-	643-1153-01	QS	¥181,000	+20	Raising 20 mm, with type 643 a bracket to move the brake fluid reservoir is included	
S 1000 R (ohne DDC)	K 10 / 2R10	13-20	B		640-1153-02	¥103,000	-	-	-	643-1153-02	QS	¥181,000	-20	Lowering 20 mm, with type 643 a bracket to move the brake fluid reservoir is included	
S 1000 RR	K 10	09-11	T		640-0973-00	¥103,000	-	-	-	643-0973-00	QS	¥181,000	-20	Road / Hobby-Race	
S 1000 RR	K 10	09-11	F*		640-0973-01	¥116,000	-	-	-	643-0973-01	QS	¥194,000	-20	Race professionell - incl. ride height adjustment	
S 1000 RR	K 10	12-14	T		640-1066-00	¥103,000	-	-	-	643-1066-00	QS	¥181,000		Road / Hobby-Race	
S 1000 RR	K 10	12-14	F*		640-1066-01	¥116,000	-	-	-	643-1066-01	QS	¥194,000		Race professionell - incl. ride height adjustment	
S 1000 RR	K 10 / 2R10 / 2R10r	15-18	T		640-1154-00	¥103,000	-	-	-	643-1154-00	QS	¥181,000		Road / Hobby-Race	
S 1000 RR	K 10 / 2R10 / 2R10r	15-18	F*		640-1154-01	¥116,000	-	-	-	643-1154-01	QS	¥194,000		Race professionell - incl. ride height adjustment	
S 1000 RR	K 10 / 2R10 / 2R10r	15-18	D*		-	-	-	-	-	643-1154-10	QS	¥285,000		Race Replica - incl. X-PA height adjustment, aluminum cylinder, milled parts titanium color, adjustment anodized in black	
S 1000 RR	K67 / 2R99	≥19	R		-	-	-	-	-	643-1291-10	QRR	¥329,000		Only Racing	
S 1000 XR	K 10 / 2X10	15-19	P*		640-1172-00	¥103,000	-	-	-	643-1172-00	QS	¥181,000		Hydraulic preload adjustment recommended	
S 1000 XR	K 10 / 2X10	15-19	P*		640-1172-01	¥103,000	-	-	-	643-1172-01	QS	¥181,000	+20	Raising 20 mm, hydraulic preload adjustment recommended	
S 1000 XR	K 10 / 2X10	15-19	B*		640-1172-02	¥103,000	-	-	-	643-1172-02	QS	¥181,000	-30	Loering 30 mm, hydraulic preload adjustment recommended	
M 1000 RR	K 66 / 2R10R	≥21	R		-	-	-	-	-	643-1300-10	QRR	¥329,000		Only Racing	
K 1100 LT	BMW 100	90-98	P*		630-0003-02	¥103,000	-	-	632-0003-02	¥156,000	-	-	-15 -30	No ABS and with ABS II, hydr. preload adjustment recommended, type 632 - hydraulic preload adjustment not possible	
K 1100 LT	BMW 100	90-98	P		630-0003-06	¥103,000	631-0003-06	¥164,000	-	-	633-0003-06	S	¥164,000	-15 -30	With ABS 1, hydr. preload adjustment recommended
K 1100 RS	BMW 100	92-98	P*		630-0003-03	¥103,000	631-0003-03	¥164,000	632-0003-03	¥156,000	-	-	-15 -30	No ABS, hydr. preload adjustment recommended, Type 632 preload adj. not possible	
K 1100 RS	BMW 100	92-98	P		630-0003-09	¥103,000	-	-	-	-	633-0003-09	S	¥164,000		With ABS 1, hydr. preload adjustment recommended
K 1100 RS	BMW 100	92-98	P*		630-0003-08	¥103,000	631-0003-08	¥164,000	632-0003-08	¥156,000	-	-		With ABS 2, hydr. preload adjustment recommended, Type 632 preload adj. not possible	
R 1100 GS	BMW 259	94-99			630-0012-00	¥103,000	-	-	-	-	-	-	+25 -25 -50	Front / 17" wheel? If yes: original height wanted?	
R 1100 GS	BMW 259	94-99	P		640-0012-00	¥103,000	641-0012-00	¥148,000	-	-	-	-	+25 -25 -50	Rear, if with ride height adjustment = at top, only adjustable when shock absorber is removed	

BMW															
R 1100 RS/R	BMW 259	93-00			630-0009-01	¥103,000	-	-	-	-	-	-	-30	Front, Hydraulic preload adjustment possible only as special solution without certification of operation, ride height adjustment little stroke	
R 1100 RS/R	BMW 259	93-00	P		640-0010-01	¥103,000	641-0010-01	¥148,000	-	-	643-0010-01	P	¥164,000	-30	Rear, fork mount bottom, 643 only Race due to limited space
R 1100 RT	BMW 259	96-01	A		630-0011-00	¥103,000	-	-	-	-	-	-	-30	Front	
R 1100 RT	BMW 259	96-01	P		640-0010-03	¥103,000	641-0010-03	¥148,000	-	-	-	-	-30	Rear, fork mount bottom	
R 1100 S	R 2 S / R 11 S	98-05			630-0419-00	¥103,000	-	-	-	-	-	-	+20 -25 -40	Front	
R 1100 S	R 2 S / R 11 S	98-05			630-0419-01	¥103,000	-	-	-	-	-	-	-25 -50	Front Sport-suspension = 20 mm higher	
R 1100 S	R 2 S / R 11 S	98-05	M		640-0418-00	¥103,000	641-0418-00	¥148,000	-	-	643-0418-00	P	¥164,000	+20 -25 -40	Please specify the length. For remote preload state if luggage carrier is mounted.
R 1100 S	R 2 S / R 11 S	98-05	I*		-	-	-	-	-	-	643-0418-03	QS	¥181,000	+20 -25 -40	Please specify the length, or remote preload state if luggage carrier is mounted.
R 1100 S	R 2 S / R 11 S	98-05	I*		640-0418-01	¥103,000	641-0418-01	¥148,000	-	-	643-0418-01	P	¥164,000	-25 -50	Rear Sport-suspension = 20 mm higher ride height adj. only - 10 mm, not in combination with hydr. preload not poss./ Please specify with remote preload if luggage carrier is mounted.
R 1100 S	R 2 S / R 11 S	98-05	I*		-	-	-	-	-	-	643-0418-02	QS	¥181,000	-25 -50	Rear Sport-suspension = 20 mm higher ride height adj. only - 10 mm, not in combination with hydr. preload not poss./ Please specify with remote preload if luggage carrier is mounted.
R 1150 GS	R 21	99-04			630-0012-01	¥103,000	-	-	-	-	-	-	+25 -25 -45	17" wheel? If yes: original height wanted?	
R 1150 GS	R 21	99-04	P		640-0501-00	¥103,000	641-0501-00	¥148,000	-	-	-	-	+25 -25 -45	Rear / hydraulic preload not in original position	
R 1150 GS Adventure	R 21	02-05			630-0465-00	¥103,000	-	-	-	-	-	-	-25 -40	Front	
R 1150 GS Adventure	R 21	02-05	P*		640-0465-00	¥103,000	641-0465-00	¥148,000	-	-	-	-	-25 -40	Rear / hydraulic preload not in original position	
R 1150 R	R 21	01-06			630-0369-00	¥103,000	-	-	-	-	-	-	-20 -45	Front	
R 1150 R	R 21	01-06	P		640-0369-00	¥103,000	641-0369-00	¥148,000	-	-	-	-	-20 -45	Rear, eye mount bottom	
R 1150 R Rockster	R 11 R / R 21	03-05			630-0561-01	¥103,000	-	-	-	-	-	-	-35	Front	
R 1150 R Rockster	R 11 R / R 21	03-05	P		640-0561-01	¥103,000	641-0561-01	¥148,000	-	-	-	-	-35	Rear / hydraulic preload not in original position	
R 1150 RS	R 11 RT / R 22	00-03	A*		630-0009-03	¥103,000	-	-	-	-	-	-	+25 -30	Front, ride height adjustment little stroke	
R 1150 RS	R 11 RT / R 22	00-03	P		640-0586-00	¥103,000	641-0586-00	¥148,000	-	-	-	-	+25 -30	Rear	
R 1150 RT	R 11 RT / R 22	01-05	A		630-0011-01	¥103,000	-	-	-	-	-	-	+25 -25 -45	Front	
R 1150 RT	R 11 RT / R 22	01-05	P		640-0586-02	¥103,000	641-0586-02	¥148,000	-	-	-	-	+25 -25 -45	Rear	
K 1200 LT	K 2 LT	99-03			630-0509-00	¥103,000	-	-	-	-	-	-	-25 -40	Front	
K 1200 LT	K 2 LT	99-03			630-0509-02	¥103,000	-	-	-	-	-	-	-30	Front, Lowering 30 mm in Combination with 646-0509-02	
K 1200 LT	K 2 LT	99-03	P		640-0509-00	¥103,000	641-0509-00	¥148,000	-	-	-	-	-25 -45	Rear	
K 1200 LT	K 12 LT	04-08			630-0509-01	¥103,000	-	-	-	-	-	-	-25 -45	Front	
K 1200 LT	K 12 LT	04-08			630-0509-03	¥103,000	-	-	-	-	-	-	-30	Front, Lowering 30 mm in Combination with 646-0509-03	
K 1200 LT	K 12 LT	04-08	P		640-0509-01	¥103,000	641-0509-01	¥148,000	-	-	-	-	-25 -45	Rear	
K 1200 RS	K 12 / BMW 589	97-05			630-0215-00	¥103,000	-	-	-	-	-	-	-25	Front	
K 1200 RS	K 12 / BMW 589	97-05	B*		640-0215-00	¥116,000	641-0215-00	¥161,000	-	-	-	-	-25	Rear, incl. ride height adjustment	

BMW														
K 1200 GT	K 12	03-05		630-0215-01	¥103,000	-	-	-	-	-	-	-	-25	Front
K 1200 GT	K 12	03-05	B*	640-0215-01	¥116,000	641-0215-01	¥161,000	-	-	-	-	-	-25	Rear, incl. ride height adjustment
K 1200 GT	K 12 S	06-08		630-0805-00	¥103,000	-	-	-	-	-	-	-	-40 -60	Front
K 1200 GT	K 12 S	06-08	P	640-0805-00	¥103,000	641-0805-00	¥148,000	-	-	-	-	-	-40 -60	Rear
K 1200 R / Sport / S	K 12 R / K 12 S	04-08		630-0737-00	¥103,000	-	-	-	-	-	-	-	+15 -25 -50	Front / Orig. ESA shock
K 1200 R / Sport / S	K 12 R / K 12 S	04-08	P	640-0737-00	¥103,000	641-0737-00	¥148,000	642-0737-00	¥164,000	-	-	-	+15 -25 -50	Rear / Orig. ESA shock
R nineT	R 1 ST	13-16	S*	640-1139-00	¥103,000	-	-	642-1139-00	¥164,000	-	-	-	-	Ride height adjustment little stroke
R nineT	R 1 ST	13-16	S*	640-1139-01	¥103,000	-	-	642-1139-01	¥164,000	-	-	-	+25	Raising 25 mm, ride height adjustment little stroke
R nineT	R 1 ST	13-16	E	640-1139-02	¥103,000	-	-	642-1139-02	¥164,000	-	-	-	-25	Lowering 25 mm
R nineT	1 N 12	17-20	U	640-1231-00	¥103,000	-	-	642-1231-00	¥164,000	-	-	-	-	Ride height adjustment little stroke, type 642: ZF preload adjustment not possible, Lowering Footrest possible - see below
R nineT	1 N 12	17-20	U	640-1231-01	¥103,000	-	-	642-1231-01	¥164,000	-	-	-	+25	Raising 25 mm, ride height adjustment little stroke, type 642: ZF preload adjustment not possible, Lowering Footrest possible - see below
R nineT	1 N 12	17-20	U	640-1231-02	¥103,000	-	-	642-1231-02	¥164,000	-	-	-	-25	Lowering 25 mm, type 642: ZF preload adjustment not possible
R nineT Pure	1 N 12	17-20	V*	640-1230-00	¥103,000	-	-	642-1230-00	¥164,000	-	-	-	-	Type 642: ZF preload adjustment not possible, Lowering Footrest possible - see below
R nineT Pure	1 N 12	17-20	V*	640-1230-01	¥103,000	-	-	642-1230-01	¥164,000	-	-	-	+25	Raising 25 mm, type 642: ZF preload adjustment not possible, Lowering Footrest possible - see below
R nineT Pure	1 N 12	17-20	V*	640-1230-02	¥103,000	-	-	642-1230-02	¥164,000	-	-	-	-25	Lowering 25 mm, type 642: ZF preload adjustment not possible
R nineT Racer	1 N 12	17-20	R	640-1202-00	¥103,000	-	-	642-1202-00	¥164,000	-	-	-	-	
R nineT Racer	1 N 12	17-20	R	640-1202-01	¥103,000	-	-	642-1202-01	¥164,000	-	-	-	+ 25	Raising 25 mm
R nineT Racer	1 N 12	17-20	R	640-1202-02	¥103,000	-	-	642-1202-02	¥164,000	-	-	-	- 25	Lowering 25 mm
R nineT Racer	1 N 12	17-20	KIT	-	-	-	-	642-1202-10	¥476,000	-	-	-	-	Boxer Cup suspension kit = shock absorber, X-PA preload adjustment, cartridge kit, fork inner tubes, fork oil, steering damper kit
BoxerCup - Road-Repika Kit			KIT	255-1202-10	¥372,000	-	-	-	-	-	-	-	-	
R nineT Scrambler	1 N 12	17-20	R	640-1201-00	¥103,000	-	-	642-1201-00	¥164,000	-	-	-	-	Lowering Footrest possible - see below
R nineT Scrambler	1 N 12	17-20	R	640-1201-01	¥103,000	-	-	642-1201-01	¥164,000	-	-	-	+15	Raising 15 mm, Lowering Footrest possible - see below
R nineT Scrambler	1 N 12	17-20	R	640-1201-02	¥103,000	-	-	642-1201-02	¥164,000	-	-	-	+30	Raising 30 mm, Lowering Footrest possible - see below
R nineT Scrambler	1 N 12	17-20	R	640-1201-03	¥103,000	-	-	642-1201-03	¥164,000	-	-	-	-25	Lowering 25 mm
R nineT Scrambler	1 N 12	17-20	R	640-1201-05	¥103,000	-	-	642-1201-05	¥164,000	-	-	-	-	For lowering ex-factory
R nineT Scrambler	1 N 12	17-20	KIT	640-1201-10	¥453,000	-	-	642-1201-10	¥519,000	-	-	-	+70	Suspension kit raising 70 mm = shock absorber, cartridge kit, fork inner tubes, fork oil, Lowering Footrest possible - see below
R nineT Urban G/S	1 N 12	17-20	R	640-1223-00	¥103,000	-	-	642-1223-00	¥164,000	-	-	-	-	Lowering Footrest possible - see below, 642

BMW															
R nineT Urban G/S	1 N 12	17-20	R		640-1223-01	¥103,000	-	-	642-1223-01	¥164,000	-	-	-	+15	Raising 15 mm, Lowering Footrest possible - see below
R nineT Urban G/S	1 N 12	17-20	R		640-1223-02	¥103,000	-	-	642-1223-02	¥164,000	-	-	-	+30	Raising 30 mm, Lowering Footrest possible - see below
R nineT Urban G/S	1 N 12	17-20	R		640-1223-03	¥103,000	-	-	642-1223-03	¥164,000	-	-	-	-25	Lowering 25 mm combinable with 601-0528-01 or 303-0005-00, 642: Only X-PA Lowering 25 mm combinable with 601-0528-01 or 303-0005-00, 642: Only X-PA
R nineT Urban G/S	1 N 12	17-20	R*KIT R*KIT R*KIT		640-1223-10	¥453,000	-	-	642-1223-10	¥519,000	-	-	-	+70	Suspension kit raising 70 mm = shock absorber, cartridge kit, fork inner tubes, fork oil, side stand extension, adapter for brake pipe distributor, Lowering Footrest possible - see below
R nineT Scrambler / Urban GS	1 N 12 / RN 12	≥20	U*		640-1297-00	¥103,000	-	-	642-1297-00	¥164,000	-	-	-	-	Lowering Footrest possible - see below, 642: ZF-PA not possible
R nineT Scrambler / Urban GS	1 N 12 / RN 12	≥20	U*		640-1297-01	¥103,000	-	-	642-1297-01	¥164,000	-	-	-	+15	Raising 15 mm, Lowering Footrest possible - see below, 642: ZF-PA not possible
R nineT Scrambler / Urban GS	1 N 12 / RN 12	≥20	U*		640-1297-02	¥103,000	-	-	642-1297-02	¥164,000	-	-	-	+30	Raising 30 mm, Lowering Footrest possible - see below, 642: ZF-PA not possible
R nineT Scrambler / Urban GS	1 N 12 / RN 12	≥20	U*		640-1297-03	¥103,000	-	-	642-1297-03	¥164,000	-	-	-	-25	Lowering 25 mm combinable with 601-0528-00 or 303-0005-00, 642: ZF-PA not possible
R nineT Scrambler	1 N 12 / RN 12	≥20	U*		640-1297-05	¥103,000	-	-	642-1297-05	¥164,000	-	-	-	-	Lowering ex-factory, 642: ZF-PA not possible
R nineT Scrambler / Urban GS	1 N 12 / RN 12	≥20	KIT		640-1297-10	¥453,000	-	-	642-1297-10	¥460,000	-	-	-	+70	Suspension kit raising 70 mm = shock absorber, cartridge kit, fork inner tubes, fork oil, side stand extension, adapter for brake pipe distributor, Lowering Footrest possible - see below, ZF-PA not possible
R nineT	RN 12	≥21	U*		640-1305-00	¥103,000	-	-	642-1305-00	¥164,000	-	-	-	-	642: ZF-PA not possible
R nineT	RN 12	≥21	U*		640-1305-01	¥103,000	-	-	642-1305-01	¥164,000	-	-	-	+25	Raising 25 mm, 642: ZF-PA not possible
R nineT	RN 12	≥21	U*		640-1305-02	¥103,000	-	-	642-1305-02	¥164,000	-	-	-	-25	Lowering 25 mm, 642: ZF-PA not possible
R nineT Pure	RN 12	≥21	U		640-1306-00	¥103,000	-	-	642-1306-00	¥164,000	-	-	-	-	
R nineT Pure	RN 12	≥21	U		640-1306-01	¥103,000	-	-	642-1306-01	¥164,000	-	-	-	+25	Raising 25 mm
R nineT Pure	RN 12	≥21	U		640-1306-02	¥103,000	-	-	642-1306-02	¥164,000	-	-	-	-25	Lowering 25 mm
R 1200 C / Independent /Montauk	BMW 259 C	97-02			630-0013-00	¥103,000	-	-	-	-	-	-	-	-	
R 1200 C / Independent /Montauk	BMW 259 C	97-02	B		640-0013-00	¥103,000	641-0013-00	¥148,000	-	-	-	-	-	-	Rear / fork mount, YoM 00-02: VIN necessary
R 1200 C	R 2 C / BMW 259 C	03-04			630-0013-01	¥103,000	-	-	-	-	-	-	-	-	
R 1200 C	R 2 C / BMW 259 C	03-04	B		640-0715-00	¥103,000	641-0715-00	¥148,000	-	-	-	-	-	-	Rear / eye mount, VIN necessary
R 1200 CL	K 30	03-05			630-0694-00	¥103,000	-	-	-	-	-	-	-	-	Front
R 1200 CL	K 30	03-05	B		640-0694-00	¥103,000	641-0694-00	¥148,000	-	-	-	-	-	-	Rear
R 1200 GS	R 12	04-12	T		630-0726-00	¥103,000	-	-	-	-	-	-	-	+25 +15 -25 -40 -50 -65 -75	Front
R 1200 GS	R 12	04-12	P		640-0726-00	¥103,000	641-0726-00	¥148,000	642-0726-00	¥164,000	-	-	-	+25 +15 -25 -40 -50 -65 -75	Rear

BMW															
R 1200 GS (LC)	R 12 W	13-16			630-1099-00	¥103,000	-	-	-	-	-	-	-	Front	
R 1200 GS (LC)	R 12 W	13-16			630-1099-03	¥103,000	-	-	-	-	-	-	+15	Front, Raising 15 mm	
R 1200 GS (LC)	R 12 W	13-16			630-1099-01	¥103,000	-	-	-	-	-	-	-35	Front, lowering 35 mm	
R 1200 GS (LC)	R 12 W	13-16			630-1099-02	¥103,000	-	-	-	-	-	-	-70	Front, lowering 70 mm	
R 1200 GS (LC)	R 12 W	13-16			630-1099-04	¥103,000	-	-	-	-	633-1099-04	S	¥164,000	WTL	Front, for lowering ex-factory!
R 1200 GS (LC)	R 12 W	13-16			630-1099-05	¥103,000	-	-	-	-	-	-	-	WTL-20	Front, for lowering ex-factory, additional lowering 20 mm
R 1200 GS (LC)	R 12 W	13-16			630-1099-06	¥103,000	-	-	-	-	-	-	-	WTL-50	Front, for lowering ex-factory, additional lowering 50 mm
R 1200 GS (LC)	R 12 W	13-16	P*		640-1099-00	¥103,000	-	-	642-1099-00	¥164,000	-	-	-		Rear, hydr. preload adj. recommended, please state if case system is mounted
R 1200 GS (LC)	R 12 W	13-16	P*		640-1099-03	¥103,000	-	-	642-1099-03	¥164,000	-	-	-	+15	Rear, hydr. preload adj. recommended, please state if case system is mounted
R 1200 GS (LC)	R 12 W	13-16	P*		640-1099-01	¥103,000	-	-	642-1099-01	¥164,000	-	-	-	-35	Rear, lowering 35 mm, hydr. preload adj. recommended, please state if case system is mounted
R 1200 GS (LC)	R 12 W	13-16	B*		640-1099-02	¥103,000	-	-	642-1099-02	¥164,000	-	-	-	-70	Rear, lowering 70 mm, hydr. preload adj. recommended, please state if case system is mounted
R 1200 GS (LC)	R 12 W	13-16	P		640-1099-04	¥103,000	-	-	642-1099-04	¥164,000	-	-	-	WTL	Rear, for lowering ex-factory! lease state if case system is mounted
R 1200 GS (LC)	R 12 W	13-16	P		640-1099-05	¥103,000	-	-	642-1099-05	¥164,000	-	-	-	WTL-20	Rear for lowering ex-factory, additional lowering 20 mm, please state if case system is mounted
R 1200 GS (LC)	R 12 W	13-16	P		640-1099-06	¥103,000	-	-	642-1099-06	¥164,000	-	-	-	WTL-50	Rear for lowering ex-factory, additional lowering 50 mm, please state if case system is mounted
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18			630-1221-00	¥103,000	-	-	632-1221-00	¥156,000	633-1221-00	S	¥164,000	Front	
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18			630-1221-01	¥103,000	-	-	632-1221-01	¥156,000	-	-	-	+ 15	Front, Raising 15 mm
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18			630-1221-02	¥103,000	-	-	632-1221-02	¥156,000	-	-	-	- 35	Front, Lowering 35 mm
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18			630-1221-03	¥103,000	-	-	632-1221-03	¥156,000	-	-	-	- 70	Front, Lowering 70 mm
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18			630-1221-04	¥103,000	-	-	632-1221-04	¥156,000	-	-	-	WTL	Front, for lowering ex-factory

BMW															
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18			630-1221-10	¥103,000	-	-	632-1221-10	¥156,000	-	-	-	WTL-20	Front for lowering ex-factory, additional lowering 20 mm
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18			630-1221-11	¥103,000	-	-	632-1221-11	¥156,000	-	-	-	WTL-50	Front for lowering ex-factory, additional lowering 50 mm
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18	T*		640-1221-00	¥103,000	-	-	642-1221-00	¥164,000	-	-	-		Rear, hydr. preload adj. recommended, please state if case system is mounted
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18	T*		640-1221-01	¥103,000	-	-	642-1221-01	¥164,000	-	-	-	+ 15	Rear, Raising 15 mm, hydr. preload adj. recommended, please state if case system is mounted
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18	T*		640-1221-02	¥103,000	-	-	642-1221-02	¥164,000	-	-	-	- 35	Rear, Loering 35 mm, hydr. preload adj. recommended, please state if case system is mounted
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18	M*		640-1221-03	¥103,000	-	-	642-1221-03	¥164,000	-	-	-	- 70	Rear, Lowering 70 mm, hydr. preload adj. recommended, please state if case system is mounted
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18			640-1221-04	¥103,000	-	-	642-1221-04	¥164,000	-	-	-	WTL	Rear, for lowering ex-factory
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18			640-1221-10	¥103,000	-	-	642-1221-10	¥164,000	-	-	-	WTL-20	Rear for lowering ex-factory, additional lowering 20 mm
R 1200 GS Rallye ohne Sportfahrwerk	1 G 12	17-18			640-1221-11	¥103,000	-	-	642-1221-11	¥164,000	-	-	-	WTL-50	Rear for lowering ex-factory, additional lowering 50 mm
R 1200 GS Rallye mit Sportfahrwerk	1 G 12	17-18			630-1224-00	¥103,000	-	-	632-1224-00	¥156,000	633-1224-00	S	¥164,000		Front
R 1200 GS Rallye mit Sportfahrwerk	1 G 12	17-18			630-1224-01	¥103,000	-	-	632-1224-01	¥156,000	-	-	-	-35	Front, Lowering 35 mm
R 1200 GS Rallye mit Sportfahrwerk	1 G 12	17-18			630-1224-02	¥103,000	-	-	632-1224-02	¥156,000	-	-	-	-55	Front, Lowering 55 mm
R 1200 GS Rallye mit Sportfahrwerk	1 G 12	17-18			630-1224-03	¥103,000	-	-	632-1224-03	¥156,000	-	-	-	-80	Front, Lowering 80 mm
R 1200 GS Rallye mit Sportfahrwerk	1 G 12	17-18	T*		640-1224-00	¥103,000	-	-	642-1224-00	¥197,000	633-1224-00	S	¥164,000		Rear, ride height adjustment recommended, please state if case system is mounted
R 1200 GS Rallye mit Sportfahrwerk	1 G 12	17-18	T*		640-1224-01	¥103,000	-	-	642-1224-01	¥164,000	-	-	-	-35	Rear, Lowering 35 mm, ride height adjustment recommended, please state if case system is mounted
R 1200 GS Rallye mit Sportfahrwerk	1 G 12	17-18	T*		640-1224-02	¥103,000	-	-	642-1224-02	¥164,000	-	-	-	-55	Rear, Lowering 55 mm, ride height adjustment recommended, please state if case system is mounted
R 1200 GS Rallye mit Sportfahrwerk	1 G 12	17-18	M*		640-1224-03	¥103,000	-	-	642-1224-03	¥164,000	-	-	-	-80	Rear, Lowering 80 mm, ride height adjustment recommended, please state if case system is mounted
R 1200 GS Adventure	R 12	06-13			630-0810-00	¥103,000	-	-	-	-	-	-	-	-15 -25 -50 -75 -100	Front
R 1200 GS Adventure	R 12	06-13	T		640-0810-00	¥103,000	641-0810-00	¥148,000	642-0810-00	¥164,000	-	-	-	-15 -25 -50 -75 -100	Rear
R 1200 GS Adventure (LC)	R 12 W	14-16			630-1137-00	¥103,000	-	-	632-1137-00	¥156,000	633-1137-00	S	¥164,000		Front
R 1200 GS Adventure (LC)	R 12 W	14-16			630-1137-01	¥103,000	-	-	632-1137-01	¥156,000	-	-	-	-35	Front, lowering 35 mm
R 1200 GS Adventure (LC)	R 12 W	14-16			630-1137-02	¥103,000	-	-	632-1137-02	¥156,000	-	-	-	-55	Front, lowering 55 mm
R 1200 GS Adventure (LC)	R 12 W	14-16			630-1137-03	¥103,000	-	-	632-1137-03	¥156,000	-	-	-	-80	Front lowering 80 mm

BMW															
R 1200 GS Adventure (LC)	R 12 W	14-16			630-1137-04	¥103,000	-	-	-	-	633-1137-04	S	¥164,000		Front, for lowering ex-factory!
R 1200 GS Adventure (LC)	R 12 W	14-16			630-1137-05	¥103,000	-	-	-	-	-	-	-	WTL-20	Front, for lowering ex-factory, additional lowering 20 mm Front, for lowering ex-factory
R 1200 GS Adventure (LC)	R 12 W	14-16	P*		640-1137-00	¥103,000	-	-	642-1137-00	¥164,000	-	-	-		Rear, hydr. preload adj. recommended, please state if case system is mounted
R 1200 GS Adventure (LC)	R 12 W	14-16	P*		640-1137-01	¥103,000	-	-	642-1137-01	¥164,000	-	-	-	-35	Rear, lowering 35 mm, hydr. preload adj. recommended, please state if case system is mounted
R 1200 GS Adventure (LC)	R 12 W	14-16	P*		640-1137-02	¥103,000	-	-	642-1137-02	¥164,000	-	-	-	-55	Rear, lowering 55 mm, hydr. preload adj. recommended, please state if case system is mounted
R 1200 GS Adventure (LC)	R 12 W	14-16	B*		640-1137-03	¥103,000	-	-	642-1137-03	¥164,000	-	-	-	-80	Rear, lowering 80 mm, hydr. preload adj. recommended, please state if case system is mounted
R 1200 GS Adventure (LC)	R 12 W	14-16	P		640-1137-04	¥103,000	-	-	642-1137-04	¥164,000	-	-	-		Rear, for lowering ex-factory! lease state if case system is mounted
R 1200 GS Adventure (LC)	R 12 W	14-16	P		640-1137-05	¥103,000	-	-	642-1137-05	¥164,000	-	-	-	WTL-20	Rear for lowering ex-factory! Incl. Coupling, additional lowering 20 mm, please state if case system is mounted
R 1200 GS Adventure	1 G 12	17-18			630-1224-00	¥103,000	-	-	632-1224-00	¥156,000	-	-	-		Front
R 1200 GS Adventure	1 G 12	17-18			630-1224-01	¥103,000	-	-	632-1224-01	¥156,000	-	-	-	-35	Front, Lowering 35 mm
R 1200 GS Adventure	1 G 12	17-18			630-1224-02	¥103,000	-	-	632-1224-02	¥156,000	-	-	-	-55	Front, Lowering 55 mm
R 1200 GS Adventure	1 G 12	17-18			630-1224-03	¥103,000	-	-	632-1224-03	¥156,000	-	-	-	-80	Front, Lowering 80 mm
R 1200 GS Adventure Werkstiefelerlegung	1 G 12	17-18			-	-	-	-	-	-	633-1224-08	S	¥164,000	WTL	Front for lowering ex-factory
R 1200 GS Adventure	1 G 12	17-18	T*		640-1224-00	¥103,000	-	-	642-1224-00	¥164,000	-	-	-		Rear, ride height adjustment recommended, please state if case system is mounted
R 1200 GS Adventure	1 G 12	17-18	T*		640-1224-01	¥103,000	-	-	642-1224-01	¥164,000	-	-	-	-35	Rear, Lowering 35 mm, ride height adjustment recommended, please state if case system is mounted
R 1200 GS Adventure	1 G 12	17-18	T*		640-1224-02	¥103,000	-	-	642-1224-02	¥164,000	-	-	-	-55	Rear, Lowering 55 mm, ride height adjustment recommended, please state if case system is mounted
R 1200 GS Adventure	1 G 12	17-18	M*		640-1224-03	¥103,000	-	-	642-1224-03	¥164,000	-	-	-	-80	Rear, Lowering 80 mm, ride height adjustment recommended, please state if case system is mounted
R 1200 R	R 1 ST	06-14			630-0831-00	¥103,000	-	-	-	-	-	-	-	+10 -20 -30 -40	Front
R 1200 R	R 1 ST	06-14			630-0831-01	¥103,000	-	-	-	-	-	-	-	-20	Front only with WESA-X, lowering 20 mm
R 1200 R	R 1 ST	06-14			630-0831-02	¥103,000	-	-	-	-	-	-	-	-40	Front only with WESA-X, lowering 40 mm
R 1200 R	R 1 ST	06-14	P		640-0831-00	¥103,000	641-0831-00	¥148,000	642-0831-00	¥164,000	-	-	-	+10 -20 -30 -40	Rear
R 1200 R (LC)	R 12 W / 1R12	15-18	P*		640-1160-00	¥103,000	-	-	642-1160-00	¥164,000	-	-	-		Hydraulic preload adjustment recommended
R 1200 R (LC)	R 12 W / 1R12	15-18	P*		640-1160-01	¥103,000	-	-	642-1160-01	¥164,000	-	-	-	+20	Raising 20 mm, hydraulic preload adjustment recommended
R 1200 R (LC)	R 12 W / 1R12	15-18	B*		640-1160-02	¥103,000	-	-	642-1160-02	¥164,000	-	-	-	-30	Lowering 30 mm, hydraulic preload adjustment recommended
R 1200 RS (LC)	R 12 W / 1R12	15-18	P*		640-1173-00	¥103,000	-	-	642-1173-00	¥164,000	-	-	-		Hydraulic preload adjustment recommended

BMW															
R 1200 RS (LC)	R 12 W / 1R12	15-18	P*		640-1173-01	¥103,000	-	-	642-1173-01	¥164,000	-	-	-	+20	Raising 20 mm, hydraulic preload adjustment recommended
R 1200 RS (LC)	R 12 W / 1R12	15-18	B*		640-1173-02	¥103,000	-	-	642-1173-02	¥164,000	-	-	-	-30	Lowering 30 mm, hydraulic preload adjustment recommended
R 1200 RT	R 12 T	05-09			630-0763-00	¥103,000	-	-	-	-	-	-	-	-25 -50	Front
R 1200 RT	R 12 T	05-09	P		640-0763-00	¥103,000	641-0763-00	¥148,000	-	-	-	-	-	-25 -50	Rear
R 1200 RT	R 12 T	10-13			630-1000-00	¥103,000	-	-	-	-	-	-	-	-20 -40	Front
R 1200 RT	R 12 T	10-13	I*		640-1000-00	¥103,000	641-1000-00	¥148,000	-	-	-	-	-	-20 -40	Rear / ride height adj. in combination with hydr. preload or with lowering not possible
R 1200 RT (LC)	R 12 WT / 1T12	14-18			630-1140-00	¥103,000	-	-	-	-	-	-	-	-	Front, (additional resistor 250-0150-00)
R 1200 RT (LC)	R 12 WT / 1T12	14-18			630-1140-01	¥103,000	-	-	-	-	-	-	-	-30	Front, Lowering 30 mm (additional resistor 250-0150-00)
R 1200 RT (LC)	R 12 WT / 1T12	14-18	P*		640-1140-00	¥103,000	-	-	642-1140-00	¥164,000	-	-	-	-	Rear, (additional resistor 250-0150-00), hydraulic preload adjustment recommended
R 1200 RT (LC)	R 12 WT / 1T12	14-18	P*		640-1140-01	¥103,000	-	-	642-1140-01	¥164,000	-	-	-	-30	Rear, Lowering 30 mm (additional resistor 250-0150-00), hydraulic preload adjustment recommended
R 1200 ST	R 1 ST	05-08	A		630-0764-00	¥103,000	-	-	-	-	-	-	-	-40	Front
R 1200 ST	R 1 ST	05-08			630-0764-01	¥103,000	-	-	-	-	-	-	-	-20	Front only with WESA-X, lowering 20 mm
R 1200 ST	R 1 ST	05-08	P		640-0764-00	¥103,000	641-0764-00	¥148,000	-	-	-	-	-	-40	Rear
R 1200 S	R 12 S	06-08			630-0816-00	¥103,000	-	-	-	-	-	-	-	+15 -40	Front
R 1200 S	R 12 S	06-08	P		640-0816-00	¥103,000	-	-	642-0816-00	¥164,000	-	-	-	+15 -40	Rear
R 1250 GS	1 G 13	≥18			630-1221-05	¥103,000	-	-	632-1221-05	¥156,000	633-1221-05	S	¥164,000	-	Front
R 1250 GS	1 G 13	≥18			630-1221-06	¥103,000	-	-	632-1221-06	¥156,000	-	-	-	+ 15	Front, Raising 15 mm
R 1250 GS	1 G 13	≥18			630-1221-07	¥103,000	-	-	632-1221-07	¥156,000	-	-	-	- 35	Front, Lowering 35 mm
R 1250 GS	1 G 13	≥18			630-1221-08	¥103,000	-	-	632-1221-08	¥156,000	-	-	-	- 70	Front, Lowering 70 mm
R 1250 GS	1 G 13	≥18			630-1221-09	¥103,000	-	-	632-1221-09	¥156,000	633-1221-09	S	¥164,000	WTL	Front, for lowering ex-factory
R 1250 GS	1 G 13	≥18			630-1221-12	¥103,000	-	-	632-1221-12	¥156,000	-	-	-	WTL-20	Front for lowering ex-factory, additional lowering 20 mm
R 1250 GS	1 G 13	≥18			630-1221-13	¥103,000	-	-	632-1221-13	¥156,000	-	-	-	WTL-50	Front for lowering ex-factory, additional lowering 50 mm
R 1250 GS	1 G 13	≥18	T*		640-1221-05	¥103,000	-	-	642-1221-05	¥164,000	-	-	-	-	Rear, hydr. preload adj. recommended, please state if case system is mounted
R 1250 GS	1 G 13	≥18	T*		640-1221-06	¥103,000	-	-	642-1221-06	¥164,000	-	-	-	+ 15	Rear, Raising 15 mm, hydr. preload adj. recommended, please state if case system is mounted
R 1250 GS	1 G 13	≥18	T*		640-1221-07	¥103,000	-	-	642-1221-07	¥164,000	-	-	-	- 35	Rear, Lowering 35 mm, hydr. preload adj. recommended, please state if case system is mounted
R 1250 GS	1 G 13	≥18	M*		640-1221-08	¥103,000	-	-	642-1221-08	¥164,000	-	-	-	- 70	Rear, Lowering 70 mm, hydr. preload adj. recommended, please state if case system is mounted
R 1250 GS	1 G 13	≥18	T*		640-1221-09	¥103,000	-	-	642-1221-09	¥164,000	-	-	-	WTL	Rear, for lowering ex-factory
R 1250 GS	1 G 13	≥18	T*		640-1221-12	¥103,000	-	-	642-1221-12	¥164,000	-	-	-	WTL-20	Rear for lowering ex-factory, additional lowering 20 mm

BMW															
R 1250 GS	1 G 13	≥8	T*		640-1221-13	¥103,000	-	-	642-1221-13	¥164,000	-	-	-	WTL-50	Rear for lowering ex-factory, additional lowering 50 mm
R 1250 GS mit Sportfahrwerk R 1250 GS Adventure	1 G 13	≥8			630-1224-04	¥103,000	-	-	632-1224-04	¥156,000	633-1224-04	S	¥164,000		Front
R 1250 GS mit Sportfahrwerk R 1250 GS Adventure	1 G 13	≥8			630-1224-05	¥103,000	-	-	632-1224-05	¥156,000	-	-	-	-35	Front, Lowering 35 mm
R 1250 GS mit Sportfahrwerk R 1250 GS Adventure	1 G 13	≥8			630-1224-06	¥103,000	-	-	632-1224-06	¥156,000	-	-	-	-55	Front, Lowering 55 mm
R 1250 GS mit Sportfahrwerk R 1250 GS Adventure	1 G 13	≥8			630-1224-07	¥103,000	-	-	632-1224-07	¥156,000	-	-	-	-80	Front, Lowering 80 mm
R 1250 GS mit Sportfahrwerk R 1250 GS Adventure	1 G 13	≥8	T*		640-1224-04	¥103,000	-	-	642-1224-04	¥164,000	-	-	-		Rear, ride height adjustment recommended, please state if case system is mounted
R 1250 GS mit Sportfahrwerk R 1250 GS Adventure	1 G 13	≥8	T*		640-1224-05	¥103,000	-	-	642-1224-05	¥164,000	-	-	-	-35	Rear, Lowering 35 mm, ride height adjustment recommended, please state if case system is mounted
R 1250 GS mit Sportfahrwerk R 1250 GS Adventure	1 G 13	≥8	T*		640-1224-06	¥103,000	-	-	642-1224-06	¥164,000	-	-	-	-55	Rear, Lowering 55 mm, ride height adjustment recommended, please state if case system is mounted
R 1250 GS mit Sportfahrwerk R 1250 GS Adventure	1 G 13	≥8	M*		640-1224-07	¥103,000	-	-	642-1224-07	¥164,000	-	-	-	-80	Rear, Lowering 80 mm, ride height adjustment recommended, please state if case system is mounted
R 1250 GS Adventure Werkstiefelerlegung	1 G 13	≥8			-	-	-	-	-	-	633-1224-11	S	¥164,000	WTL	Front for lowering ex-factory
R 1250 R	1 R 13	≥9	P		640-1278-00	¥103,000	-	-	642-1278-00	¥164,000	-	-	-		Rear, (additional resistor 250-0150-00), hydraulic preload adjustment recommended
R 1250 R	1 R 13	≥9	P		640-1278-01	¥103,000	-	-	642-1278-01	¥164,000	-	-	-	+20	Rear, Raising 20 mm (additional resistor 250-0150-00), hydraulic preload adjustment recommended.
R 1250 R	1 R 13	≥9	P		640-1278-02	¥103,000	-	-	642-1278-02	¥164,000	-	-	-	-30	Rear, Lowering 30 mm (additional resistor 250-0150-00), hydraulic preload adjustment recommended.
R 1250 RS	1 R 13	≥9	P		640-1275-00	¥103,000	-	-	642-1275-00	¥164,000	-	-	-		Rear, (additional resistor 250-0150-00), hydraulic preload adjustment recommended
R 1250 RS	1 R 13	≥9	P		640-1275-01	¥103,000	-	-	642-1275-01	¥164,000	-	-	-	+20	Rear, Raising 20 mm (additional resistor 250-0150-00), hydraulic preload adjustment recommended.
R 1250 RS	1 R 13	≥9	P		640-1275-02	¥103,000	-	-	642-1275-02	¥164,000	-	-	-	-30	Rear, Lowering 30 mm (additional resistor 250-0150-00), hydraulic preload adjustment recommended.
R 1250 RT	1 T 13	≥9			630-1273-00	¥103,000	-	-	-	-	-	-	-		Front, (additional resistor 250-0150-00)
R 1250 RT	1 T 13	≥9			630-1273-01	¥103,000	-	-	-	-	-	-	-	-30	Front, Lowering 30 mm (additional resistor 250-0150-00)
R 1250 RT	1 T 13	≥9	P*		640-1273-00	¥103,000	-	-	642-1273-00	¥164,000	-	-	-		Rear, (additional resistor 250-0150-00), hydraulic preload adjustment recommended
R 1250 RT	1 T 13	≥9	P*		640-1273-01	¥103,000	-	-	642-1273-01	¥164,000	-	-	-	-30	Rear, Lowering 30 mm (additional resistor 250-0150-00), hydraulic preload adjustment recommended
K 1300 S / R	K 12 S	09-15			630-0963-00	¥103,000	-	-	-	-	-	-	-	-25	Front
K 1300 S / R	K 12 S	09-15	P		640-0964-00	¥103,000	-	-	642-0964-00	¥164,000	-	-	-	-25	Rear
K 1300 GT	K 12 S	09-11			630-0979-00	¥103,000	-	-	-	-	-	-	-	-25	Front
K 1300 GT	K 12 S	09-11	P		640-0980-00	¥103,000	-	-	642-0980-00	¥164,000	-	-	-	-25	Rear
HP 2 Enduro	RHP 2	05-08	P		640-0785-00	¥103,000	-	-	642-0785-00	¥164,000	-	-	-	-25 -50 -80	

BMW															
HP 2 Megamoto	RHP 2	08-11	P		640-0960-00	¥103,000	-	-	642-0960-00	¥164,000	-	-	-	-35 -70	
HP 2 Rally	RHP 2	≥05	A		-	-	-	-	642-0785-01	¥164,000	-	-	-	-25 -50 -80	
HP 2 Sport	R 12 S	08-11			630-0961-00	¥103,000	-	-	-	-	-	-	-	+25	Front
HP 2 Sport	R 12 S	08-11	P		640-0962-00	¥103,000	-	-	-	-	643-0962-00	P	¥164,000	+25	Rear
K 1600 GT / GTL	K 16 GT	11-16			640-1054-00	¥103,000	-	-	-	-	-	-	-		Front
K 1600 GT / GTL	K 16 GT	11-16			640-1054-01	¥103,000	-	-	-	-	-	-	-	-30	Front, Lowering 30 mm
K 1600 GT / GTL	K 16 GT	11-16	P		640-1053-00	¥103,000	-	-	642-1053-00	¥164,000	-	-	-		Rear
K 1600 GT / GTL	K 16 GT	11-16	P		640-1053-01	¥103,000	-	-	642-1053-01	¥164,000	-	-	-	-30	Rear, Lowering 30 mm
R18	RH18	≥20	R		640-1290-00	¥103,000	-	-	-	-	-	-	-		
R18	RH18	≥20	R		640-1290-01	¥103,000	-	-	-	-	-	-	-	+20	Higherung 20 mm
R18	RH18	≥20	R		640-1290-02	¥103,000	-	-	-	-	-	-	-	-20	Lowering 20 mm
BUELL															
XB9R Firebolt	XB 1	02-07	P		630-0687-00	¥103,000	631-0687-00	¥164,000	-	-	-	-	-	+25 -20 -35	
XB9S Lightning	XB 1	03-07	P		630-0687-00	¥103,000	631-0687-00	¥164,000	-	-	-	-	-	+30 -20 -35	If with ride height adjustment = at top, only + 5 mm, only adjustable when shock absorber is removed
1125 R	XB 3	08-10	P		630-0931-00	¥103,000	631-0931-00	¥164,000	-	-	-	-	-	+10	Ride height adjustment only + 10 mm possible
XB12R Firebolt	XB 1	04-07	P		630-0687-00	¥103,000	631-0687-00	¥164,000	-	-	-	-	-	+25 -20 -35	
XB12S Lightning	XB 1	04-10	P		630-0687-00	¥103,000	631-0687-00	¥164,000	-	-	-	-	-	+25 -20 -35	
XB12X Ulysses	XB 2	06-10	P		630-0798-00	¥103,000	631-0798-00	¥164,000	-	-	-	-	-	-45	
XB12SS Lightning Long	XB 2	06-08	I		630-1265-00	¥103,000	631-1265-00	¥164,000	-	-	-	-	-		
XB12SS Lightning Long	XB 2	09-10	I		630-1048-00	¥103,000	631-1048-00	¥164,000	-	-	-	-	-	+10 -30	
XB12STT Lightning Super TT	XB 2	07-08	I		630-0315-00	¥103,000	631-0315-00	¥164,000	-	-	-	-	-	+10 -30	
CAGIVA															
River 500	3 G	98-05	P		640-0387-00	¥103,000	-	-	-	-	-	-	-		
Elefant 650	5N	85-89	B		640-0237-00	¥103,000	-	-	-	-	-	-	-		
Raptor 650	M 2	01-05	B		640-0277-00	¥103,000	641-0277-00	¥148,000	-	-	-	-	-	-20 -40	If with ride height adjustment = at top, only adjustable when shock absorber is removed and less stroke
Elefant 750	6 N	87-93	P		640-0237-01	¥103,000	-	-	-	-	-	-	-		
Elefant 750 AC	6 B	94-97	P		640-0126-00	¥103,000	641-0126-00	¥148,000	-	-	-	-	-		If with ride height adjustment = at top, only adjustable when shock absorber is removed
750 Lucky Explorer	6 B	94-97	P		640-0126-01	¥103,000	641-0126-01	¥148,000	-	-	-	-	-		If with ride height adjustment = at top, only adjustable when shock absorber is removed
Elefant 900 AC/ Lucky USD	B	93-97	P		640-0126-02	¥103,000	641-0126-02	¥148,000	-	-	-	-	-		If with ride height adjustment = at top, only adjustable when shock absorber is removed
Grand Canyon 900	M 3	97-00	P		640-0685-00	¥103,000	-	-	-	-	-	-	-		
Elefant 900 i.e. Lucky Explorer	1 B	90-92	P		640-0238-00	¥116,000	641-0238-00	¥161,000	-	-	-	-	-		Old / injector, incl. ride height adjustment, hydraulic preload adjustment not tested
Raptor 1000	M 2	00-05	B		640-0277-01	¥103,000	641-0277-01	¥148,000	-	-	-	-	-	-20 -40	
Navigator 1000	M 5	00-05	B		640-0714-00	¥103,000	641-0714-00	¥148,000	-	-	-	-	-	-25 -50	If with ride height adjustment = at top, only adjustable when shock absorber is removed
CAN-AM															
Ryker 900	F	≥19		X	630-1282-00	¥186,000	-	-	-	-	633-1282-00	S	¥296,000		Front / Sport or comfortable ?
Ryker 900	F	≥19			-	-	641-1282-00	¥148,000	-	-	-	-	-		Rear

CAN-AM														
Ryker 900 Rally	2	≥19		X	630-1329-00	¥186,000	-	-	-	-	633-1329-00	S	¥296,000	Front / Sport or comfortable ?
Ryker 900 Rally	2	≥19	D		-	-	641-1329-00	¥148,000	-	-	-	-	-	Rear / X-PA possible
Spyder F3 / S	R	≥15		X	630-1174-00	¥186,000	-	-	-	-	-	-	-	Front, neither ride height adjustment nor hydraulic preload adjustment possible. Not for T-/Limited model.
Spyder F3 / S	R	≥15		X	630-1174-01	¥186,000	-	-	-	-	-	-	-25	Front, lowering 25 mm, neither ride height adjustment nor hydraulic preload adjustment possible. Not for T-/Limited model.
Spyder F3 / S	R	≥15			640-1174-00	¥116,000	-	-	-	-	-	-	-	Rear, incl. ride height adjustment (-2/+8 mm) hydraulic preload adjustment recommended. Not for T-/Limited model.
Spyder F3 / S	R	≥15			640-1174-01	¥116,000	-	-	-	-	-	-	-25	Rear, Lowering 25 mm, incl. ride height adjustment (-2/+8 mm) hydraulic preload adjustment recommended. Not for T-/Limited model.
Spyder RS	J	08-11		X	630-0892-00	¥186,000	-	-	-	-	-	-	-	Front
Spyder RS	J	08-11		X	630-0892-01	¥186,000	-	-	-	-	-	-	-25	Front, sportive suspension lowering 25 mm
Spyder RS	J	08-11			640-0892-00	¥103,000	-	-	-	-	-	-	-	Rear
Spyder RS	J	08-11			640-0892-01	¥103,000	-	-	-	-	-	-	-25	Rear, sportive suspension lowering 25 mm
Spyder RS	N	11-15		X	630-1107-00	¥186,000	-	-	-	-	-	-	-	Front
Spyder RS	N	11-15			640-1033-00	¥103,000	-	-	-	-	-	-	-	Rear
Spyder RT	J	10-12		X	630-0892-00	¥186,000	-	-	-	-	-	-	-	Front
Spyder RT	J	10-12			640-1036-00	¥103,000	-	-	-	-	-	-	-	Rear, hydraulic preload adjustment possible only as special solution without certification of operation
Spyder RT	N	13-20		X	630-1107-01	¥186,000	-	-	-	-	-	-	-	Front, please state Length 475 mm or 485 mm.
Spyder RT	N	13-20			640-1107-00	¥103,000	-	-	-	-	-	-	-	Rear
Spyder ST	N	13-15		X	630-1107-00	¥186,000	-	-	-	-	-	-	-	Front
Spyder ST	N	13-15			640-1107-00	¥103,000	-	-	-	-	-	-	-	Rear
DUCATI														
Ducati 350 F3	ZDM350R	85-90	P		640-0239-00	¥103,000	641-0239-00	¥148,000	-	-	-	-	-	
450 Scrambler		73-74	A	X	630-0523-00	¥186,000	-	-	632-0523-00	¥285,000	633-0523-00	S	¥296,000	
500 Pantah		78-86	A	X	630-0240-00	¥186,000	-	-	632-0240-00	¥285,000	633-0240-00	S	¥296,000	+25
600 Pantah		78-86		X	630-0240-01	¥186,000	-	-	632-0240-01	¥285,000	633-0240-01	S	¥296,000	+25
Monster 600	M	94-98	P		640-0015-00	¥103,000	641-0015-00	¥148,000	-	-	-	-	-	+20 -25 -50
Monster 600	M 3	99-01	P		640-0605-01	¥103,000	641-0605-01	¥148,000	-	-	-	-	-	+10 -25 -50
600 SS	S	91-98	A		640-0016-02	¥103,000	-	-	642-0016-02	¥164,000	-	-	-	+20 -20
600 TT2		81-85	P		640-0239-01	¥103,000	641-0239-01	¥148,000	-	-	-	-	-	
620 S i.e.	V 5	01-03	P		640-0403-07	¥103,000	-	-	642-0403-07	¥164,000	-	-	-	-20 -40
Monster 620 i.e. / S / Dark	M 4	02-07	I		640-0796-00	¥103,000	641-0796-00	¥148,000	-	-	-	-	-	-30 -45
Multistrada 620	A 1	05-06	B		640-0795-00	¥103,000	-	-	642-0795-00	¥164,000	-	-	-	-25
650 Pantah	650 Pantah	78-86	A	X	630-0240-02	¥186,000	-	-	632-0240-02	¥285,000	633-0240-02	S	¥296,000	+25
Monster 695	M 4	06-08	I		640-0796-03	¥103,000	641-0796-03	¥148,000	-	-	-	-	-	-30 -45

DUCATI														
Monster 696	M 5	07-14	P		640-0934-00	¥103,000	641-0934-00	¥148,000	-	-	-	-	-40	
748 / S / SPS / R	748 / H 3	95-02			640-0017-01	¥103,000	-	-	642-0017-01	¥164,000	-	-	-15 -30	Hydraulic preload adjustment possible only as special solution without certification of operation
749 / S	H 5	03-07	B		640-0718-00	¥103,000	-	-	642-0718-00	¥164,000	-	-	-	
750 Königswelle / 900 SD Darmah		72-85	A	X	630-0241-00	¥186,000	-	-	632-0241-00	¥285,000	633-0241-00	S	¥296,000	Wilbers standard length = + 15 mm
Monster 750	M / M 1	95-01	P		640-0015-02	¥103,000	641-0015-02	¥148,000	-	-	-	-	+20 -25 -50	Wilbers standard height = suspension + 10 mm
750 F1	ZDM 750 R	86-89	P		640-0242-00	¥103,000	641-0242-00	¥148,000	-	-	-	-	-	
Monster 750 i.e.	M 4	2002	I		640-0796-01	¥103,000	641-0796-01	¥148,000	-	-	-	-	-30 -45	
750 F1 SantaMonica	750	87-89	P		640-0243-00	¥103,000	641-0243-00	¥148,000	-	-	-	-	-	
750 Sport	S	89-90	P		630-0151-00	¥103,000	631-0151-00	¥164,000	-	-	-	-	-	Wilbers standard = length: + 7 mm
750 SS	S	91-98	A		640-0016-00	¥103,000	-	-	642-0016-00	¥164,000	-	-	+20 -20	Hydraulic preload adjustment possible only as special solution without certification of operation
750 SS / 750 S i. e.	V 2	99-02	P		640-0403-03	¥103,000	-	-	642-0403-03	¥164,000	-	-	-20 -40	Wilbers standard height = suspension + 10 mm
Hypermotard 796	B 1	10-12	B		640-1008-00	¥103,000	641-1008-00	¥148,000	-	-	-	-	-20	
Monster 796	M 5	10-14	I		640-0992-00	¥103,000	641-0992-00	¥148,000	-	-	-	-	+10 -40	
Monster S 2 R	M 4	05-07	P		640-0754-01	¥103,000	641-0754-01	¥148,000	-	-	-	-	-35	800 ccm
800 SS / 800 S i. e.	V 5	03-05	P		640-0403-05	¥103,000	-	-	642-0403-05	¥164,000	-	-	-20 -40	Wilbers standard height = suspension + 10 mm
Monster 800 i.e. / S / Dark	M 4	03-04	I		640-0796-05	¥103,000	-	-	-	-	-	-	-30 -45	
Scrambler Icon / Full Throttle / Classic / Street Classic / Mach 2.0 / Urban Enduro	K 1 / KC	≥15			630-1164-00	¥103,000	-	-	-	-	-	-	-	
Scrambler Icon / Full Throttle / Classic / Street Classic / Mach 2.0 / Urban Enduro	K 1 / KC	≥15			630-1164-01	¥103,000	-	-	-	-	-	-	-20	Lowering 20 mm
Scrambler Café Racer	KC	≥17	D		630-1249-00	¥103,000	-	-	-	-	-	-	-	
Scrambler Café Racer	KC	≥17	D		630-1249-01	¥103,000	-	-	-	-	-	-	-35	Lowering 35 mm
Scrambler Desert Sled	KB	17-20	D		-	-	-	-	-	643-1243-00	QS	¥181,000	-	
Scrambler Desert Sled	KB	17-20	D		-	-	-	-	-	643-1243-01	QS	¥181,000	+25	Raising 25 mm
Scrambler Desert Sled	KB	17-20	D		-	-	-	-	-	643-1243-02	QS	¥181,000	-25	Lowering 25 mm
Scrambler Desert Sled	KB	17-20	D		-	-	-	-	-	643-1243-03	QS	¥181,000	-50	Lowering 50 mm
Hypermotard 821	B 2	13-15	B		640-1117-00	¥103,000	-	-	-	643-1117-00	P	¥164,000	-	
Hypermotard 821	B 2	13-15	B		640-1117-01	¥103,000	-	-	-	643-1117-01	P	¥164,000	+15	Raising 15 mm
Hypermotard 821	B 2	13-15			640-1117-02	¥103,000	-	-	-	643-1117-02	P	¥164,000	-25	Lowering 25 mm
Hypermotard 821	B 2	13-15			640-1117-03	¥103,000	-	-	-	643-1117-03	P	¥164,000	-50	Lowering 50 mm
Hyperstrada 821	B 2 / B 3	13-15	P		640-1134-00	¥103,000	641-1134-00	¥148,000	-	-	-	-	-	
Hyperstrada 821	B 2 / B 3	13-15	P		640-1134-01	¥103,000	641-1134-01	¥148,000	-	-	-	-	-15	Lowering 15 mm (correspond lowering ex-factory)
Hyperstrada 821	B 2 / B 3	13-15	P		640-1134-02	¥103,000	641-1134-02	¥148,000	-	-	-	-	-40	Lowering 15 mm (correspond lowering ex-factory + 25 mm extra)
Monster 821 / Stripe / Dark	M 6 / M 7	14-17	B*		640-1162-00	¥103,000	-	-	642-1162-00	¥164,000	-	-	-	Hydraulic preload adjustment recommended
Monster 821 / Stripe / Dark	M 6 / M 7	14-17	B*		640-1162-01	¥103,000	-	-	642-1162-01	¥164,000	-	-	+10	Raising 10 mm, hydraulic preload adjustment recommended
Monster 821 / Stripe / Dark	M 6 / M 7	14-17	B*		640-1162-02	¥103,000	-	-	642-1162-02	¥164,000	-	-	-30	Lowering 30 mm, hydraulic preload adjustment recommended

DUCATI															
848	H 6	07-10	B*		640-0843-00	¥103,000	-	-	-	-	643-0843-00	PSD	¥214,000		Hydr. preload only possible with type 643
848 Evo	H 6	10-13	B*		640-0843-04	¥103,000	-	-	-	-	643-0843-04	PSD	¥214,000		Hydr. preload only possible with type 643
Streetfighter 848	F 1	11-15	B*		640-1070-00	¥103,000	-	-	-	-	643-1070-00	PSD	¥214,000		Type 640 hydr. preload not possible
Streetfighter 848	F 1	11-15	B*		640-1070-01	¥103,000	-	-	-	-	643-1070-01	PSD	¥214,000	-30	Lowering 30 mm, Type 640 hydr. preload not possible
851 Strada	851 S 1	88-90	P		640-0244-00	¥103,000	641-0244-00	¥148,000	-	-	-	-	-		
851 Strada	851 S 3	91-92	P		640-0015-01	¥103,000	641-0015-01	¥148,000	-	-	-	-	-	+20 -25 -50	Wilbers standard height = suspension + 10 mm
860 GT / GTE / GTS		74-78	A	X	630-0241-01	¥186,000	-	-	-	-	-	-	-		
888 SP 5	888 S 1	1993	P		-	-	641-0245-00	¥148,000	-	-	-	-	-		
888 Strada	888 S 1	93-96	P		640-0015-04	¥103,000	641-0015-04	¥148,000	-	-	-	-	-	+20 -25 -50	Wilbers standard height = suspension + 10 mm
900 SS/ MHR Königswelle		75-85	A	X	630-0241-03	¥186,000	-	-	632-0241-03	¥285,000	633-0241-03	S	¥296,000		Wilbers standard height = suspension + 15 mm
900 SS / FE	S	91-98	A		640-0016-01	¥103,000	-	-	642-0016-01	¥164,000	-	-	-	+20 -20	Hydraulic preload adjustment possible only as special solution without certification of operation
900 SS i.e	V 1	99-02	P		640-0403-04	¥103,000	-	-	642-0403-04	¥164,000	-	-	-	-20 -40	Wilbers standard height = suspension + 10 mm
900 SS	S	86-90	P		630-0151-01	¥103,000	631-0151-01	¥164,000	-	-	-	-	-		Standard = length: + 7 mm
Monster 900	M	93-00	P		640-0015-03	¥103,000	641-0015-03	¥148,000	-	-	-	-	-	+20 -25 -50	Wilbers standard height = suspension + 10 mm
Monster S 4	M 4	01-03	P		640-0515-00	¥103,000	641-0515-00	¥148,000	-	-	-	-	-		
Monster 900 i.e.	M 2	00-01	I		640-0605-02	¥103,000	641-0605-02	¥148,000	-	-	-	-	-	+10 -25 -50	
Monster 900 i.e.	M 4	01-02	I		640-0796-04	¥103,000	641-0796-04	¥148,000	-	-	-	-	-	-30 -45	State original length!
MH 900 Evolutione	V3	00-02	P		630-0743-00	¥103,000	-	-	632-0743-00	¥156,000	-	-	-		
906 Paso	906 PC	88-90	P		640-0152-00	¥103,000	641-0152-00	¥148,000	-	-	-	-	-		
907 i.e	ZDM 906 P I2	91-92	P		630-0153-00	¥103,000	631-0153-00	¥164,000	-	-	-	-	-		
916 Superbike	916	94-98	B		640-0018-00	¥103,000	-	-	642-0018-00	¥164,000	-	-	-		Superbike, long swing arm
916/ 996	916 / H 1	94-98			640-0017-00	¥103,000	-	-	642-0017-00	¥164,000	-	-	-	-15 -30	Hydraulic preload adjustment possible only as special solution without certification of operation
Hypermotard 939	BA	16-18	B		640-1117-04	¥103,000	-	-	-	-	643-1117-04	P	¥164,000		
Hypermotard 939	BA	16-18	B		640-1117-05	¥103,000	-	-	-	-	643-1117-05	P	¥164,000	+15	Raising 15 mm
Hypermotard 939	BA	16-18			640-1117-06	¥103,000	-	-	-	-	643-1117-06	P	¥164,000	-25	Lowering 25 mm
Hypermotard 939	BA	16-18			640-1117-07	¥103,000	-	-	-	-	643-1117-07	P	¥164,000	-50	Lowering 50 mm
Hypermotard 939 SP	BA	16-18	D		640-1229-00	¥103,000	-	-	-	-	643-1229-00	P	¥164,000		
Hypermotard 939 SP	BA	16-18	D		640-1229-01	¥103,000	-	-	-	-	643-1229-01	QS	¥181,000	-30	Lowering 30 mm, incl. reduction bushings for fork adjustment
Hyperstrada 939	BA	≥16	P		640-1134-03	¥103,000	641-1134-03	¥148,000	-	-	-	-	-		
Hyperstrada 939	BA	≥16	P		640-1134-04	¥103,000	641-1134-04	¥148,000	-	-	-	-	-	-15	Lowering 15 mm (correspond lowering ex-factory)
Hyperstrada 939	BA	≥16	P		640-1134-05	¥103,000	641-1134-05	¥148,000	-	-	-	-	-	-40	Lowering 15 mm (correspond lowering ex-factory + 25 mm extra)
Hypermotard 950 / RVE	BB/BD/1B	≥19			640-1304-00	¥103,000	-	-	-	-	-	-	-		
Hypermotard 950 / RVE	BB/BD/1B	≥19			640-1304-01	¥103,000	-	-	-	-	-	-	-	+15	Raising 15 mm
Hypermotard 950 / RVE	BB/BD/1B	≥19			640-1304-02	¥103,000	-	-	-	-	-	-	-	-20	Lowering 20 mm

DUCATI															
996 / 998	H 2	99-02			640-0017-02	¥103,000	-	-	642-0017-02	¥164,000	-	-	-	-15 -30	Hydraulic preload adjustment possible only as special solution without certification of operation
996 / 998	H 2	99-02	B		640-0018-01	¥103,000	-	-	642-0018-01	¥164,000	-	-	-		Superbike, long swing arm
1129 / S / R	H 4 / H 5	03-06	B		-	-	-	-	642-0718-01	¥164,000	-	-	-		
ST2	S 1	1997	P		640-0639-00	¥103,000	641-0639-00	¥148,000	-	-	-	-	-		
ST 2/ ST 3/ ST 4	S 1 / S 2 / S 3	98-05	B		640-0739-00	¥103,000	641-0739-00	¥148,000	642-0739-00	¥164,000	-	-	-	-20 -40	
Monster 1000 S i.e / Monster 1000	M 4	03-05	P*		640-0640-00	¥103,000	641-0640-00	¥148,000	642-0640-00	¥164,000	-	-	-		Without ride height adjustment Wilbers standard height = suspension + 10 mm, type 642: hydraulic preload adjustment not possible
Monster S2R 1000	M 4	06-09	P		640-0754-02	¥103,000	641-0754-02	¥148,000	-	-	-	-	-	-35	1000 ccm
Monster S4R	M 4	04-08	P		640-0754-00	¥103,000	641-0754-00	¥148,000	-	-	-	-	-	-35	
Multistrada 1000 DS	A 1	03-06	B*		640-0795-01	¥103,000	-	-	642-0795-01	¥164,000	-	-	-	-25	Hydr. preload only with type 642
GT 1000	C 1 / 03 / AA	06-10	A	X	630-0821-00	¥186,000	-	-	632-0821-00	¥285,000	633-0821-00	S	¥296,000	-20 -40	
Sport Classic 1000	C 1	06-08	P		630-0852-00	¥103,000	-	-	632-0852-00	¥156,000	633-0852-00	S	¥164,000	-20 -40	
Sport Classic 1000	C 1	06-08			630-0852-01	¥103,000	-	-	632-0852-01	¥156,000	633-0852-01	S	¥164,000	-20	Lowering 20 mm
Sport Classic 1000	C 1	06.08			630-0852-02	¥103,000	-	-	632-0852-02	¥156,000	633-0852-02	S	¥164,000	-40	Lowering 40 mm
Sport Classic 1000 S	C 1	08-09	A	X	630-0956-00	¥186,000	-	-	632-0956-00	¥285,000	633-0956-00	S	¥296,000	-20 -40	
1000 SS i.e	V 5	03-07	P		640-0403-00	¥103,000	-	-	642-0403-00	¥164,000	-	-	-		Wilbers standard height = suspension + 10 mm
1000 SS i.e	V 5	03-07	P		640-0403-01	¥103,000	-	-	642-0403-01	¥164,000	-	-	-	-20	Lowering 20 mm
1000 SS i.e	V 5	03-07	P		640-0403-02	¥103,000	-	-	642-0403-02	¥164,000	-	-	-	-40	Lowering 40 mm
1098 / 1098 R / 1098 S	H 7	07-09	B*		640-0843-02	¥103,000	-	-	-	-	643-0843-02	PSD	¥214,000		Hydr. preload only possible with type 643
Streetfighter	F 1	09-13	B*		640-0997-00	¥103,000	-	-	-	-	643-0997-00	PSD	¥214,000		Hydr. preload only with type 643 possible, ride height adjustment not possible
Hypermotard 1100	B 1	07-09	B		640-0870-00	¥103,000	-	-	642-0870-00	¥164,000	-	-	-	-40	
Monster 1100	M 5	09-10	P		640-0948-00	¥103,000	641-0948-00	¥148,000	-	-	-	-	-	+10 -40	
Monster 1100 Evo	M 5	11-13	P		640-1080-00	¥103,000	641-1080-00	¥148,000	-	-	-	-	-		Hydr. preload recommended
Monster 1100 Evo	M 5	11-13	P		640-1080-01	¥103,000	641-1080-01	¥148,000	-	-	-	-	-	+10	Raising 10 mm, hydr. preload recommended
Monster 1100 Evo	M 5	11-13	P		640-1080-02	¥103,000	641-1080-02	¥148,000	-	-	-	-	-	-20	Lowering 20 mm, hydr. preload recommended
Monster 1100 Evo	M 5	11-13	P		640-1080-03	¥103,000	641-1080-03	¥148,000	-	-	-	-	-	-40	Lowering 40 mm, hydr. preload recommended
Multistrada 1100	A 1	07-09	B		640-0795-02	¥103,000	-	-	-	-	-	-	-	-25	
Scrambler 1100 / Special / Pro / Dark Pro	KF / 1K / 2K	≥18	D		630-1248-00	¥103,000	-	-	-	-	-	-	-		
Scrambler 1100 / Special / Pro / Dark Pro	KF / 1K / 2K	≥18	D		630-1248-01	¥103,000	-	-	-	-	-	-	-	+ 20	Raising 20 mm
Scrambler 1100 / Special / Pro / Dark Pro	KF / 1K / 2K	≥18	D		630-1248-02	¥103,000	-	-	-	-	-	-	-	- 20	Lowering 20 mm
1198 / 1198 S	H 7	09-11	B*		640-0843-03	¥103,000	-	-	-	-	643-0843-03	PSD	¥214,000		Hydr. preload only possible with type 643
Diavel / Carbon	G 1 / GC	10-18	B*		-	-	-	-	642-1039-00	¥164,000	-	-	-	+20 -30	Hydr. preload recommended
XDiavel / S	GA	16-18	D		-	-	641-1227-00	¥148,000	-	-	-	-	-		
Monster 1200	M 6	14-16	P*		640-1145-00	¥103,000	-	-	642-1145-00	¥164,000	-	-	-		Type 642: 10 mm less stroke ≈25 mm less suspension travel
Monster 1200	M 6	14-16	P		640-1145-01	¥103,000	-	-	642-1145-01	¥164,000	-	-	-	+20	Raising 20 mm
Monster 1200	M 6	14-16	P		640-1145-02	¥103,000	-	-	642-1145-02	¥164,000	-	-	-	-30	Lowering 30 mm
Multistrada 1200	A 2	10-14	B*		640-0993-00	¥103,000	641-0993-00	¥148,000	-	-	-	-	-	+25 -50	Hydr. preload recommended
Multistrada 1200	AA	15-17	B		640-1190-00	¥103,000	-	-	642-1190-00	¥164,000	-	-	-		Hydr. preload recommended
Multistrada 1200	AA	15-17	B		640-1190-01	¥103,000	-	-	642-1190-01	¥164,000	-	-	-	+20	Raising 20 mm, hydr. preload recommended

DUCATI															
Multistrada 1200	AA	15-17	B		640-1190-02	¥103,000	-	-	642-1190-02	¥164,000	-	-	-	-25	Lowering 25 mm, hydr. preload recommended
Multistrada 1200	AA	15-17	B		640-1190-03	¥103,000	-	-	642-1190-03	¥164,000	-	-	-	-50	Lowering 50 mm, hydr. preload recommended
Panigale V2	AA	≥22	R		-	-	-	-	-	643-1336-00	PS	¥189,000			
EBR (BUELL)															
1190 RX	EBR 001	2014	I*		630-1146-00	¥103,000	-	-	632-1146-00	¥156,000	-	-	-		Only ZF preload adjuster possible, ride height adjustment with type 632 not possible
GILERA															
Nordwest		91-93	P		630-0248-00	¥103,000	631-0248-00	¥164,000	-	-	-	-	-		
RC 600 Enduro	RC 600	89-90	P		630-0249-00	¥103,000	631-0249-00	¥164,000	-	-	-	-	-	-25 -50	
RC 600 C	C 600	91-93	P		630-0251-00	¥103,000	631-0251-00	¥164,000	-	-	-	-	-		
Saturno-Europe	Saturno	89-90	A		640-0252-00	¥103,000	641-0252-00	¥148,000	-	-	-	-	-		
XRT 600	XRT 600	1988	P		630-0692-00	¥103,000	631-0692-00	¥164,000	-	-	-	-	-		
HARLEY-DAVIDSON															
FLD Dyna Switchback	FD 2	12-16	A	X	640-1128-00	¥207,000	-	-	-	-	-	-	-		
FLD Dyna Switchback	FD 2	12-16	A	X	640-1128-01	¥207,000	-	-	-	-	-	-	-	+20	Raising 20 mm
FLHP Road King Police	FL 2	09-13	A	x	630-0975-02	¥186,000	-	-	-	-	-	-	-		
FLHP Road King Police	FL 2	09-13	A	x	630-0975-22	¥186,000	-	-	-	-	-	-	-	-25	Lowering 25 mm
FLHP Road King Police	FL 3	14-16	C*	X	640-1213-00	¥207,000	-	-	-	-	-	-	-		Preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLHPI Road King Police	FL 3	≥17	C*	X	640-1218-02	¥207,000	-	-	-	-	-	-	-		Preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLHPI Road King Police	FL 2	09-13	A	X	630-0975-01	¥186,000	-	-	-	-	-	-	-		
FLHPI Road King Police	FL 2	09-13	A	X	630-0975-21	¥186,000	-	-	-	-	-	-	-	-25	Lowering 25 mm
FLHR Road King	FL 3	≥17	C*	X	640-1218-00	¥207,000	-	-	-	-	-	-	-		Preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLHR Road King	FLT / FL 1	96-08		X	630-0253-60	¥186,000	-	-	-	-	-	-	-		State original length!
FLHR Road King	FL 3	14-16	C*	X	640-1213-02	¥207,000	-	-	-	-	-	-	-		Preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLHR Road King / Anniversary	FL 2	09-13	A	X	630-0975-03	¥186,000	-	-	-	-	-	-	-		
FLHR Road King / Anniversary	FL 2	09-13	A	X	630-0975-23	¥186,000	-	-	-	-	-	-	-	- 25	Lowering 25 mm
FLHR/I Road King / FLHRC/I Road King Classic / FLHRSEI CVO Road King / FLHRSEI2 CVO Road King / FLHRS/I Road King Custom	FLT / FL1	98-08		X	630-0253-61	¥186,000	-	-	-	-	-	-	-		State original length!
FLHRC Road King Classic	FL 2	09-13	A	X	630-0975-00	¥186,000	-	-	-	-	-	-	-	-25	
FLHRC Road King Classic	FL 3	14-16	C*	X	640-1213-01	¥207,000	-	-	-	-	-	-	-		Preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLHRC Road King Classic	FL 3	≥17	C*	X	640-1218-01	¥207,000	-	-	-	-	-	-	-		Preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLHRS Road King Custom	FL 1	04-07		X	630-0253-62	¥186,000	-	-	-	-	-	-	-		State original length!
FLHRSE CVO Road King	FL 3	2014		X	630-0975-09	¥186,000	-	-	-	-	-	-	-		
FLHRSE CVO Road King	FL 3	2014		X	630-0975-29	¥186,000	-	-	-	-	-	-	-	-25	

HARLEY-DAVIDSON														
FLHRSE3/4 CVO Road King	FL 1	07-08	A	X	630-0975-07	¥186,000	-	-	-	-	-	-	-	
FLHRSE3/4 CVO Road King	FL 1	07-08	A	X	630-0975-27	¥186,000	-	-	-	-	-	-	-	-25
FLHRSE5 CVO Road King / Anniversary	FL 2	2013		X	630-0975-08	¥186,000	-	-	-	-	-	-	-	
FLHRSE5 CVO Road King / Anniversary	FL 2	2013		X	630-0975-28	¥186,000	-	-	-	-	-	-	-	-25
FLHRXS Road King Special	FL 3	≥17	C*	X	640-1219-00	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLHT / FLHTC / FLHTCU / FLHTCUI Electra Glide Standard / Classic / Ultra Classic	FLT / FL 1	96-08		X	630-0253-63	¥186,000	-	-	-	-	-	-	-	State original length!
FLTRI / FLTR FLHT / FLHTI / FLHTC / FLHTCI / FLHTCU / FLHTCUI Electra Glide Standard / Electra Glide Classic / Electra Glide Ultra Classic / Road Glide	FLT / FL 1	96-08		X	630-0253-64	¥186,000	-	-	-	-	-	-	-	State original length!
FLHT / FLHTI Electra Glide Standard	FL 1	06-08		X	630-0253-68	¥186,000	-	-	-	-	-	-	-	
FLHT Elektra Glide Standard	FL 2	09-10		X	640-0996-05	¥207,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
FLHTC / FLHTCI Electra Glide Classic	FL 1	06-08		X	630-0253-69		-	-	-	-	-	-	-	
FLHTC Electra Glide Classic	FL 2	10-13		X	640-0996-04	¥207,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
FLHTCU / FLHTCUI Electra Glide Ultra Classic	FL 1	06-08		X	630-0253-70	¥186,000	-	-	-	-	-	-	-	
FLHTCU / FLHTCUI Electra Glide Ultra Classic	FL 3	14-16		X	640-0996-12	¥207,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
FLHTCU Electra Glide Ultra Classic	FL 2	09-13		X	640-0996-07	¥207,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
FLHTCUSE4/5/6/7/8 CVO Electra Glide Ultra Classic	FL 2	09-13	C*	X	640-1207-05	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLHTK Electra Glide Ultra Limited	FL 2	10-13		X	640-0996-00	¥207,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
FLHTK Electra Glide Ultra Limited	FL 3	14-16		X	640-0996-01	¥207,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
FLHTK Electra Glide Ultra Limited	FL 3	≥17	C*	X	640-1222-01	¥207,000	-	-	-	-	-	-	-	Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLHTCU / 103 Electra Glide Ultra Classic	FL 3	≥17	C*	X	640-1222-05	¥207,000	-	-	-	-	-	-	-	Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLHTKL Electra Glide Ultra Limited Low	FL 3	15-16		X	640-0996-10	¥207,000	-	-	-	-	-	-	-	
FLHTKSE ANV CVO Ultra Limited Anniversary	FL 3	2018		X	640-1222-03	¥207,000	-	-	-	-	-	-	-	Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLHTKSE CVO Limited	FL 3	14-16		X	640-0996-06	¥207,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation

HARLEY-DAVIDSON														
FLHTKSE CVO Limited / Ultra Limited	FL 3	≥17	C*	X	640-1222-00	¥207,000	-	-	-	-	-	-	-	Wilbers Powered by ZF* (knop adjustment, only on the left) recommended
FLHTP Electra Glide Police	FL 2	09-13		X	640-0996-03	¥207,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
FLHTP Electra Glide Police	FL 3	14-16		X	640-0996-11	¥207,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
FLHTP Electra Glide Police	FL 3	≥17	C*	X	640-1222-00	¥207,000	-	-	-	-	-	-	-	Wilbers Powered by ZF* (knop adjustment, only on the left) recommended
FLHTPI Electra Glide Standard Police	FL 1	06-08		X	630-0253-71	¥186,000	-	-	-	-	-	-	-	
FLTRI / FLTR / FLHTPI Electra Glide Standard Police / Road Glide	FL 1	02-05		X	630-0253-67	¥186,000	-	-	-	-	-	-	-	State original length!
FLHX / FLHXI Street Glide	FL 1	06-08		X	630-0253-66	¥186,000	-	-	-	-	-	-	-	
FLHX Street Glide	FL 2	09-13		X	630-1002-00	¥186,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
FLHX/I Street Glide	FL 1	06-08		X	630-0253-66	¥186,000	-	-	-	-	-	-	-	State original length!
FLHX/I Street Glide	FL 3	≥17	C*	X	640-1209-02	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended, twin shocks with difference of 7 mm in length
FLHXST Street Glide	FL 3	≥22	C*	X	640-1209-03	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended, twin shocks with difference of 7 mm in length
FLHX/S Street Glide / Special	FL 3	14-16	D*	X	640-1183-00	¥207,000	-	-	-	-	-	-	-	ZF preload adjustment recommended
FLHXS Street Glide Special	FL 3	15-16	C*	X	640-1206-00	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended, twin shocks with difference of 7 mm in length
FLHXS Street Glide Special	FL 3	≥17	C*	X	640-1209-00	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended, twin shocks with difference of 7 mm in length
FLHXSE CVO Street Glide	FL 2	10-12		X	630-1002-01	¥186,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
FLHXSE CVO Street Glide	FL 3	15-16	C*	X	640-1206-01	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended, twin shocks with difference of 7 mm in length
FLHXSE CVO Street Glide	FL 3	≥17	C*	X	640-1209-01	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended, twin shocks with difference of 7 mm in length

HARLEY-DAVIDSON														
FLTR Road Glide	FL 2	2009		X	640-0996-08	¥207,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
FLTR Road Glide	FL 3	15-16	C*	X	640-1207-06	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLTR Road Glide	FL 3	≥17	C*	X	640-1219-02	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLTRK Road Glide Limited	FL 3	≥20	C*	X	640-1222-04	¥207,000	-	-	-	-	-	-	-	Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLTRSE3 CVO Road Glide	FL 2	2009	C*	X	640-1207-02	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLTRU Road Glide Ultra	FL 3	≥17	C*	X	640-1219-03	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLTRU Road Glide Ultra	FL 2	11-13		X	640-0996-09	¥207,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
FLTRU Road Glide Ultra	FL 3	2016	C*	X	640-1207-01	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLTRUSE CVO Road Glide Ultra	FL 2	2011	C*	X	640-1207-03	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLTRUSE CVO Road Glide Ultra	FL 3	15-16		X	640-1207-04	¥207,000	-	-	-	-	-	-	-	
FLTRX Road Glide Custom	FL 2	10-13		X	630-1002-02	¥186,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
FLTRXS Road Glide Special	FL 3	15-16	C*	X	640-1207-00	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLTRXS Road Glide Special	FL 3	≥17	C*	X	640-1219-01	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLTRXST Road Glide ST	FL 3	≥22	C*	X	640-1219-04	¥207,000	-	-	-	-	-	-	-	Damper length + 15 mm but seating height stays unchanged, preload adjustment "Wilbers Powered by ZF" (knop adjustment, only on the left) recommended
FLTRXSE CVO Road Glide	FL 3	≥18	C*	X	640-1252-00	¥207,000	-	-	-	-	-	-	-	ZF preload adjustment (knop adjustment, only on the left) recommended

HARLEY-DAVIDSON															
FLTRXSE CVO Road Glide Custom	FL 2	12-14		X	630-1136-00	¥186,000	-	-	-	-	633-1136-00	S	¥296,000		Length + 15 mm but seating height stays unchanged due to sag.
FXBB Street Bob	ST 1	≥18	A		640-1237-00	¥103,000	-	-	-	-	-	-	-		
FXBB Street Bob	ST 1	≥18	A		640-1237-01	¥103,000	-	-	-	-	-	-	-	+20	Raising 20 mm
FXBB Street Bob	ST 1	≥18			640-1237-02	¥103,000	-	-	-	-	-	-	-	-20	Tieferlegung 20 mm
FXD Dyna Super Glide	FD 1	95-04	A	X	630-0835-00	¥186,000	-	-	-	-	633-0835-00	S	¥296,000		State original length! Chrome-plated cover caps of the fixing screws are not required.
FXDB Dyna Street Bob / 103 FXDBA Dyna Street Bob / 103 FXDBB Dyna Street Bob / 103 FXDBC Dyna Street Bob Limited / 103 FXDBP Dyna Street Bob / 103	FD 2	07-17		X	630-0836-00	¥186,000	-	-	-	-	633-0836-00	S	¥296,000	+10	Standard = raising 15 mm else to few stroke. Chrome-plated cover caps of the fixing screws are not required.
FXDC Dyna Super Glide Custom	FD 2	06-14		X	630-0836-01	¥186,000	-	-	-	-	633-0836-01	S	¥296,000	+15	Standard = raising 15 mm else to few stroke. Chrome-plated cover caps of the fixing screws are not required.
FXDF Dyna Fat Bob	FD 2	08-17	A	X	630-0924-00	¥186,000	-	-	-	-	633-0924-00	S	¥296,000	+15 +30	Hydraulic preload adjustment possible only as special solution without certification of operation
FXDL / FXDLI Dyna Low Rider	FD 1	99-06	A	X	630-0835-02	¥186,000	-	-	-	-	633-0835-02	S	¥296,000		State original length! Chrome-plated cover caps of the fixing screws are not required.
FXDL Dyna Low Rider	FD 2	06-08		X	630-0836-02	¥186,000	-	-	-	-	-	-	-	+15	Standard = raising 15 mm else to few stroke. Chrome-plated cover caps of the fixing screws are not required.
FXDL Dyna Low Rider	FD 2	14-17		X	640-1225-00	¥207,000	-	-	-	-	-	-	-	+20	Wilbers Standard = raising 20 mm else to few stroke
FXDL Dyna Low Rider	FD 2	14-17		X	640-1225-00	¥207,000	-	-	-	-	-	-	-		Original length
FXDLS Dyna Low Rider S	FD 2	16-17		X	640-1244-00	¥207,000	-	-	642-1244-00	¥329,000	-	-	-		
FXDLS Dyna Low Rider S	FD 2	16-17		X	640-1244-01	¥207,000	-	-	642-1244-01	¥329,000	-	-	-	+20	Raising 20 mm
FXDLS Dyna Low Rider S	FD 2	16-17		X	640-1244-02	¥207,000	-	-	642-1244-02	¥329,000	-	-	-	+35	Raising 35 mm
FXDS-CON Dyna Super Glide Convertible	FXD	95-97	A	X	630-0835-03	¥186,000	-	-	-	-	633-0835-03	S	¥296,000		State original length! Chrome-plated cover caps of the fixing screws are not required.
FXDWG / ANV Dyna Wide Glide / 105th ANV	FD 1 / FD 2	06-08		X	630-0836-03	¥186,000	-	-	-	-	633-0836-03	S	¥296,000	+15	Standard = raising 15 mm else to few stroke. Chrome-plated cover caps of the fixing screws are not required.
FXDWG Dyna Wide Glide	FD 2	09-17	A*	X	640-1084-00	¥207,000	-	-	642-1084-00	¥329,000	-	-	-		Chrome-plated cover caps of the fixing screws are not required. Hydraulic preload adjustment possible only as special solution without certification of operation, ride height adjustment only with type 640, Typ 642 = 2 low speed adjuster
FXDWG Dyna Wide Glide	FD 2	09-17	A*	X	640-1084-01	¥207,000	-	-	642-1084-01	¥329,000	-	-	-	+20	Raising 20 mm, Chrome-plated cover caps of the fixing screws are not required. Hydraulic preload adjustment possible only as special solution without certification of operation, ride height adjustment only with type 640, Typ 642 = 2 low speed adjuster
FXDWG Dyna Wide Glide	FD 1	94-05	A	X	630-0835-01	¥186,000	-	-	-	-	633-0835-01	S	¥296,000		State original length! Chrome-plated cover caps of the fixing screws are not required.

HARLEY-DAVIDSON															
FXDX Dyna Super Glide Sport	FD 1	01-05	A	X	630-0835-04	¥186,000	-	-	-	-	633-0835-04	S	¥296,000	State original length! Chrome-plated cover caps of the fixing screws are not required.	
FXDXT Dyna Super Glide T-Sport	FD 1	01-05	A	X	630-0835-05	¥186,000	-	-	-	-	633-0835-05	S	¥296,000	State original length! Chrome-plated cover caps of the fixing screws are not required.	
FXFB / S Fat Bob	ST 1	≥18	P		640-1240-00	¥103,000	-	-	-	-	-	-	-		
FXFB / S Fat Bob	ST 1	≥18	P		640-1240-01	¥103,000	-	-	-	-	-	-	-	+20	Raising 20 mm
FXFB / S Fat Bob	ST 1	≥18	B		640-1240-02	¥103,000	-	-	-	-	-	-	-	-35	Lowering 35 mm
FXBRS Breakout 114 Softtail ST1 / Fat Boy 114 Softtail ST1 / FLSB Sport Glide 114	ST1	≥18	P		640-1308-00	¥103,000	-	-	-	-	-	-	-	-	
FXBRS Breakout 114 Softtail ST1 / Fat Boy 114 Softtail ST1 / FLSB Sport Glide 114	ST1	≥18	P		640-1308-01	¥103,000	-	-	-	-	-	-	-	+20	Raising 20 mm
FXLRS Low Rider S	ST1	≥18	R		640-1309-00	¥103,000	-	-	-	-	-	-	-	-	X-PA recommend
FXLRS Low Rider S	ST1	≥18	R		640-1309-01	¥103,000	-	-	-	-	-	-	-	-	Raising 20 mm, X-PA recommend
FXST Softtail Slim	ST1	≥18	R		640-1334-00	¥103,000	-	-	-	-	-	-	-	-	
FXST Softtail Slim	ST1	≥18	R		640-1334-01	¥103,000	-	-	-	-	-	-	-	+20	Raising 20 mm
Pan America	RA1	≥21	P		640-1326-00	¥103,000	641-1326-00	¥148,000	-	-	-	-	-	-	Wilbers preload adjuster recommend
Pan America	RA1	≥21	P		640-1326-01	¥103,000	641-1326-01	¥148,000	-	-	-	-	-	-	Raising 10 mm, Wilbers preload adjuster recommend
Pan America	RA1	≥21	P		640-1326-02	¥103,000	641-1326-02	¥148,000	-	-	-	-	-	-	Lowering 30 mm, Wilbers preload adjuster recommend
Pan America	RA1	≥21	P		640-1326-03	¥103,000	641-1326-03	¥148,000	-	-	-	-	-	-	Lowering 60 mm, Wilbers preload adjuster recommend
VRSCA V-Rod	VR 1	02-06	A	X	640-0691-00	¥207,000	-	-	642-0691-00	¥329,000	-	-	-	-	
VRSCAW V-Rod	VR 1	07-10	A	X	640-0937-00	¥207,000	-	-	642-0937-00	¥329,000	-	-	-	-	-15
VRSCB V-Rod	VR 1	04-05	A	X	640-0691-01	¥207,000	-	-	642-0691-01	¥329,000	-	-	-	-	
VRSCDX Night Rod Special	VR 1	07-11	A	X	640-0894-00	¥207,000	-	-	642-0894-00	¥329,000	-	-	-	-	"Nightline" Special Edition
VRSCDX Night Rod Special	VR 1	12-17	A	X	640-1088-00	¥207,000	-	-	642-1088-00	¥329,000	-	-	-	-	"Nightline" Special Edition, length + 10 mm but seating height stays unchanged due to sag.
VRSCDX Night Rod Special	VR 1	12-17	A*	X	640-1088-01	¥207,000	-	-	642-1088-01	¥329,000	-	-	-	+10	Raising 10 mm, "Nightline" Special Edition, ride height adjuster - 10 mm possible
VRSCF V-Rod Muscle	VR 1	09-17	A	X	640-0969-00	¥207,000	-	-	642-0969-00	¥329,000	-	-	-	-	
VRSCR Street Rod	VR 2	06-07	A	X	640-0936-00	¥207,000	-	-	642-0936-00	¥329,000	-	-	-	-50	Flat Rod
XL 883 Sportster	XL/2	04-09		X	630-0253-23	¥186,000	-	-	-	-	-	-	-	-	State original length!
XL 883 C Sportster Custom	XL/2	04-10		X	630-0253-25	¥186,000	-	-	-	-	-	-	-	-	State original length!
XL 883 L Sportster Low	XL/2	04-10		X	630-0253-24	¥186,000	-	-	-	-	-	-	-	-	State original length!
XL 883 N Iron	XL 2	≥10	A	X	630-1056-00	¥186,000	-	-	632-1056-00	¥285,000	633-1056-00	S	¥296,000	-	
XL 883 N Iron	XL 2	≥10	A	X	630-1056-01	¥186,000	-	-	632-1056-01	¥285,000	633-1056-01	S	¥296,000	-30	Loering 30 mm
XL 883 R Sportster Roadster	XL 2	05-15		X	630-0253-26	¥186,000	-	-	-	-	-	-	-	-	State original length!
XLH 883 Sportster	XL 1	88-03		X	630-0253-20	¥186,000	-	-	-	-	-	-	-	-	State original length!
XLH 1100 Sportster	XL/2	86-88		X	630-0253-21	¥186,000	-	-	-	-	-	-	-	-	State original length!
XL 1200 C / CA / CB Sportster Custom	XL 2	07-15		X	630-1043-00	¥186,000	-	-	632-1043-00	¥285,000	633-1043-00	S	¥296,000	+15	Ride height adjustment not tested
XL 1200 C Sportster Custom	XL 2	04-06		X	630-0253-30	¥186,000	-	-	-	-	-	-	-	-	State original length!
XL 1200 CA / CB Sportster Custom Limited A/B	XL 2	≥16		X	630-1217-00	¥186,000	-	-	632-1217-00	¥285,000	-	-	-	-	Wilbers standard = suspension + 10 mm

HARLEY-DAVIDSON															
XL 1200 CA / CB Sportster Custom Limited A / B	XL 2	≥16		X	630-1217-01	¥186,000	-	-	632-1217-01	¥285,000	-	-	-	Original length	
XL 1200 CA / CB Sportster Custom Limited A / B	XL 2	≥16		X	630-1217-02	¥186,000	-	-	632-1217-02	¥285,000	-	-	-	+20	Raising 20 mm
XL 1200 CA / CB Sportster Custom Limited A / B	XL 2	≥16		X	630-1217-03	¥186,000	-	-	632-1217-03	¥285,000	-	-	-	+35	Raising 35 mm
XL 1200 N Sportster Nightster	XL/2	08-12		X	630-0253-31	¥186,000	-	-	632-0253-31	¥285,000	-	-	-		State original length!
XL 1200 R Sportster Roadster	XL/2	04-08		X	630-0253-28	¥186,000	-	-	-	-	-	-	-		State original length!
XL 1200 / C Sportster	XL/2	95-03		X	630-0253-22	¥186,000	-	-	-	-	-	-	-		State original length!
XL 1200 Sportster	XL/2	03-08		X	630-0253-27	¥186,000	-	-	-	-	-	-	-		State original length!
XL 1200 X / XS Forty Eight / Special	XL 2	≥16		X	640-1181-00	¥207,000	-	-	642-1181-00	¥329,000	-	-	-		Lenght + 10 mm, seating height and spring stroke + 15 mm
XL 1200 X Forty Eight	XL/2	≥10		X	630-1012-00	¥186,000	-	-	632-1012-00	¥285,000	-	-	-	+25	Lenght + 10 mm but seating height stays unchanged due to sag, hydraulic preload adjustment possible only as special solution without certification of operation
XL1200 L Sportster Low	XL/2	06-11		X	630-0253-29	¥186,000	-	-	-	-	-	-	-		State original length!
XR 1200	XR 1	08-10	A	X	630-0926-00	¥186,000	-	-	632-0926-00	¥285,000	633-0926-00	S	¥296,000	+15 -35	XR Special Edition / Springs in blood-orange for Wilbers standard + 15 mm, Raising and Lowering with black sprngs
XR 1200 X	XR 1	10-12	A*	X	630-1010-00	¥186,000	-	-	632-1010-00	¥285,000	633-1010-00	S	¥296,000	+15 -20	hydraulic preload adjustment possible only as special solution without certification of operation
HONDA															
NS 50		1990	P		630-0257-00	¥103,000	-	-	-	-	-	-	-		
NS 80		1990	P		630-0257-01	¥103,000	-	-	-	-	-	-	-		
CR 80	HE 04	97-02	P		640-0912-00	¥103,000	-	-	642-0912-00	¥164,000	-	-	-	-30 -60	
125 City Fly	JD 18 A	98-00	P		630-0424-00	¥103,000	-	-	-	-	-	-	-		
125 City Fly	JD 18 A	98-00	B		630-0424-01	¥103,000	-	-	-	-	-	-	-	-30	Lowering 30 mm
CBF 125	JC 40	08-16	A	X	630-0972-00	¥186,000	-	-	632-0972-00	¥285,000	-	-	-	-20	
CR 125 R	JE 01	99-05	P		-	-	-	-	642-0456-00	¥164,000	-	-	-		
CR 125 R	JE 01	06-07	P		-	-	-	-	642-0817-00	¥164,000	-	-	-		
CBR 125 R	JC 34	04-07	B		630-0713-00	¥103,000	-	-	-	-	-	-	-	+20 -25 -50	
CBR 125 R	JC 50	11-17	B		630-1049-00	¥103,000	631-1049-00	¥164,000	-	-	-	-	-	+15 -30 -35	
Monkey 125	Z125MA	≥18		X	-	-	-	-	632-1257-00	¥230,000	-	-	-		
NSR 125 Raiden Sp	JC 22	94-03	P		630-0260-00	¥103,000	-	-	-	-	-	-	-		
NSR 125 R	JC 22	97-03	P		630-0593-00	¥103,000	631-0593-00	¥164,000	-	-	-	-	-	-25 -50	
NX 125	JD 09	93-98	P		630-0262-00	¥103,000	-	-	-	-	-	-	-		
NX 125	JD 12	89-99	P		630-0261-00	¥103,000	-	-	-	-	-	-	-		
RS 125 RF		1995			-	-	-	-	-	-	643-0445-00	P	¥177,000		Incl. ride height adjustment
XL 125 Varadero	JC 32	01-10	P		640-0324-03	¥103,000	641-0324-03	¥148,000	-	-	-	-	-	-25 -50	
XL 125 Varadero	JC 32	01-10			640-0324-04	¥103,000	641-0324-04	¥148,000	-	-	-	-	-	-25	Lowering 25 mm
XL 125 Varadero	JC 32	01-10			640-0324-05	¥103,000	641-0324-05	¥148,000	-	-	-	-	-	-50	Lowering 50 mm
XL 125 Varadero	JC 49	11-13			640-0324-00	¥103,000	641-0324-00	¥148,000	-	-	-	-	-		
XL 125 Varadero	JC 49	11-13			640-0324-01	¥103,000	641-0324-01	¥148,000	-	-	-	-	-	-25	Lowering 25 mm
XL 125 Varadero	JC 49	11-13			640-0324-02	¥103,000	641-0324-02	¥148,000	-	-	-	-	-	-50	Lowering 50 mm
XLR 125	JD 16	98-99	P		630-0638-00	¥103,000	-	-	-	-	-	-	-		
Fat - Cat	TR 200	86-88	P		630-0776-00	¥103,000	-	-	-	-	-	-	-		
XL 200 R	MD 06	83-84	P		640-0735-00	¥103,000	-	-	-	-	-	-	-		

HONDA														
CRF 230 F	ME 09	08-09	P		630-0921-00	¥103,000	-	-	-	-	-	-	-	
CBF 250	MC 35	04-06	P		640-0783-00	¥103,000	641-0783-00	¥148,000	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
CBR 250 R	MC 41	11-15	I*		630-1038-00	¥103,000	631-1038-00	¥164,000	-	-	-	-	+10 -40	Hydr. preload recommended
CN 250 Helix	MF 02	95-99	A	X	630-0545-00	¥186,000	-	-	-	-	-	-	-	
CR 250 Supermono		1998	P		-	-	-	-	642-0534-00	¥164,000	-	-	-	
CR 250 Cross		1979	A	X	630-0915-00	¥186,000	-	-	632-0915-00	¥285,000	-	-	-	
CR 250 R	ME 03	05-07	P		640-0784-00	¥103,000	-	-	642-0784-00	¥164,000	-	-	-	
CRF 250 R / X	ME 10 / ME 11	05-17	P		640-0787-00	¥103,000	-	-	642-0787-00	¥164,000	-	-	-	Hydraulic preload adjustment or X-PA possible only as special solution without certification of operation
CRF 250 L	MD 38 / MD 44	≥12	A		640-1089-00	¥103,000	-	-	-	-	-	-	-	
CRF 250 L	MD 38 / MD 44	≥12	A*		640-1089-01	¥103,000	-	-	-	-	-	-	+20	Raising 20 mm, ride height adjustment only - 10 mm, not suitable for offroad
CRF 250 RLA Rally	MD 44 B	≥17	A		640-1254-00	¥103,000	-	-	-	-	-	-	-	
CRF 250 RLA Rally	MD 44 B	≥17	A		640-1254-01	¥103,000	-	-	-	-	-	-	-30	Lowering 30 mm
CRF 250 RLA Rally	MD 44 B	≥17			640-1254-02	¥103,000	-	-	-	-	-	-	-60	Lowering 60 mm
CRM 250 AR Supermoto	MD 32	97-02	P		640-0742-00	¥103,000	-	-	642-0742-00	¥164,000	-	-	-	
NSR 250 R	MC 28	94-99	P		640-0402-00	¥103,000	641-0402-00	¥148,000	-	-	-	-	-	Wilbers standard length = suspension + 10 mm
NSR 250 Spez.		1996	P		-	-	641-0279-01	¥148,000	-	-	-	-	-	
NX 250	MD 21 / 25	88-96	P		640-0155-00	¥103,000	641-0155-00	¥148,000	-	-	-	-	-25 -50	
XL 250 R	MD 03	82-83	P		640-0280-00	¥103,000	641-0280-00	¥148,000	-	-	-	-	-	
XL 250 R	MD 11	84-88	P		640-0281-00	¥103,000	641-0281-00	¥148,000	-	-	-	-	-	
XR 250 R		86-87	P		640-0282-00	¥103,000	641-0282-00	¥148,000	-	-	-	-	-	
XR 250 R	ME 06	88-89	P		640-0283-00	¥103,000	-	-	642-0283-00	¥164,000	-	-	-	
XR 250 R	ME 06	90-95	P		640-0284-00	¥103,000	-	-	642-0284-00	¥164,000	-	-	-	
CRF 300L	ND 16	≥20	R*		640-1311-00	¥103,000	-	-	642-1311-00	¥164,000	-	-	-	642: X-PA not possible
CRF 300L	ND 16	≥20	R*		640-1311-01	¥103,000	-	-	642-1311-01	¥164,000	-	-	+20	Raising 20 mm, 642: X-PA not possible
CRF 300L	ND 16	≥20	R*		640-1311-02	¥103,000	-	-	642-1311-02	¥164,000	-	-	-30	Lowering 30 mm, 642: X-PA not possible
CRF 300L	ND 16	≥20	R*		640-1311-03	¥103,000	-	-	642-1311-03	¥164,000	-	-	-60	Lowering 60 mm, 642: X-PA not possible
CRF 300 Rally	ND 16 A	≥21	R*		640-1315-00	¥103,000	-	-	642-1315-00	¥164,000	-	-	-	642: X-PA not possible
CRF 300 Rally	ND 16 A	≥21	R*		640-1315-01	¥103,000	-	-	642-1315-01	¥164,000	-	-	+20	Raising 20 mm, 642: X-PA not possible
CRF 300 Rally	ND 16 A	≥21	R*		640-1315-02	¥103,000	-	-	642-1315-02	¥164,000	-	-	-30	Lowering 30 mm, 642: X-PA not possible
CRF 300 Rally	ND 16 A	≥21	R*		640-1315-03	¥103,000	-	-	642-1315-03	¥164,000	-	-	-60	Lowering 60 mm, 642: X-PA not possible
XL 350 R	ND 03	85-87	P		640-0156-00	¥103,000	-	-	-	-	-	-	-	
CB 1 (CB 400 F)	NC 27	89-91	P		640-0019-00	¥103,000	641-0019-00	¥148,000	-	-	-	-	-20 -40	Hydraulic preload adjustment possible only as special solution without certification of operation
CB 400 Four	CB 400	75-80	A	X	630-0674-01	¥199,000	-	-	-	-	-	-	-	4 cylinder, Wilbers standard length = suspension + 15 mm, incl. ride height adjustment
CB 400 SF	NC 31 / NC 39	92-01		X	630-0285-00	¥186,000	-	-	632-0285-00	¥285,000	633-0285-00	S	¥296,000	
CBR 400 RR	NC 23	86-89	P		-	-	641-0629-00	¥148,000	-	-	-	-	-	

HONDA															
CBR 400 RR	NC 29	90-99	A		640-0129-00	¥103,000	641-0129-00	¥148,000	-	-	-	-	-		Hydraulic preload adjustment possible only as special solution without certification of operation
NS 400 R	NC 19	85-86	A		640-0157-00	¥103,000	641-0157-00	¥148,000	-	-	-	-	-		
RVF 400 R	NC 35	94-96	P		640-0286-00	¥103,000	641-0286-00	¥148,000	-	-	-	-	-		Hydraulic preload adjustment possible only as special solution without certification of operation, if ride height adjustment = at top, only adjustable when shock absorber is removed
VF 400 FD	NC 13	83-85	P		640-0287-00	¥103,000	-	-	-	-	-	-	-		With ride height adjustment less stroke than original
VFR 400 R	NC 30	89-91	P		640-0029-00	¥103,000	641-0029-00	¥148,000	-	-	-	-	-	+25 -30	Hydraulic preload adjustment possible only as special solution without certification of operation
XR 400 R	NE 03	96-02	P		640-0288-00	¥103,000	-	-	642-0288-00	¥164,000	-	-	-		
CRF 450	PE 05	03-05	P		-	-	-	-	642-0653-00	¥164,000	-	-	-	-25	
CRF 450	PE 05	06-16	P		-	-	-	-	642-0809-00	¥164,000	-	-	-		
CB 500	PC 26 / 32	94-03	A	X	630-0289-00	¥186,000	-	-	632-0289-00	¥285,000	633-0289-00	S	¥296,000	-25 -50	Preload adjuster ring, type 632 + 633 and compression tank on top below the covering
CB 500 F	PC 45	13-15	B*		630-1129-00	¥103,000	631-1129-00	¥164,000	-	-	-	-	-		Hydraulic preload adjustment recommended
CB 500 F	PC 45	13-15	B*		630-1129-01	¥103,000	631-1129-01	¥164,000	-	-	-	-	-	+20	Raising 20 mm, hydraulic preload adjustment recommended
CB 500 F	PC 45	13-15	B*		630-1129-02	¥103,000	631-1129-02	¥164,000	-	-	-	-	-	-30	Lowering 30 mm, hydraulic preload adjustment recommended
CB 500 FA	PC 58	16-17	D		630-1250-00	¥103,000	631-1250-00	¥164,000	-	-	-	-	-		
CB 500 FA	PC 58	16-17	D		630-1250-01	¥103,000	631-1250-01	¥164,000	-	-	-	-	-	-30	Lowering 30 mm
CB 500 F	PC 63	≥19	D		630-1318-00	¥103,000	631-1318-00	¥164,000	-	-	-	-	-		
CB 500 F	PC 63	≥19	D		630-1318-01	¥103,000	631-1318-01	¥164,000	-	-	-	-	-	+ 10	Raising 10 mm
CB 500 F	PC 63	≥19	D		630-1318-02	¥103,000	631-1318-02	¥164,000	-	-	-	-	-	- 30	Lowering 30 mm
CB 500 Four	CB 500	71-77	A	X	630-0674-00	¥199,000	-	-	-	-	-	-	-		4 cylinder, Wilbers standard length = suspension + 15 mm, incl. ride height adjustment
CB 500 X	PC 46	13-15	B*		630-1121-00	¥103,000	631-1121-00	¥164,000	-	-	-	-	-		Hydraulic preload adjustment recommended
CB 500 X	PC 46	13-15	B*		630-1121-01	¥103,000	631-1121-01	¥164,000	-	-	-	-	-	+10	Raising 10 mm, Hydraulic preload adjustment recommended
CB 500 X	PC 46	13-15	B*		630-1121-02	¥103,000	631-1121-02	¥164,000	-	-	-	-	-	-10	Lowering 10 mm, hydraulic preload adjustment recommended
CB 500 X	PC 46	13-15	B*		630-1121-03	¥103,000	631-1121-03	¥164,000	-	-	-	-	-	-25	Lowering 25 mm, hydraulic preload adjustment recommended
CB 500 X	PC 46	13-15	B*		630-1121-04	¥103,000	631-1121-04	¥164,000	-	-	-	-	-	-55	Lowering 55 mm, hydraulic preload adjustment recommended
CBF 500 / A	PC 39	04-08	B		640-0717-01	¥103,000	641-0717-01	¥148,000	-	-	-	-	-	+25 -30 -50 -70	
CBR 500 R	PC 44	13-15	I*		630-1125-00	¥103,000	631-1125-00	¥164,000	-	-	-	-	-		Hydr. preload adjustment recommended
CBR 500 R	PC 44	13-15	I*		630-1125-01	¥103,000	631-1125-01	¥164,000	-	-	-	-	-	+15	Raising 15 mm, hydr. preload adjustment recommended
CBR 500 R	PC 44	13-15	I*		630-1125-02	¥103,000	631-1125-02	¥164,000	-	-	-	-	-	-30	Lowering 30 mm, hydr. preload adjustment recommended
CX 500	CX 500	77-83	A	X	630-0160-00	¥186,000	-	-	632-0160-00	¥285,000	633-0160-00	S	¥296,000		
CX 500 E Euro	PC 06	82-84	A		640-0159-00	¥103,000	-	-	-	-	-	-	-	-20 -40	Hydraulic preload adjustment possible only as special solution without certification of operation

HONDA															
CX 500 T Turbo	PC 03	81-83	A		640-0159-01	¥103,000	-	-	-	-	-	-	-20 -40	Hydraulic preload adjustment possible only as special solution without certification of operation	
GL 500 Silverwing	PC 02	82-84	P		640-0164-00	¥103,000	-	-	-	-	-	-	-	Eye mount bottom (hydraulic preload adjustment without certification of operation possible)	
NSR 500 V2		1997	P		-	-	-	-	642-0290-00	¥164,000	-	-	-		
VF 500 F/F2	PC 12	84-87	P		640-0165-00	¥116,000	-	-	-	-	-	-	-25 -50	With ride height adjustment	
XL 500 R	PD 02	82-86	P		640-0161-00	¥103,000	-	-	-	-	-	-			
XR 500 R	XR 500 R	81-82	P		640-0292-00	¥103,000	-	-	-	-	-	-			
XR 500 R	PE 03	83-84	P		640-0293-00	¥103,000	641-0293-00	¥148,000	-	-	-	-		Type 641 not tested	
XBR 500	PC 15	85-89	A	X	630-0701-00	¥186,000	-	-	-	-	-	-			
CBX 550 F/ FII	PC 04	82-85	R		640-0158-00	¥103,000	-	-	-	-	-	-		Hydraulic preload adjustment not tested	
CB 600 F / SF Hornet	PC 34 / 36	98-02			640-0225-00	¥103,000	-	-	-	-	-	-	+20 -25 -50	Attention! Inform us about the width of the fork mount!	
CB 600 F Hornet	PC 36	03-06	B		640-0667-00	¥103,000	641-0667-00	¥148,000	-	-	-	-	-20 -40	Attention! Inform us about the width of the fork mount!	
CB 600 F Hornet	PC 41 C	07-08	P		640-0076-00	¥103,000	641-0076-00	¥148,000	-	-	-	-	+15 +30 -20 -40	Hydraulic preload recommended (preload otherwise not accessible)	
CB 600 F Hornet	PC 41	09-12	I		640-0971-00	¥103,000	641-0971-00	¥148,000	-	-	-	-			
CB 600 F Hornet	PC 41	09-12	I		640-0971-01	¥103,000	641-0971-01	¥148,000	-	-	-	-	+20	Raising 20 mm	
CB 600 F Hornet	PC 41	09-12	I		640-0971-02	¥103,000	641-0971-02	¥148,000	-	-	-	-	-20	Lowering 20 mm	
CB 600 F Hornet	PC 41	09-12	I		640-0971-03	¥103,000	641-0971-03	¥148,000	-	-	-	-	-40	Lowering 40 mm	
CBF 600 N / NA / S / SA	PC 38	04-07	B		640-0717-00	¥103,000	641-0717-00	¥148,000	-	-	-	-	+25 -30 -50 -70		
CBF 600 N / NA / S / SA	PC 43	08-13	P		640-0927-00	¥103,000	641-0927-00	¥148,000	-	-	-	-	+15 -20 -45		
CBR 600 F	PC 19 / 23	87-90	I		640-0020-00	¥103,000	641-0020-00	¥148,000	-	-	-	-	-20 -40		
CBR 600 F / Supersport	PC 25 / 31	91-96	I*		640-0021-00	¥103,000	641-0021-00	¥148,000	642-0021-00	¥164,000	-	-	+15 -25 -50	Types 640 and 641 - height adjustment only with raising 15 mm, type 642 only Race: rear wheel cover has to be changed	
CBR 600 F / Supersport	PC 25 / 31	97-98	I*		640-0021-01	¥103,000	641-0021-01	¥148,000	642-0021-01	¥164,000	-	-	+15 -25 -50	Type 642 only Race: rear wheel cover has to be changed	
CBR 600 F / SF Sport	PC 35	99-07	I		640-0442-00	¥103,000	641-0442-00	¥148,000	-	-	-	-	+ 20 -30		
CBR 600 F	PC 41	11-12	I*		640-1037-00	¥103,000	641-1037-00	¥148,000	-	-	-	-	+15 -35	Hydr. preload recommended!	
CBR 600 RR	PC 37	03-06	P		640-0662-00	¥103,000	-	-	-	-	643-0662-00	QS	¥181,000	+15 -30 -50	With hydraulic preload adjustment: Please state type or year of building
CBR 600 RR	PC 40	07-08	P		640-0845-00	¥103,000	-	-	-	-	643-0845-00	QS	¥181,000	-40	
CBR 600 RR	PC 40	09-16	P		640-0965-00	¥103,000	641-0965-00	¥148,000	-	-	-	-	+20 -40		
FJS 600 Silverwing	PF 01	01-05	A	X	630-0680-00	¥186,000	-	-	-	-	-	-	-20 -40	Scooter (Wilbers absorbers are 27 mm shorter but match the standard seating height - the main stand must be removed)	
VT 600 C Shadow	PC 21	88-00			640-0166-00	¥103,000	-	-	-	-	-	-	-25 -50		
XL 600 RM/ LM	PD 04	85-87	P		640-0163-00	¥103,000	641-0163-00	¥148,000	-	-	-	-			
XL 600 R	PD 03	83-87	P		640-0162-00	¥103,000	641-0162-00	¥148,000	-	-	-	-			
XL 600 V Transalp	PD 06	87-88	B		640-0037-00	¥103,000	-	-	-	-	-	-	-25 -50		
XL 600 V Transalp	PD 06 / 10	89-00	P		640-0038-00	¥103,000	-	-	-	-	-	-	+35 -30 -60	Wilbers standard length = suspension + 20 mm (due to negative sags), hydr. preload recommended	

HONDA													
XR 600 R	PE 04	85-86	I	640-0295-00	¥103,000	641-0295-00	¥148,000	-	-	-	-	-	-
XR 600 R	PE 04	87-90	I	640-0296-00	¥103,000	641-0296-00	¥148,000	-	-	-	-	-	-
XR 600 R	PE 04	91-98	I	640-0298-00	¥103,000	-	-	642-0298-00	¥164,000	-	-	-	-
CB 650 F	RC 75	14-16	P	640-1149-00	¥103,000	641-1149-00	¥148,000	-	-	-	-	-	-
CB 650 F	RC 75	14-16	P	640-1149-01	¥103,000	641-1149-01	¥148,000	-	-	-	-	+25	Raising 25 mm
CB 650 F	RC 75	14-16	B	640-1149-02	¥103,000	641-1149-02	¥148,000	-	-	-	-	-35	Lowering 25 mm, Seating height 785 mm
CB 650 RA	RH 08	≥21	R	640-1320-00	¥103,000	641-1320-00	¥148,000	-	-	-	-	-	-
CB 650 RA	RH 08	≥21	R	640-1320-01	¥103,000	641-1320-01	¥148,000	-	-	-	-	+15	Raising 15 mm
CB 650 RA	RH 08	≥21	R	640-1320-02	¥103,000	641-1320-02	¥148,000	-	-	-	-	-30	Lowering 30 mm
CBR 650 F	RC 74	14-16	P*	640-1151-00	¥103,000	641-1151-00	¥148,000	-	-	-	-	-	Hydraulic preload adjuster recommended
CBR 650 F	RC 74	14-16	P*	640-1151-01	¥103,000	641-1151-01	¥148,000	-	-	-	-	+25	Raising 25 mm, hydraulic preload adjuster recommended
CBR 650 F	RC 74	14-16	B*	640-1151-02	¥103,000	641-1151-02	¥148,000	-	-	-	-	-20	Lowering 20 mm, hydraulic preload adjuster recommended, seating height 795 mm
CX 650 E/ T	RC 12 / 16	82-86	A	640-0159-02	¥103,000	-	-	-	-	-	-	-20 -40	-
FX 650 Vigor / SLR 650	RD 09	97-00	P	640-0222-00	¥103,000	-	-	-	-	-	-	-35 -50 -70	-
GL 650	RC 10	83-84	P	640-0164-01	¥116,000	-	-	-	-	-	-	-	Fork mount bottom, incl. ride height adjustment, hydraulic preload adjustment possible only as special solution without certification of operation
NT 650 Hawk GT Bross	RC 31	88-91	P	640-0025-00	¥103,000	641-0025-00	¥148,000	-	-	-	-	+15 +30 -30	No hydraulic preload bracket
NT 650 V Deauville	RC 47	98-05	B	640-0226-00	¥103,000	641-0226-00	¥148,000	-	-	-	-	-35 -50 -75	-
NTV 650 Revere	RC 33	88-98	P	640-0026-00	¥103,000	641-0026-00	¥148,000	-	-	-	-	-20 -40	No hydraulic preload bracket, ride height adjustment at the top installed, only adjustable when shock absorber is removed.
NX 650 Dominator	RD 02	88-94	P	640-0027-00	¥103,000	641-0027-00	¥148,000	-	-	-	-	+15 +30 -25 -50	Hydraulic preload adjustment possible only as special solution without certification of operation, if ride height adjustment = at top, only adjustable when shock absorber is removed
NX 650 Dominator	RD 08	95-00	P	640-0028-00	¥103,000	641-0028-00	¥148,000	-	-	-	-	+25 -20 -40	If with ride height adjustment = at top, only adjustable when shock absorber is removed
SLR 650 / FX 650 Vigor	RD 09	97-00	P	640-0222-00	¥103,000	-	-	-	-	-	-	-35 -50 -70	-
XR 650 L	RD 06	93-99	P	640-0040-00	¥103,000	-	-	642-0040-00	¥164,000	-	-	-25 -50	Hydraulic preload adjustment possible only as special solution without certification of operation!
XR 650 R	RE 01	00-07	A	640-0356-00	¥103,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation!
XRV 650 Africa Twin	RD 03	88-89		640-0041-00	¥103,000	641-0041-00	¥148,000	-	-	-	-	+35 +50 -30	Wilbers standard height = suspension + 10 mm (due to negative sags) Height adjuster mounted at top
XL 650 V Transalp	RD 10	00-01	I	640-0542-00	¥103,000	-	-	642-0542-00	¥164,000	-	-	-25 -50	-
XL 650 V Transalp	RD 11	02-07	A	630-0542-00	¥103,000	-	-	-	-	-	-	-	-
XL 650 V Transalp	RD 11	02-07	A	630-0542-01	¥103,000	-	-	-	-	-	-	-25	Lowering 25 mm
XL 650 V Transalp	RD 11	02-07	A	630-0542-02	¥103,000	-	-	-	-	-	-	-50	Lowering 50 mm
FMX 650	RD 12 A	05-07		640-0780-00	¥103,000	641-0780-00	¥148,000	-	-	-	-	-25 -50	-

HONDA															
NSA 700 DN-01	RC 55	08-11	M*		640-1051-00	¥103,000	-	-	642-1051-00	¥164,000	-	-	-	+20 -25	Hydr. preload only type 642 not in combination with ride height adj., Wilbers standard = seating height + 10 mm
CTX 700 / N	RC 68 / RC 69	14-16	P		640-1152-00	¥103,000	641-1152-00	¥148,000	-	-	-	-	-		Original length
CTX 700 / N	RC 68 / RC 69	14-16	P		640-1152-01	¥103,000	641-1152-01	¥148,000	-	-	-	-	-		Wilbers standard length = + 15 mm
NC 700 Integra	RC 62	12-13	P*		640-1095-00	¥103,000	-	-	-	-	-	-	-		Hydr. preload recommended
NC 700 Integra	RC 62	12-13	P*		640-1095-01	¥103,000	-	-	-	-	-	-	-	+20	Raising 20 mm, hydr. preload recommended
NC 700 Integra	RC 62	12-13	P*		640-1095-02	¥103,000	-	-	-	-	-	-	-	-30	Lowering 30 mm, hydr. preload recommended
NC 700 S	RC 61	12-13	P*		640-1073-00	¥103,000	641-1073-00	¥148,000	-	-	-	-	-		Hydr. preload recommended
NC 700 S	RC 61	12-13	P*		640-1073-01	¥103,000	641-1073-01	¥148,000	-	-	-	-	-	+30	Raising 30 mm, hydr. preload recommended
NC 700 S	RC 61	12-13	P*		640-1073-02	¥103,000	641-1073-02	¥148,000	-	-	-	-	-	-30	Lowering 30 mm, hydr. preload recommended
NC 700 X	RC 63	12-13	P*		640-1067-00	¥103,000	641-1067-00	¥148,000	-	-	-	-	-		Hydr. preload recommended, ride height adjustment -10 mm possible
NC 700 X	RC 63	12-13	B*		640-1067-01	¥103,000	641-1067-01	¥148,000	-	-	-	-	-	-20	Lowering 20mm, hydr. preload recommended
NC 700 X	RC 63	12-13	B*		640-1067-02	¥103,000	641-1067-02	¥148,000	-	-	-	-	-	-45	Lowering 45 mm, hydr. preload recommended
NT 700 V / VA Deauville	RC 52	06-09	B		640-0814-00	¥103,000	641-0814-00	¥148,000	-	-	-	-	-	-30 -50	ABS // Height adjustment not possible
VF 700/ 750 F Interceptor	RC 15	83-86	P		640-0300-00	¥116,000	641-0300-00	¥161,000	-	-	-	-	-		Incl. ride height adjustment, Wilbers standard length = suspension + 10 mm
XL 700 V / VA Transalp	RD 13 / RD 15	08-13	I		640-0869-00	¥103,000	641-0869-00	¥148,000	-	-	-	-	-	+15 -25 -50	
X-ADV	RC 95	18-20	P*		640-1251-00	¥103,000	-	-	-	-	-	-	-		Hydraulic preload adjuster recommended, seating height 795 mm
X-ADV	RC 95	18-20	B*		640-1251-01	¥103,000	-	-	-	-	-	-	-	+20	Raising 20 mm, hydraulic preload adjuster recommended, seating height 795 mm
X-ADV	RC 95	18-20	B*		640-1251-02	¥103,000	-	-	-	-	-	-	-	-25	Lowering 25 mm, hydraulic preload adjuster recommended, seating height 795 mm
X-ADV	RC 95	18-20	B*		640-1251-03	¥103,000	-	-	-	-	-	-	-	-50	Lowering 50 mm, hydraulic preload adjuster recommended, seating height 795 mm
CB 750 Seven Fifty	RC 42	92-03	A	X	630-0219-00	¥186,000	-	-	-	-	633-0219-00	S	¥296,000	+10 -25 -40	
CB 750 K1-K7 / F1/F2	CB 750	71-78	A	X	630-0168-00	¥186,000	-	-	632-0168-00	¥285,000	633-0168-00	S	¥296,000		
CB 750 Bol d'Or	RC 04 / 06	78-82	S	X	630-0168-01	¥186,000	-	-	632-0168-01	¥285,000	633-0168-01	S	¥296,000		
CBX 750 F	RC 17	84-86	P		640-0169-00	¥116,000	641-0169-00	¥161,000	-	-	-	-	-	-25 -45	Incl. ride height adjustment, hydraulic preload adjustment possible only as special solution without certification of operation
NC 750 D Integra	RC 71 / RC 89	≥14	P		640-1138-00	¥103,000	-	-	-	-	-	-	-		
NC 750 D Integra	RC 71 / RC 89	≥14	P		640-1138-01	¥103,000	-	-	-	-	-	-	-	+20	Raising 20 mm
NC 750 D Integra	RC 71 / RC 89	≥14	B		640-1138-02	¥103,000	-	-	-	-	-	-	-	-30	Lowering 30 mm
NC 750 S / SA / SD	RC 70 / RC 88	≥14	P		640-1131-00	¥103,000	641-1131-00	¥148,000	-	-	-	-	-		
NC 750 S / SA / SD	RC 70 / RC 88	≥14	P		640-1131-01	¥103,000	641-1131-01	¥148,000	-	-	-	-	-	+25	Raising 30 mm
NC 750 S / SA / SD	RC 70 / RC 88	≥14	B		640-1131-02	¥103,000	641-1131-02	¥148,000	-	-	-	-	-	-30	Lowering 30 mm
NC 750 X	RC 72	14-15	B*		640-1130-00	¥103,000	641-1130-00	¥148,000	-	-	-	-	-		Hydraulic preload recommended
NC 750 X	RC 72	14-15	B*		640-1130-01	¥103,000	641-1130-01	¥148,000	-	-	-	-	-	-20	Lowering 20 mm, hydraulic preload recommended

HONDA															
NC 750 X	RC 72	14-15	B*		640-1130-02	¥103,000	641-1130-02	¥148,000	-	-	-	-	-	-45	Lowering 45 mm, hydraulic preload recommended
NC 750 XA / XD	RC 90	16-20	T		640-1205-00	¥103,000	641-1205-00	¥148,000	-	-	-	-	-	-	Hydraulic preload recommended
NC 750 XA / XD	RC 90	16-20	M		640-1205-01	¥103,000	641-1205-01	¥148,000	-	-	-	-	-	-20	Lowering 20 mm, hydraulic preload recommended
NC 750 XA / XD	RC 90	16-20	M		640-1205-02	¥103,000	641-1205-02	¥148,000	-	-	-	-	-	-45	Lowering 45 mm, hydraulic preload recommended
NC 750 XA / XD	RH 09	≥1	P		640-1324-00	¥103,000	641-1324-00	¥148,000	-	-	-	-	-	-	Hydraulic preload recommended
NC 750 XA / XD	RH 09	≥1	P		640-1324-01	¥103,000	641-1324-01	¥148,000	-	-	-	-	-	+30	Raising 30 mm, hydraulic preload recommended
NC 750 XA / XD	RH 09	≥1	P		640-1324-02	¥103,000	641-1324-02	¥148,000	-	-	-	-	-	-30	Lowering 30 mm, hydraulic preload recommended
Shadow 750	RC 50	08-16	A	X	630-0970-00	¥186,000	-	-	-	-	633-0970-00	S	¥296,000	+20	
VF 700/ 750 F	RC 15	83-86			640-0300-00	¥116,000	641-0300-00	¥161,000	-	-	-	-	-	-	Incl. ride height adjustment
VF 750 S	RC 07	82-85	P		640-0301-00	¥116,000	-	-	-	-	-	-	-	-	Incl. ride height adjustment
VF 750 C Magna	RC 43	93-00	A	X	630-0547-00	¥186,000	-	-	632-0547-00	¥285,000	633-0547-00	S	¥296,000	-20	
VFR 750 F	RC 24	86-87	I*		640-0030-00	¥103,000	641-0030-00	¥148,000	-	-	-	-	-	-	Length = 280 mm, ride height adjustment only + 10 mm - less stroke
VFR 750 F	RC 24	86-87	I*		640-0030-02	¥103,000	641-0030-02	¥148,000	-	-	-	-	-	+20	Raising 20 mm, ride height adjustment only + 10 mm - less stroke
VFR 750 F	RC 24	86-87	B		640-0030-04	¥103,000	641-0030-04	¥148,000	-	-	-	-	-	-30	Lowering 30 mm
VFR 750 F	RC 24	88-89	I		640-0030-01	¥103,000	641-0030-01	¥148,000	-	-	-	-	-	-	Length = 280 mm
VFR 750 F	RC 24	88-89	I		640-0030-03	¥103,000	641-0030-03	¥148,000	-	-	-	-	-	+20	Raising 20 mm
VFR 750 F	RC 24	88-89	B		640-0030-05	¥103,000	641-0030-05	¥148,000	-	-	-	-	-	-30	Lowering 30 mm
VFR 750 F	RC 36	89-93	P		640-0031-00	¥103,000	641-0031-00	¥148,000	-	-	-	-	-	+25 -20 -45	
VFR 750 F	RC 36	94-99	P		640-0032-00	¥103,000	641-0032-00	¥148,000	-	-	-	-	-	+15 -15 -35	
VFR 750 R	RC 30	88-89	P		640-0034-00	¥103,000	641-0034-00	¥148,000	-	-	-	-	-	+15	Hydraulic preload adjustment possible only as special solution without certification of operation / 18" wheel? If yes: original height wanted?
RVF 750 R	RC 45	94-98	B		640-0036-00	¥103,000	641-0036-00	¥148,000	-	-	643-0036-00	P	¥164,000		
VT 750 C / C 2 / Shadow	RC 44	97-02	A	X	630-0275-00	¥186,000	-	-	-	-	-	-	-	-	
XLV 750 R	RD 01	83-86	P		640-0404-00	¥103,000	641-0404-00	¥148,000	-	-	-	-	-	-	
XRV 750 Africa Twin	RD 04	90-92	P*		640-0041-01	¥103,000	641-0041-01	¥148,000	-	-	-	-	-	+35 +50 -30	Wilbers standard height = suspension + 10 mm (due to negative sags) Height adjustmer mounted at top
XRV 750 R Africa Twin	RD 07	93-03	P		640-0042-00	¥103,000	641-0042-00	¥148,000	-	-	-	-	-	+50 -25 -50	Wilbers standard height = suspension + 30 mm (due to negative sags)
PC 800 Pacific Coast	RC 34	88-98	A	X	630-0302-00	¥186,000	-	-	-	-	-	-	-	-	
VFR 800 F	RC 46	98-01	P		640-0033-00	¥103,000	641-0033-00	¥148,000	-	-	-	-	-	-25 -50	Wilbers standard height = suspension + 10 mm, hydr. preload recommended
VFR 800 F	RC 46	02-13	P		640-0511-00	¥103,000	641-0511-00	¥148,000	-	-	-	-	-	-30 -50	
VFR 800 FA	RC 79 / RC 93	≥14	P		640-1144-00	¥103,000	641-1144-00	¥148,000	-	-	-	-	-	-	
VFR 800 FA	RC 79 / RC 93	≥14	B		640-1144-01	¥103,000	641-1144-01	¥148,000	-	-	-	-	-	-25	Lowering 25 mm
VFR 800 X Crossrunner	RC 60	11-14	I*		640-1041-00	¥103,000	641-1041-00	¥148,000	-	-	-	-	-	-30	Hydr. preload recommended
VFR 800 X Crossrunner	RC 80 / RC 94	≥15	P*		640-1155-00	¥103,000	641-1155-00	¥148,000	-	-	-	-	-	-	Hydr. preload recommended
VFR 800 X Crossrunner	RC 80 / RC 94	≥15	P*		640-1155-01	¥103,000	641-1155-01	¥148,000	-	-	-	-	-	+20	Raising 20 mm, hydr. prelaod recommended
VFR 800 X Crossrunner	RC 80 / RC 94	≥15	B*		640-1155-02	¥103,000	641-1155-02	¥148,000	-	-	-	-	-	-20	Lowering 20 mm, hydr. prelaod recommended

HONDA															
VFR 800 X Crossrunner	RC 80 / RC 94	≥15	B*		640-1155-03	¥103,000	641-1155-03	¥148,000	-	-	-	-	-	-40	Lowering 40 mm, hydr. preload recommended
CB 900 F Bol d'Or	SC 01	78-81	A	X	630-0170-00	¥186,000	-	-	-	-	633-0170-00	S	¥296,000	+15 +25 -15 -30	Wilbers standard height = suspension + 10 mm
CB 900 F / F II Bol d'Or	SC 09	82-83	A	X	630-0170-01	¥186,000	-	-	-	-	633-0170-01	S	¥296,000	+15 +25 -15 -30	Wilbers standard height = suspension + 10 mm
CB 900 F Hornet	SC 48	02-04	I		640-0612-00	¥103,000	641-0612-00	¥148,000	-	-	-	-	-	+15 -30	Wilbers standard length = suspension + 15 mm, ride
CB 900 F Hornet	SC 48	05-07	I		640-0612-05	¥103,000	641-0612-05	¥148,000	-	-	-	-	-	+15 -30	Wilbers standard length = suspension + 15 mm
CBR 900 RR	SC 28	92-95	P		640-0022-00	¥103,000	-	-	642-0022-00	¥164,000	-	-	-	-20 -40	
CBR 900 RR	SC 33	96-99	P*		640-0023-00	¥116,000	641-0023-00	¥161,000	642-0023-00	¥177,000	-	-	-	-25	With ride height adjustment
CBR 900 RR	SC 44	00-01	P		640-0524-00	¥103,000	-	-	-	-	643-0524-00	Q	¥164,000	-20 -45	
CBR 900 RR	SC 50	02-03	B		640-0622-00	¥103,000	641-0622-00	¥148,000	-	-	643-0622-00	QS	¥181,000	+10 -35	Ride height adj. already in the frame
CB 1000 F	SC 30	93-97	A	X	630-0171-00	¥186,000	-	-	632-0171-00	¥285,000	633-0171-00	S	¥296,000	-30 -50	Type 632: Strut mounted upside down
CB 1000 R	SC 60	08-17	P		640-0891-00	¥103,000	641-0891-00	¥148,000	-	-	-	-	-	-20 -40	Wilbers standard = suspension + 10 mm, ride height adjustment recommended
CB 1000 R Neo Sports Café	SC 80	18-20	P*		640-1258-00	¥103,000	641-1258-00	¥148,000	-	-	-	-	-		Ride height adjustment recommended
CB 1000 R Neo Sports Café	SC 80	18-20	P*		640-1258-01	¥103,000	641-1258-01	¥148,000	-	-	-	-	-	+ 25	Raising 25 mm, ride height adjustment recommended
CB 1000 R Neo Sports Café	SC 80	18-20	P*		640-1258-02	¥103,000	641-1258-02	¥148,000	-	-	-	-	-	- 20	Lowering 20 mm, ride height adjustment recommended
CB 1000 R Neo Sports Café	SC 80	18-20	B*		640-1258-03	¥103,000	641-1258-03	¥148,000	-	-	-	-	-	- 40	Lowering 40 mm, ride height adjustment recommended
CBF 1000 / A	SC 58	06-09	B*		640-0811-00	¥103,000	641-0811-00	¥148,000	-	-	-	-	-	+15 -30	Wilbers standard height = suspension + 10 mm, hydraulic preload adjustment recommended, not adjustable with hook wrench
CBF 1000 F / FA	SC 64	10-16	P		640-0988-00	¥103,000	-	-	-	-	-	-	-	-35	
CBR 1000 F	SC 21	87-88	B		640-0024-00	¥103,000	641-0024-00	¥148,000	-	-	-	-	-	-20 -40	
CBR 1000 F	SC 24	89-00	B		640-0024-01	¥103,000	641-0024-01	¥148,000	-	-	-	-	-	-20 -40	
CBR 1000 RR	SC 57 A / B	04-07	P		640-0720-00	¥103,000	-	-	-	-	643-0720-00	PS	¥189,000	-25 -50	Ride height djustment standard = + 10 mm
CBR 1000 RR	SC 59	08-11	P*		640-0881-00	¥103,000	-	-	-	-	643-0881-00	P	¥164,000	+10 -20 -40	(L65° H40) Ride height adjustment only with type 643 - less stroke, Type 643 with ABS: hydr. preload adjustment not possible
CBR 1000 RR	SC 59	12-16	P*		640-0881-01	¥103,000	-	-	-	-	643-0881-01	P	¥164,000	-30	(L65° H40) Ride height adjustment with type 643 - less stroke
CBX 1000	CB 1	78-79	A	X	630-0170-02	¥186,000	-	-	-	-	633-0170-02	S	¥296,000	+15 +25 -15 -30	Wilbers standard height = suspension + 10 mm
CBX 1000 C	SC 06	81-83	P*		640-0172-00	¥103,000	-	-	-	-	-	-	-		Hydraulic preload adjustment possible only as special solution without certification of operation
CRF 1000 L Africa Twin	SD 04 /SD 06	16-19	F*		640-1186-00	¥103,000	-	-	642-1186-00	¥164,000	-	-	-		Type SD04: Hydraulic preload adjustment possible and recommended, type SD06 = X-PA or hydraulic preload adjustment possible and recommended. Attention: Please specify the VIN number.
CRF 1000 L Africa Twin	SD 04 /SD 06	16-19	F*		640-1186-01	¥103,000	-	-	642-1186-01	¥164,000	-	-	-	+25	Raising 25 mm, type SD04: Hydraulic preload adjustment possible and recommended, type SD06 = X-PA or hydraulic preload adjustment possible and recommended. Attention: Please specify the VIN number.

HONDA															
CRF 1000 L Africa Twin	SD 04 / SD 06	16-19	F*		640-1186-02	¥103,000	-	-	642-1186-02	¥164,000	-	-	-	-30	Lowering 30 mm, type SD04: Hydraulic preload adjustment possible and recommended, type SD06 = X-PA or hydraulic preload adjustment possible and recommended. Attention: Please specify the VIN number.
CRF 1000 L Africa Twin	SD 04 / SD 06	16-19	F*		640-1186-03	¥103,000	-	-	642-1186-03	¥164,000	-	-	-	-60	Lowering 60 mm, type SD04: Hydraulic preload adjustment possible and recommended, type SD06 = X-PA or hydraulic preload adjustment possible and recommended. Attention: Please specify the VIN number.
CRF 1000 L Africa Twin Adventure Sports	SD 06	≥18	D		640-1261-00	¥103,000	-	-	642-1261-00	¥164,000	-	-	-	+15	Wilbers Standard Length
CRF 1000 L Africa Twin Adventure Sports	SD 06	≥18	D		640-1261-01	¥103,000	-	-	642-1261-01	¥164,000	-	-	-	-	Original seat height
CRF 1000 L Africa Twin Adventure Sports	SD 06	≥18	D		640-1261-02	¥103,000	-	-	642-1261-02	¥164,000	-	-	-	-25	Lowering 25 mm
CRF 1000 L Africa Twin Adventure Sports	SD 06	≥18	D		640-1261-03	¥103,000	-	-	642-1261-03	¥164,000	-	-	-	-50	Lowering 50 mm
CRF 1000 L Africa Twin Adventure Sports	SD 06	≥18	D		640-1261-04	¥103,000	-	-	642-1261-04	¥164,000	-	-	-	-80	Lowering 80 mm
GL 1000	GL 1 / 2	75-79	A	X	630-0767-00	¥186,000	-	-	-	-	-	-	-	-	
VF 1000 R / F	SC 15 / SC 16	84-86	P*		640-0173-00	¥116,000	641-0173-00	¥161,000	-	-	-	-	-	-	Ride Height adjustment included, hydr. preload only with type 641
VF 1000 F II	SC 15	84-86	P		640-0174-00	¥116,000	641-0174-00	¥161,000	-	-	-	-	-	-	Incl. ride height adjustment
VTR 1000 F Firestorm	SC 36	97-06	P		640-0122-00	¥103,000	641-0122-00	¥148,000	-	-	-	-	-	-30 -45	
VTR 1000 SP 1	SC 45	00-01	P*		640-0525-00	¥103,000	-	-	-	-	643-0525-00	Q	¥164,000	-25 -50	Wilbers standard = + 10 mm, hydr. preload adjustment only with 643
VTR 1000 SP 2	SC 45	02-06	P*		640-0525-01	¥103,000	-	-	-	-	643-0525-01	Q	¥164,000	+10 -25 -50	Hydraulic preload adjustment only with 643
XL 1000 V Varadero	SD 01 / SD 02	99-02	P		640-0489-00	¥103,000	-	-	642-0489-00	¥164,000	-	-	-	+15 -30 -50	
XL 1000 V Varadero	SD 02 / SD 03	03-13	P		640-0753-00	¥103,000	-	-	-	-	-	-	-	-	When ordering with hydr. preload, state if original preload knob is on the left or right side
XL 1000 V Varadero	SD 02 / SD 03	03-13	B		640-0753-01	¥103,000	-	-	-	-	-	-	-	+10	Raising 10 mm, when ordering with hydr. preload, state if original preload knob is on the left or right side
XL 1000 V Varadero	SD 02 / SD 03	03-13	P		640-0753-02	¥103,000	-	-	-	-	-	-	-	-25	Lowering 25 mm, when ordering with hydr. preload, state if original preload knob is on the left or right side
XL 1000 V Varadero	SD 02 / SD 03	03-13	P		640-0753-03	¥103,000	-	-	-	-	-	-	-	-50	Lowering 50 mm, when ordering with hydr. preload, state if original preload knob is on the left or right side
CB 1100 SF X11	SC 42	99-03	P		640-0522-00	¥103,000	641-0522-00	¥148,000	-	-	-	-	-	-35	
VF 1100 S	SC 17	83-85	P		640-0516-00	¥116,000	641-0516-00	¥161,000	-	-	-	-	-	-	Including ride height adjustment, hydraulic preload adjustment possible only as special solution without certification of operation
VF 1100 C Magna	SC 12	83-86	A	X	630-0716-00	¥186,000	-	-	632-0716-00	¥285,000	-	-	-	-	
CB 1100	SC 65	13-18	A	X	640-1092-00	¥207,000	-	-	642-1092-00	¥329,000	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
CB 1100	SC 65	13-18	A	X	640-1092-01	¥207,000	-	-	642-1092-01	¥329,000	-	-	-	+20	Raising 20 mm, hydraulic preload adjustment possible only as special solution without certification of operation

HONDA															
CB 1100	SC 65	13-18	A	X	640-1092-02	¥207,000	-	-	642-1092-02	¥329,000	-	-	-	-30	Lowering 30 mm, hydraulic preload adjustment possible only as special solution without certification of operation
CB 1100 F Bol d'Or	SC 11	83-84	A	X	630-0170-04	¥186,000	-	-	-	-	633-0170-04	S	¥296,000	+15 +25 -15 -30	Wilbers standard height = suspension + 10 mm
CB 1100 R	SC 05 / 08	80-83		X	630-0170-03	¥186,000	-	-	-	-	633-0170-03	S	¥296,000	+15 +25 -15 -30	Wilbers standard height = suspension + 10 mm
CBR 1100 XX Black-Bird /Vergaser	SC 35	97-98	P		640-0035-00	¥103,000	641-0035-00	¥148,000	-	-	-	-	-	+15 -30	Wilbers standard height = suspension + 15 mm
CBR 1100 XX Black-Bird /Einspr.	SC 35	99-08	P		640-0035-01	¥103,000	641-0035-01	¥148,000	-	-	-	-	-	+15 -30	Wilbers standard height = suspension + 15 mm
CRF 1100 Africa Twin / Adventure Sports	SD 08 / SD 09	≥20			640-1296-00	¥103,000	-	-	642-1296-00	¥164,000	-	-	-		
CRF 1100 Africa Twin / Adventure Sports	SD 08 / SD 09	≥20	P*		640-1296-01	¥103,000	-	-	642-1296-01	¥164,000	-	-	-	+25	Raising 25 mm, hydr. preload recommended
CRF 1100 Africa Twin / Adventure Sports	SD 08 / SD 09	≥20	P*		640-1296-02	¥103,000	-	-	642-1296-02	¥164,000	-	-	-	-30	Lowering 30 mm, hydr. preload recommended
CRF 1100 Africa Twin / Adventure Sports	SD 08 / SD 09	≥20	P*		640-1296-03	¥103,000	-	-	642-1296-03	¥164,000	-	-	-	-60	Lowering 60 mm, hydr. preload recommended
GL 1100 Goldwing Inter.	SC 02	80-83	A	X	630-0176-00	¥186,000	-	-	-	-	633-0176-00	S	¥296,000	-25 -50	
NT 1100	SC 84	≥22	R		640-1333-00	¥103,000	-	-	642-1333-00	¥164,000	-	-	-		
NT 1100	SC 84	≥22	R		640-1333-01	¥103,000	-	-	642-1333-01	¥164,000	-	-	-	+20	Raising 20 mm, X-PA preload recommended
NT 1100	SC 84	≥22	R		640-1333-02	¥103,000	-	-	642-1333-02	¥164,000	-	-	-	-30	Lowering 30 mm, X-PA preload recommended
ST 1100 Pan European	SC 26	90-01	P		640-0175-00	¥103,000	641-0175-00	¥148,000	-	-	-	-	-	-20 -30	Lowering max. 30 mm
VT 1100 C 2 / C 3	SC 32 / SC 39	95-00	A	X	630-0537-00	¥186,000	-	-	-	-	-	-	-		Length: 320 mm
GL 1200 DX	SC 14	84-88	A	X	630-0177-00	¥186,000	-	-	632-0177-00	¥285,000	633-0177-00	S	¥296,000	-20	
VFR 1200 F	SC 63	09-16	P		640-0990-00	¥103,000	-	-	-	-	643-0990-00	QSD	¥197,000	+15 -30	
VFR 1200 X / XD Crosstourer	SC 70	12-15	P*		640-1081-00	¥103,000	-	-	-	-	-	-	-		Hydr. preload recommended
VFR 1200 X / XD Crosstourer	SC 70	12-15	P*		640-1081-01	¥103,000	-	-	-	-	-	-	-	-30	Lowering 30 mm, hydr. preload recommended
VFR 1200 X / XD Crosstourer	SC 76	≥16	P*		640-1081-00	¥103,000	-	-	-	-	-	-	-		Hydr. preload recommended
VFR 1200 X / XD Crosstourer	SC 76	≥16	P*		640-1081-01	¥103,000	-	-	-	-	-	-	-	-30	Lowering 30 mm, hydr. preload recommended
CB 1300 X 4	SC 38	97-03	A	X	630-0469-00	¥186,000	-	-	-	-	633-0469-00	S	¥296,000	+20 +30 +60 -20 -40	Wilbers standard length = suspension + 20 mm
CB 1300 F Super Four	SC 40	98-02	A	X	630-0421-00	¥186,000	-	-	-	-	633-0421-00	S	¥296,000		Only with removed linkage system possible
CB 1300 F Super Four	SC 54	03-13		X	630-0471-00	¥186,000	-	-	-	-	633-0471-00	S	¥296,000	-20 -45	Type 630: hydraulic preload adjustment possible only as special solution without certification of operation
ST 1300 Pan European	SC 51	02-16	P*		640-0451-00	¥103,000	641-0451-00	¥148,000	-	-	-	-	-	-30	With lowering no height adj. + hydr. preload possible
VT 1300 CX	SC 61	09-16	I		640-1050-00	¥103,000	641-1050-00	¥148,000	-	-	-	-	-	+25	Hydr. preload recommended
VTX 1300	SC 52	03-07		X	630-0604-01	¥186,000	-	-	-	-	633-0604-01	S	¥296,000	-30	
GL 1500 Gold Wing / GL 1500 C	SC 22 / 34	88-00	A		640-0178-00	¥103,000	-	-	-	-	-	-	-		Mono-single-sided (not for Compressor shock)
GL 1500 Gold Wing	SC 22	88-00	A	X	630-0178-00	¥186,000	-	-	632-0178-00	¥285,000	-	-	-	-25	Recommended! Type 632: shock absorber up side down installed
GL 1500 Valkyrie F6C	SC 34	96-01	D	X	630-0484-00	¥186,000	-	-	632-0484-00	¥285,000	633-0484-00	S	¥296,000	-25 -50	
GL 1800 Gold Wing	SC 47	01-11	A		640-0614-00	¥164,000	641-0614-00	¥214,000	-	-	-	-	-	-20	Incl. partial hydraulic preload + coupling / shock has to be sent in

HONDA															
GL 1800 Goldwing	SC 68	12-17	B*		640-1187-00	¥164,000	641-1187-00	¥207,000	-	-	-	-	-	Incl. partial hydraulic preload + coupling / shock has to be sent in	
GL 1800 Goldwing	SC 68	12-17	B*		640-1187-01	¥164,000	641-1187-01	¥207,000	-	-	-	-	+25	Raising 25 mm, the main stand must be removed, incl. partial hydraulic preload + coupling / shock has to be sent in	
GL 1800 Goldwing	SC 68	12-17	B*		640-1187-02	¥164,000	641-1187-02	¥207,000	-	-	-	-	-20	Lowering 20 mm, incl. partial hydraulic preload + coupling / shock has to be sent in	
F 6 B	SC 68	13-16			640-1104-00	¥103,000	-	-	-	-	-	-	-	Wilbers standard = suspension + 20 mm	
VTX 1800	SC 46	02-06		X	630-0604-00	¥186,000	-	-	-	-	633-0604-00	S	¥296,000	-30	
HUSQVARNA															
TE 410 / TE 610 E		93-96	P		-	-	-	-	642-0043-00	¥164,000	-	-	-		
TE 410 / TE 610 E		97-10	A		-	-	-	-	642-0044-00	¥164,000	-	-	-		
TE 449	A 6	11-13	A*		640-1021-00	¥103,000	-	-	642-1021-00	¥164,000	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation	
TC 450		03-07	P		-	-	-	-	642-0786-00	¥164,000	-	-	-		
SM 570 R		01-04	P		640-0740-00	¥103,000	-	-	642-0740-00	¥164,000	-	-	-	Supermoto	
Nuda 900 / Nuda 900 R	A 7	12-14	P		640-1078-00	¥103,000	641-1078-00	¥148,000	-	-	-	-	-		
Nuda 900 / Nuda 900 R	A 7	12-14	P		640-1078-01	¥103,000	641-1078-01	¥148,000	-	-	-	-	+20	Raising 20 mm	
Nuda 900 / Nuda 900 R	A 7	12-14	P		640-1078-02	¥103,000	641-1078-02	¥148,000	-	-	-	-	-25	Lowering 25 mm	
Nuda 900 / Nuda 900 R	A 7	12-14	P		640-1078-03	¥103,000	641-1078-03	¥148,000	-	-	-	-	-45	Lowering 45 mm	
701 Enduro LR	Husqvarna 701	≥20	P		640-1325-00	¥103,000	641-1325-00	¥148,000	-	-	-	-	-		
701 Enduro LR	Husqvarna 701	≥20	P		640-1325-01	¥103,000	641-1325-01	¥148,000	-	-	-	-	+15	Raising 15 mm	
701 Enduro LR	Husqvarna 701	≥20	P		640-1325-02	¥103,000	641-1325-02	¥148,000	-	-	-	-	-30	Lowering 30 mm	
701 Enduro LR	Husqvarna 701	≥20	P		640-1325-03	¥103,000	641-1325-03	¥148,000	-	-	-	-	-60	Lowering 60 mm	
HYOSUNG															
XR125	RX	06-14	P		630-0818-00	¥103,000	-	-	-	-	-	-	-		
GT 650 S / R	GT 650	05-17			630-0790-00	¥103,000	631-0790-00	¥164,000	-	-	-	-	-		
INDIAN															
Scout	M / S / A	14-17		X	640-1182-00	¥207,000	-	-	642-1182-00	¥329,000	-	-	-		
Scout	M / S / A	14-17		X	640-1182-01	¥207,000	-	-	642-1182-01	¥329,000	-	-	-	+10	Raising 10 mm
Scout Bobber	M	≥18	A	X	640-1313-00	¥207,000	-	-	642-1313-00	¥329,000	-	-	-		
Scout Bobber	M	≥18	A	X	640-1313-01	¥207,000	-	-	642-1313-01	¥329,000	-	-	-	+10	Raising 10 mm
KAWASAKI															
KX 60	KX 60 B	93-99	P		630-0431-00	¥103,000	-	-	-	-	-	-	-		
KX 80		98-99	P		-	-	-	-	642-0913-00	¥164,000	-	-	-		
KX 85	KX 085 A	04-13	P		640-0741-00	¥103,000	-	-	642-0741-00	¥164,000	-	-	-		
KMX 125	MX 125 A / B	86-00	P		630-0425-00	¥103,000	-	-	-	-	-	-	-25 -50		
KX 125		94-98	P		-	-	-	-	642-0641-00	¥164,000	-	-	-		
KDX 200		89-94	P		640-0307-00	¥103,000	-	-	642-0307-00	¥164,000	-	-	-		
KR - 1 S	KR 250 C 2	90-92	I		640-0310-00	¥103,000	641-0310-00	¥148,000	-	-	-	-	-		
KDX 250		91-95	P		-	-	-	-	642-0306-00	¥164,000	-	-	-		
KLR 250 R	KL 250 D	84-93	P		640-0308-00	¥103,000	-	-	-	-	-	-	-		
KLX 250	LX 250 E2	93-98	P		640-0309-00	¥103,000	-	-	642-0309-00	¥164,000	-	-	-		

KAWASAKI															
KLX 250	LX 250 B	81-85	A	X	630-0698-00	¥186,000	-	-	-	-	-	-	-		
Ninja 250 R	EX 250 K	08-12	B		630-0883-00	¥103,000	631-0883-00	¥164,000	-	-	-	-	+15 +30		
KX 250	KX 250 L	99-02	P		-	-	-	-	642-0458-00	¥164,000	-	-	-		
KX 250 F	KX 250 N	04-05	P		-	-	-	-	642-0721-00	¥164,000	-	-	-		
Ninja 300	EX 300 A	13-17	B		630-1090-00	¥103,000	631-1090-00	¥164,000	-	-	-	-	-		
Ninja 300	EX 300 A	13-17	B		630-1090-01	¥103,000	631-1090-01	¥164,000	-	-	-	-	-30	Lowering 30 mm	
Zephyr 400	ZR 400 C	91-08	A	X	630-0311-00	¥186,000	-	-	632-0311-00	¥285,000	633-0311-00	S	¥296,000		
ZRX 400	ZRX 400 E	94-08	A	X	630-0312-00	¥186,000	-	-	632-0312-00	¥285,000	633-0312-00	S	¥296,000		
ZXR 400	ZX 400 L	91-99	P		630-0196-00	¥103,000	631-0196-00	¥164,000	-	-	-	-	-30 -45		
ER-5 Twister	ER 500 A	96-00	A	X	630-0514-00	¥186,000	-	-	632-0514-00	¥285,000	633-0514-00	S	¥296,000	-20 -45	
ER-5 Twister	ER 500 A	01-06	A	X	630-0661-00	¥186,000	-	-	-	-	-	-	-	-25 -50	
GPZ 500 S	EX 500 A / D	87-98	P		630-0197-00	¥103,000	-	-	-	-	-	-	-	-25 -50	No hydraulic preload bracket
KH 500 / 750	H1F / H2	75-77	A	X	630-0323-00	¥186,000	-	-	-	-	-	-	-		
KLE 500	LE 500 A	91-07	P*		640-0052-00	¥103,000	641-0052-00	¥148,000	-	-	-	-	-25 -50	Hydraulic preload adjustment not tested	
KLE 500 Police	LE 500 A	92-00	P		-	-	641-0052-01	¥148,000	-	-	-	-	-25 -50	Hydraulic preload adjustment not tested	
GPZ 550 Uni Trak	ZX 550 A	83-91			640-0313-00	¥103,000	-	-	-	-	-	-	-	Fork mount bottom	
GPZ 550	KZ 550	81-83			640-0314-00	¥103,000	-	-	-	-	-	-	-	Eye mount bottom	
Zephyr 550	ZR 550 B	92-99	A*	X	630-0198-01	¥186,000	-	-	632-0198-01	¥285,000	633-0198-01	S	¥296,000	+30 -35 -50	Type 633: height ride adjustment not possible
Z 550	KZ 550 B	81-83	B		640-0328-00	¥103,000	-	-	-	-	-	-	-		
GPX 600 R	ZX 600 C	88-99	P		640-0045-01	¥103,000	641-0045-01	¥148,000	-	-	-	-	-	+15 -25 -50	
GPZ 600 R	ZX 600 A	85-90			640-0045-00	¥103,000	641-0045-00	¥148,000	-	-	-	-	-	+15 -25 -50	Hydraulic preload adjustment possible only as special solution without certification of operation
ZX-6R Ninja	ZX 600 F	95-97	A		640-0056-00	¥103,000	641-0056-00	¥148,000	-	-	-	-	-25 -50		
ZX-6R Ninja	ZX 600 G / H	98-99	P		640-0213-00	¥103,000	641-0213-00	¥148,000	642-0213-00	¥164,000	643-0213-00	P	¥164,000	+20 -20 -40	
ZX-6R Ninja	ZX 600 J	00-01	P		640-0518-00	¥103,000	-	-	-	-	643-0518-00	P	¥164,000	-25 -50	
ZX-6R Ninja	ZX 636 A	2002	P		640-0518-01	¥103,000	-	-	-	-	643-0518-01	P	¥164,000	-25 -50	
ZX-6RR / 636 Ninja	ZX 600 K / ZX 636 B	03-04	P		640-0646-00	¥103,000	641-0646-00	¥148,000	-	-	643-0646-00	QS	¥181,000		
ZX-6R / 636 / ZX-6RR Ninja	ZX 636 C / ZX 600 N	05-06	P		640-0745-00	¥103,000	-	-	-	-	643-0745-00	QS	¥181,000	+25	
ZX-6R Ninja	ZX 600 P	07-08	P		640-0844-00	¥103,000	-	-	-	-	643-0844-00	QS	¥181,000	+20 -30	
ZX-6R Ninja	ZX 600 R	09-12	P		640-0957-00	¥103,000	-	-	-	-	643-0957-00	QS	¥181,000	+20 -20	
ZX-6R Ninja	ZX 636 E	13-17	P		640-1094-00	¥103,000	-	-	-	-	643-1094-00	QS	¥181,000		
ZX-6R Ninja	ZX 636 E	13-17	P		640-1094-01	¥103,000	-	-	-	-	643-1094-01	QS	¥181,000	+15	Raising 15 mm
ZX-6R Ninja	ZX 636 E	13-17	P		640-1094-02	¥103,000	-	-	-	-	643-1094-02	QS	¥181,000	-30	Lowering 30 mm
ZX-6R Ninja	ZX 636 G	≥19	P		640-1328-00	¥103,000	-	-	-	-	643-1328-00	QRR	¥329,000		
ZX-6R Ninja	ZX 636 G	≥19	P		640-1328-01	¥103,000	-	-	-	-	643-1328-01	QRR	¥329,000	+10	Raising 10 mm
ZX-6R Ninja	ZX 636 G	≥19	P		640-1328-02	¥103,000	-	-	-	-	643-1328-02	QRR	¥329,000	-30	Lowering 30 mm
ZZR 600	ZX 600 D	90-92	P		640-0826-00	¥103,000	641-0826-00	¥148,000	-	-	-	-	-	+35	
ZZR 600	ZX 600 E	93-06	P		640-0066-00	¥103,000	641-0066-00	¥148,000	-	-	-	-	-	+20 +35 -30 -50	
ER-6 N / F	ER 650 A / EX 650 A	06-08	B		640-0789-00	¥103,000	-	-	642-0789-00	¥164,000	-	-	-	-25 -50	
ER-6 N / F	ER 650 C / EX 650 C	09-11	A		640-0947-00	¥103,000	-	-	-	-	643-0947-00	QS	¥181,000	-40	hydraulic preload adjustment possible only as special solution without certification of operation

KAWASAKI														
ER-6 N / F	ER 650 E / EX 650 E	12-17	B		640-1072-00	¥103,000	-	-	642-1072-00	¥164,000	-	-	-	
ER-6 N / F	ER 650 E / EX 650 E	12-17	B		640-1072-01	¥103,000	-	-	642-1072-01	¥164,000	-	-	+25	Raising 25 mm
ER-6 N / F	ER 650 E / EX 650 E	12-17	B		640-1072-02	¥103,000	-	-	642-1072-02	¥164,000	-	-	-20	Lowering 20 mm
ER-6 N / F	ER 650 E / EX 650 E	12-17	B		640-1072-03	¥103,000	-	-	642-1072-03	¥164,000	-	-	-40	Lowering 40 mm
KLR 650	KL 650 C	95-04	A		640-0505-00	¥103,000	641-0505-00	¥148,000	-	-	-	-	+20 -25 -50	Wilbers standard height = suspension + 10 mm
KLR 650/ Tengai	KL 650 A / B	87-94			630-0053-00	¥103,000	-	-	-	-	-	-	-55	
KLX 650 C	KLX 650 C	92-96	P		640-0054-00	¥103,000	641-0054-00	¥148,000	-	-	-	-		
KLX 650 R	KLX 650 A	92-96	P		640-0055-00	¥103,000	-	-	642-0055-00	¥164,000	-	-		
Ninja 650	ER650H / ER650HA2 / ER650K / ER650KA2 / EX650K / EX650KA2	17-19	B*		640-1241-00	¥103,000	641-1241-00	¥148,000	-	-	-	-		hydraulic preload adjustment, not adjustable with hook wrench
Ninja 650	ER650H / ER650HA2 / ER650K / ER650KA2 / EX650K / EX650KA2	17-19	B*		640-1241-01	¥103,000	641-1241-01	¥148,000	-	-	-	-	+20	Raising 20 mm (seating height 810 mm) hydraulic preload adjustment, not adjustable with hook wrench
Ninja 650	ER650H / ER650HA2 / ER650K / ER650KA2 / EX650K / EX650KA2	17-19	B*		640-1241-02	¥103,000	641-1241-02	¥148,000	-	-	-	-	-20	Lowering 20 mm (seating height 775 mm) hydraulic preload adjustment, not adjustable with hook wrench
Ninja 650	ER650H / ER650HA2 / ER650K / ER650KA2 / EX650K / EX650KA2	17-19	B*		640-1241-03	¥103,000	641-1241-03	¥148,000	-	-	-	-	-40	Lowering 450 mm (seating height 750 mm) hydraulic preload adjustment, not adjustable with hook wrench
Versys 650 / ABS	LE 650 A / C	07-14	I		640-0725-00	¥103,000	641-0725-00	¥148,000	-	-	-	-	+25 -25 -50	
Versys 650	LE 650 E / EA 2	≥15	P*		640-1169-00	¥103,000	641-1169-00	¥148,000	-	-	-	-		Hydraulic preload adjustment recommended
Versys 650	LE 650 E / EA 2	≥15	P*		640-1169-01	¥103,000	641-1169-01	¥148,000	-	-	-	-	+20	Raising 20 mm, hydraulic preload adjustment recommended
Versys 650	LE 650 E / EA 2	≥15	B*		640-1169-02	¥103,000	641-1169-02	¥148,000	-	-	-	-	-20	Lowering 20 mm, hydraulic preload adjustment recommended
Versys 650	LE 650 E / EA 2	≥15	B*		640-1169-03	¥103,000	641-1169-03	¥148,000	-	-	-	-	-40	Loering 40 mm, hydraulic preload adjustment recommended
W 650	EJ 650-A	99-04		X	630-0064-00	¥186,000	-	-	-	-	633-0064-00	S	¥296,000	+15 -15
Z 650	ER650H / ER650HA2 / ER650K / ER650KA2 / EX650K / EX650KA2	≥17	B*		640-1241-00	¥103,000	641-1241-00	¥148,000	-	-	-	-		hydraulic preload adjustment, not adjustable with hook wrench
Z 650	ER650H / ER650HA2 / ER650K / ER650KA2 / EX650K / EX650KA2	≥17	B*		640-1241-01	¥103,000	641-1241-01	¥148,000	-	-	-	-	+20	Raising 20 mm (seating height 810 mm) hydraulic preload adjustment, not adjustable with hook wrench
Z 650	ER650H / ER650HA2 / ER650K / ER650KA2 / EX650K / EX650KA2	≥17	B*		640-1241-02	¥103,000	641-1241-02	¥148,000	-	-	-	-	-20	Lowering 20 mm (seating height 775 mm) hydraulic preload adjustment, not adjustable with hook wrench
Z 650	ER650H / ER650HA2 / ER650K / ER650KA2 / EX650K / EX650KA2	≥17	B*		640-1241-03	¥103,000	641-1241-03	¥148,000	-	-	-	-	-40	Lowering 450 mm (seating height 750 mm) hydraulic preload adjustment, not adjustable with hook wrench
GPX 750 R	ZX 750 F	87-88	B		640-0046-00	¥103,000	641-0046-00	¥148,000	-	-	-	-		
GPZ 750	ZX 750 A	83-85	B		640-0316-00	¥103,000	-	-	-	-	-	-		Length + 5 mm possible / , hydraulic preload adjustment possible only as special solution without certification of operation

KAWASAKI															
GPZ 750 R	ZX 750 G	84-87	P		640-0047-00	¥103,000	641-0047-00	¥148,000	-	-	-	-	-	+20 -20	Bore diameter at the fork \varnothing 10 mm or \varnothing 12 mm?
GPZ 750 T	ZX 750 E	83-85	P*		640-0132-00	¥103,000	641-0132-00	¥148,000	-	-	-	-	-		with ride height adjustment less stroke
Zephyr 750	ZR 750 C	91-99	A*	X	630-0198-00	¥186,000	-	-	632-0198-00	¥285,000	633-0198-00	S	¥296,000	+30 -35 -50	Type 633: height ride adjustment not possible
ZR-7	ZR 750 F	99-04	I*		640-0494-00	¥103,000	641-0494-00	¥148,000	-	-	-	-	-	-30	With ride height adj. less stroke
ZX-7R Ninja	ZX 750 N	96-02	P		640-0057-02	¥103,000	641-0057-02	¥148,000	-	-	-	-	-	-25 -50	
ZX-7RR Ninja	ZX 750 N	96-98	P		640-0057-03	¥103,000	641-0057-03	¥148,000	-	-	643-0057-03	P	¥164,000	-25 -50	
ZX-7RR Ninja	ZX 750 N / P	96-98			-	-	-	-	-	-	643-0057-04	P	¥164,000		Workskit-link
ZX-7RR Ninja	ZX 750 N / P	96-98			-	-	-	-	-	-	643-0057-05	P	¥164,000		Racekit-link
ZXR 750	ZX 750 H	88-90	P		640-0061-00	¥103,000	641-0061-00	¥148,000	-	-	-	-	-	+15 -25 -50	
ZXR 750	ZX 750 H	88-90	P		640-0062-00	¥103,000	641-0062-00	¥148,000	-	-	-	-	-	-25 -50	Hydraulic preload adjustment possible only as special solution without certification of operation
ZXR 750	ZX 750 J / L / N	90-95	P		640-0057-00	¥103,000	641-0057-00	¥148,000	-	-	-	-	-	-25 -50	
ZXR 750 R	ZX 750 J / L / N	91-92	P		640-0057-01	¥103,000	641-0057-01	¥148,000	-	-	-	-	-	-25 -50	
Z 750 / Z 750 S	ZR 750 J / ZR 750 K	04-06	P		640-0705-00	¥103,000	641-0705-00	¥148,000	-	-	643-0705-00	QS	¥181,000	+25 -25 -50	
Z 750	ZR 750 L	07-12	I		630-0859-00	¥103,000	-	-	-	-	633-0859-00	S	¥164,000	+20 -50	
Z 750 R	ZR 750 N	11-12	B		630-1040-00	¥103,000	-	-	-	-	633-1040-00	P	¥179,000	+10 -40	
VN 800/Classic/Drifter	VN 800 A/B/C	95-06	B		640-0317-00	¥103,000	641-0317-00	¥148,000	-	-	-	-	-	-30 -50	
W 800	EJ 800 A	11-16	*	X	630-1027-00	¥186,000	-	-	632-1027-00	¥285,000	633-1027-00	S	¥296,000	+10 -20	Suspension length: +10 mm. Hydraulic preload adjustment possible only as special solution without certification of operation
Z 800	ZR 800 A	13-17	P		640-1093-00	¥103,000	-	-	-	-	643-1093-00	QS	¥181,000		
Z 800	ZR 800 A	13-17	P		640-1093-01	¥103,000	-	-	-	-	643-1093-01	QS	¥181,000	+20	Raising 20 mm
Z 800	ZR 800 A	13-17	P		640-1093-02	¥103,000	-	-	-	-	643-1093-02	QS	¥181,000	-30	Lowering 20 mm
GPZ 900 R	ZX 900 A	84-85	B		640-0047-01	¥103,000	641-0047-01	¥148,000	-	-	-	-	-	+20 -20	Drilling 10 mm at the top
GPZ 900 R	ZX 900 A	86-94	B		640-0048-00	¥103,000	641-0048-00	¥148,000	-	-	-	-	-	+15 +30	Drilling 12 mm at the top
GPZ 900 R Japan	A 12	97-00	A		640-0626-00	¥103,000	641-0626-00	¥148,000	-	-	-	-	-		Incl. ride height adj.
VN 900 Custom	VN 900 C	07-17	P		640-1058-00	¥103,000	-	-	-	-	-	-	-		
VN 900 Custom	VN 900 C	07-17	B		640-1058-01	¥103,000	-	-	-	-	-	-	-	-25	Lowering 25 mm
Z 900	ZR 900 B	17-19	R*		640-1263-00	¥103,000	641-1263-00	¥148,000	-	-	-	-	-		X-PA Preload adjustment recommended, type 640 - ride height adjustment not possible
Z 900	ZR 900 B	17-19	R*		640-1263-01	¥103,000	641-1263-01	¥148,000	-	-	-	-	-	+25	Raising 25 mm, X-PA Preload adjustment recommended, type 640 - ride height adjustment not possible
Z 900	ZR 900 B	17-19	D		640-1263-02	¥103,000	641-1263-02	¥148,000	-	-	-	-	-	-20	Lowering 20 mm, X-PA Preload adjustment recommended
Z 900	ZR 900 B	17-19	D		640-1263-03	¥103,000	641-1263-03	¥148,000	-	-	-	-	-	-40	Lowering 40 mm, X-PA Preload adjustment recommended
Z 900	ZR 900 F / H	\geq 20	R		640-1303-00	¥103,000	641-1303-00	¥148,000							
Z 900	ZR 900 F / H	\geq 20	R		640-1303-01	¥103,000	641-1303-01	¥148,000							Raising 25 mm
Z 900	ZR 900 F / H	\geq 20	R		640-1303-02	¥103,000	641-1303-02	¥148,000							Lowering 20 mm
Z 900	ZR 900 F / H	\geq 20	R		640-1303-03	¥103,000	641-1303-03	¥148,000							Lowering 40 mm
Z 900 RS	ZR 900 C	\geq 18	R*		640-1245-00	¥103,000	641-1245-00	¥148,000	-	-	-	-	-		Type 640 height right adjustment not possible
Z 900 RS	ZR 900 C	\geq 18	R*		640-1245-01	¥103,000	641-1245-01	¥148,000	-	-	-	-	-	+25	Raising 25 mm, Type 640 height right adjustment not possible

KAWASAKI															
Z 900 RS	ZR 900 C	≥18	R*		640-1245-02	¥103,000	641-1245-02	¥148,000	-	-	-	-	-	-20	Lowering 20 mm, Type 640 height right adjustment not possible
Z 900 RS	ZR 900 C	≥18	D		640-1245-03	¥103,000	641-1245-03	¥148,000	-	-	-	-	-	-40	Lowering 40 mm
ZL 900 Eliminator	ZLT 00 A	85-86	A	X	630-0555-01	¥186,000	-	-	632-0555-01	¥285,000	633-0555-01	S	¥296,000		
ZX-9R Ninja	ZX 900 B	94-95	P		640-0057-04	¥103,000	641-0057-04	¥148,000	-	-	-	-	-	-25 -50	
ZX-9R Ninja	ZX 900 B	96-97	P		640-0059-00	¥103,000	641-0059-00	¥148,000	-	-	-	-	-	-25 -50	
ZX-9R Ninja	ZX 900 C	98-99	P*		640-0060-00	¥103,000	-	-	642-0060-00	¥164,000	643-0060-00	P	¥164,000		Type 640: Hydraulic preload adjustment possible only as special solution without certification of operation, Typ 642: height ride adjustment only +10 mm, less stroke
ZX-9R Ninja	ZX 900 E	00-01	P*		640-0513-00	¥103,000	641-0513-00	¥148,000	-	-	643-0513-00	P	¥164,000		type 640: Hydraulic preload adjustment possible only as special solution without certification of operation
ZX-9R Ninja	ZX 900 E	02-03	P		640-0619-00	¥103,000	641-0619-00	¥148,000	-	-	643-0619-00	QS	¥181,000	-20 -45	
ZX-10 Ninja	ZXT 00 B	88-91	P		640-0200-00	¥103,000	641-0200-00	¥148,000	-	-	-	-	-		
ZX-10R Ninja	ZXT 00 C	04-05	B		640-0708-00	¥116,000	-	-	-	-	643-0708-00	PS	¥202,000		incl. ride height adjustment
ZX-10R Ninja	ZXT 00 D	06-07	P		640-0802-00	¥103,000	-	-	-	-	643-0802-00	PS	¥189,000	-50	Type 643: exhaust heat protection has to be revised
ZX-10R Ninja	ZXT 00 E / F	08-10	P		640-0872-00	¥103,000	-	-	-	-	643-0872-00	QS	¥181,000	+20 -40	
ZX-10R Ninja	ZXT 00 J	11-16	I*		-	-	641-1028-00	¥148,000	-	-	-	-	-	+20 -20	Combi ride height adj. with lowering not possible
GPZ 1000 RX	ZX 00 A	86-89	P		640-0050-00	¥103,000	641-0050-00	¥148,000	-	-	-	-	-		
GTR 1000	ZGT 00 A	86-03	Q*		640-0319-00	¥110,000	641-0319-00	¥159,000	-	-	-	-	-	+25 -25 -50	Incl. bolt, ride height adjustment only + 10 mm possible, less stroke, at the top installed, only adjustable when shock absorber is removed.
Versys 1000	LZT 00 A	12-14	P*		640-1076-00	¥103,000	641-1076-00	¥148,000	-	-	-	-	-		Combination ride height + hydr. preload only possible with version 641
Versys 1000	LZT 00 A	12-14	P*		640-1076-01	¥103,000	641-1076-01	¥148,000	-	-	-	-	-	-25	Lowering 25 mm, Combination ride height + hydr. preload only possible with version 641
Versys 1000	LZT 00 A	12-14	P*		640-1076-02	¥103,000	641-1076-02	¥148,000	-	-	-	-	-	-50	Lowering 50 mm, Combination ride height + hydr. preload only possible with version 641
Versys 1000	LZT 00 B	15-18	P		640-1184-00	¥103,000	641-1184-00	¥148,000	-	-	-	-	-		
Versys 1000	LZT 00 B	15-18	P		640-1184-01	¥103,000	641-1184-01	¥148,000	-	-	-	-	-	+15	Raising 15 mm
Versys 1000	LZT 00 B	15-18	P		640-1184-02	¥103,000	641-1184-02	¥148,000	-	-	-	-	-	-20	Lowering 20 mm
Versys 1000	LZT 00 B	15-18	B		640-1184-03	¥103,000	641-1184-03	¥148,000	-	-	-	-	-	-40	Lowering 40 mm
Versys 1000 / Versys 1000 S	LZT 00 C	≥19	P		640-1323-00	¥103,000	641-1323-00	¥148,000	-	-	-	-	-		
Versys 1000 / Versys 1000 S	LZT 00 C	≥19	P		640-1323-01	¥103,000	641-1323-01	¥148,000	-	-	-	-	-	-20	Lowering 20 mm, hydr. Preload recommended
Versys 1000 / Versys 1000 S	LZT 00 C	≥19	P		640-1323-02	¥103,000	641-1323-02	¥148,000	-	-	-	-	-	-40	Lowering 40 mm, hydr. preload recommended
KLV 1000	WVBS	04-06	P		640-0329-00	¥103,000	641-0329-00	¥148,000	-	-	-	-	-		
KLV 1000	WVBS	04-06	P		640-0329-01	¥103,000	641-0329-01	¥148,000	-	-	-	-	-	-25	Lowering 25 mm
KLV 1000	WVBS	04-06	P		640-0329-02	¥103,000	641-0329-02	¥148,000	-	-	-	-	-	-50	Lowering 50 mm
Z 1000 A1/ 2	Z 1 F	76-79	A	X	630-0199-00	¥186,000	-	-	632-0199-00	¥285,000	633-0199-00	S	¥296,000	+15 +30 -15 -30	
Z 1000 MK II	KZT 00 A	79-80	A	X	630-0199-04	¥186,000	-	-	632-0199-04	¥285,000	633-0199-04	S	¥296,000	+15 +30 -15 -30	
Z 1000 J	KZT 00 J	81-83	A	X	630-0199-03	¥186,000	-	-	632-0199-03	¥285,000	633-0199-03	S	¥296,000	+15 +30 -15 -30	
Z 1000 LTD	KZT 00 J	81-83	A	X	630-0199-01	¥186,000	-	-	632-0199-01	¥285,000	633-0199-01	S	¥296,000	+15 +30 -15 -30	
Z 1000 R	KZT 00 R	82-84	A	X	630-0199-02	¥186,000	-	-	632-0199-02	¥285,000	633-0199-02	S	¥296,000	+15 +30 -15 -30	Type 633: shock absorbers up side down installed

KAWASAKI															
Z 1000	ZRT 00 A	03-06	P		640-0665-00	¥103,000	641-0665-00	¥148,000	-	-	643-0665-00	QS	¥181,000	-25 -50	
Z 1000	ZRT 00 B / C	07-09	P		640-0861-00	¥103,000	-	-	-	-	643-0861-00	P	¥164,000	+20 -25 -50	
Z 1000	ZRT 00 D	10-13	P		640-0995-00	¥103,000	641-0995-00	¥148,000	-	-	-	-	-	+20 -30	Suspension = + 10 mm
Z 1000 ABS	ZRT 00 F	14-16	P*		640-1147-00	¥103,000	641-1147-00	¥148,000	-	-	-	-	-		Hydr. preload recommended
Z 1000 ABS	ZRT 00 F	14-16	P*		640-1147-01	¥103,000	641-1147-01	¥148,000	-	-	-	-	-	+25	Raising 25 mm, hydr. preload recommended
Z 1000 ABS	ZRT 00 F	14-16	B*		640-1147-02	¥103,000	641-1147-02	¥148,000	-	-	-	-	-	-20	Lowering 20 mm, hydr. preload recommended
Z 1000 SX ABS	ZXT 00 G	11-13	P		640-1020-00	¥103,000	641-1020-00	¥148,000	-	-	-	-	-	+20 -30	Wilbers standard length = original length + 5 mm, ride height + 10 mm
Z 1000 SX / ABS	ZXT 00 L / W ZXT 02 K	14-19	P		640-1150-00	¥103,000	641-1150-00	¥148,000	-	-	-	-	-		
Z 1000 SX / ABS	ZXT 00 L / W ZXT 02 K	14-19	B		640-1150-01	¥103,000	641-1150-01	¥148,000	-	-	-	-	-	-25	Lowering 25 mm
Z H2	ZRT 00 K	≥20	R		640-1293-00	¥103,000	-	-	-	-	643-1293-00	P	¥164,000		X-PA recommend
Z H2	ZRT 00 K	≥20	R		640-1293-01	¥103,000	-	-	-	-	643-1293-01	P	¥164,000	+15	Raising 15 mm, X-PA recommended
Z H2	ZRT 00 K	≥20	R		640-1293-02	¥103,000	-	-	-	-	643-1293-02	P	¥164,000	-30	Lowering 30 mm, X-PA recommended
ZL 1000 Eliminator	ZLT 00 A	87-88	A	X	630-0555-00	¥186,000	-	-	-	-	633-0555-00	S	¥296,000		
GPZ 1100 A Uni Trak (ZX 1100 A)	ZXT 10 A	83-85	B		640-0201-00	¥103,000	641-0201-00	¥148,000	-	-	-	-	-	+15 +30	fork mount bottom 12 x 27 mm
GPZ 1100	ZXT 10 E	95-99	P		640-0051-00	¥103,000	641-0051-00	¥148,000	-	-	-	-	-		
Z 1100 ST	KZT 10 A	79-80	A	X	630-0491-00	¥186,000	-	-	632-0491-00	¥285,000	633-0491-00	S	¥296,000		
Zephyr 1100	ZRT 10 A	92-97	A	X	630-0321-00	¥186,000	-	-	-	-	633-0321-00	S	¥296,000		
ZRX 1100	ZRT 10 C	97-00	A	X	630-0218-00	¥186,000	-	-	-	-	633-0218-00	S	¥296,000	+10 -30	Wilbers standard = Suspension + 10 mm, less strike than original (86 mm/108 mm)
ZZR 1100	ZXT 10 C	90-92	B		640-0068-00	¥103,000	641-0068-00	¥148,000	-	-	-	-	-	+20 -25	
ZZR 1100	ZXT 10 D	93-01	P		640-0069-00	¥103,000	641-0069-00	¥148,000	-	-	-	-	-	+25 -25 -50	Raising 25 mm = main stand without function
ZRX 1200	ZRT 20 A	01-06	A	X	630-0218-01	¥186,000	-	-	-	-	633-0218-01	S	¥296,000	+10 -30	
ZZR 1200	ZXT 20 C	02-05	P		640-0635-00	¥103,000	641-0635-00	¥148,000	-	-	-	-	-	-20 -40	
ZX-12R Ninja	ZXT 20 A	00-01	B		640-0540-00	¥116,000	641-0540-00	¥161,000	-	-	643-0540-00	P	¥177,000		Ride height adjustment included
ZX-12R Ninja	ZXT 20 AB	02-06	B		640-0757-00	¥116,000	-	-	-	-	643-0757-01	PS	¥202,000	+20 -25 -50	Ride height adjustment included
Z 1300	KZT 30 A	79-90	A	X	630-0322-00	¥186,000	-	-	632-0322-00	¥285,000	633-0322-00	S	¥296,000	+25	
GTR 1400	ZGT 40 A	07-09	P		640-0865-00	¥103,000	641-0865-00	¥148,000	-	-	-	-	-	+15 -25	
GTR 1400	ZGT 40 C / ZGT 40 E	10-16	P*		640-0981-00	¥103,000	641-0981-00	¥148,000	-	-	-	-	-	+15 -25	Hydr. preload recommended
ZZR 1400	ZXT 40 A / C	06-11	P		640-0862-00	¥103,000	641-0862-00	¥148,000	-	-	-	-	-		
ZZR 1400	ZXT 40 A / C	06-11	P		640-0862-01	¥103,000	641-0862-01	¥148,000	-	-	-	-	-	+20	Raising 20 mm
ZZR 1400	ZXT 40 A / C	06-11	P		640-0862-02	¥103,000	641-0862-02	¥148,000	-	-	-	-	-	-20	Lowering 20 mm
ZZR 1400	ZXT 40 A / C	06-11	P		640-0862-03	¥103,000	641-0862-03	¥148,000	-	-	-	-	-	-40	Lowering 40 mm
ZZR 1400	ZXT 40 E / ZXT 40 H	≥12	P		640-1075-00	¥103,000	641-1075-00	¥148,000	-	-	-	-	-		
ZZR 1400	ZXT 40 E / ZXT 40 H	≥12	P		640-1075-01	¥103,000	641-1075-01	¥148,000	-	-	-	-	-	+20	Raising 20 mm
ZZR 1400	ZXT 40 E / ZXT 40 H	≥12	P		640-1075-02	¥103,000	641-1075-02	¥148,000	-	-	-	-	-	-30	Lowering 30 mm
VN 1500 / Classic	VNT 50 A / B / C / D	87-99	A	X	630-0448-00	¥186,000	-	-	-	-	633-0448-00	S	¥296,000		
VN 1500 Drifter	VNT 50 J	99-03	P	X	630-0497-00	¥186,000	-	-	-	-	633-0497-00	S	¥296,000	-20 -40	
VN 1500 Mean Streak	VNT 50 P	02-03	A	X	640-0938-05	¥207,000	-	-	642-0938-05	¥329,000	-	-	-		Typ 642 = 2 low speed adjuster
VN 1500 Mean Streak	VNT 50 P	02-03	A	X	640-0938-06	¥207,000	-	-	642-0938-06	¥329,000	-	-	-	+10	Typ 642 = 2 low speed adjuster
VN 1600 Mean Streak	VNT 60 B	03-08	A	X	640-0938-00	¥207,000	-	-	642-0938-00	¥329,000	-	-	-	+10	Typ 642 = 2 low speed adjuster

KAWASAKI															
VN 1700 Classic Tourer ABS / Nomad	VNT 70 C	10-16		X	640-1057-00	¥207,000	-	-	642-1057-00	¥329,000	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation	
VN 1700 Classic Tourer ABS / Nomad	VNT 70 C	10-16	A*	X	640-1057-01	¥207,000	-	-	642-1057-01	¥329,000	-	-	+15	Raising 15 mm, Hydraulic preload adjustment possible only as special solution without certification of operation	
VN 1700 Classic Tourer ABS / Nomad	VNT 70 C	10-16	A*	X	640-1057-02	¥207,000	-	-	642-1057-02	¥329,000	-	-	-30	Lowering 30 mm, Hydraulic preload adjustment possible only as special solution without certification of operation	
VN 1700 Voyager ABS	VNT 70 A	10-16	A*	X	640-1057-03	¥207,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation	
VN 1700 Voyager ABS	VNT 70 A	10-16	A*	X	640-1057-04	¥207,000	-	-	-	-	-	-	+15	Raising 15 mm, Hydraulic preload adjustment possible only as special solution without certification of operation	
VN 2000 / Classic	VNW 00 A / VNW 00 H	04-10	A		640-0755-00	¥103,000	-	-	-	-	-	-	-30	Ride height adjustment not possible	
KTM															
50 SX LC		≥06	P		630-0941-00	¥103,000	-	-	-	-	-	-	-		
50 SX LC		≥06	P		630-0941-01	¥103,000	-	-	-	-	-	-	-50	Lowering 50 mm	
SX 125 PDS		≥93	P		-	-	-	-	642-0434-06	¥164,000	-	-	-20 -40		
125 Duke	KTM IS Duke	11-16	P		640-1044-00	¥103,000	641-1044-00	¥148,000	-	-	-	-	-		
125 Duke	KTM IS Duke	11-16	P		640-1044-01	¥103,000	641-1044-01	¥148,000	-	-	-	-	-50	Lowering 50 mm	
200 Duke	KTM IS Duke	12-16	P		640-1123-00	¥103,000	641-1123-00	¥148,000	-	-	-	-	-		
200 Duke	KTM IS Duke	12-16	B		640-1123-01	¥103,000	641-1123-01	¥148,000	-	-	-	-	-25	Lowering 25 mm	
200 Duke	KTM IS Duke	12-16	B		640-1123-02	¥103,000	641-1123-02	¥148,000	-	-	-	-	-50	Lowering 50 mm	
250 SX 2T	250 SX	93-97	P		-	-	-	-	642-0434-03	¥164,000	-	-	-		
250 SX 2T	250 SX	1998	P		-	-	-	-	642-0434-02	¥164,000	-	-	-		
380 SX 2T		98-02	P		-	-	-	-	642-0434-05	¥164,000	-	-	-		
390 Duke	KTM IS DUKE	13-16	P		640-1124-00	¥103,000	641-1124-00	¥148,000	-	-	-	-	-		
390 Duke	KTM IS DUKE	13-16	B		640-1124-01	¥103,000	641-1124-01	¥148,000	-	-	-	-	-50	Lowering 50 mm	
390 Duke	KTM IS DUKE	13-16	B		640-1124-02	¥103,000	641-1124-02	¥148,000	-	-	-	-	-70	Lowering 70 mm	
RC 390	KTM IS RC	≥14	B		640-1156-00	¥103,000	-	-	-	-	643-1156-00	QS	¥181,000	Type 643 not suitable for Euro 4 models	
RC 390	KTM IS RC	≥14	B		640-1156-01	¥103,000	-	-	-	-	643-1156-01	QS	¥181,000	Lowering 30 mm	
400 EXC / -Racing	KTM 4 T-EXC	00-11	P		-	-	-	-	642-0434-04	¥164,000	-	-	-		
450 SMR Supermoto		05-14	P		-	-	-	-	642-0434-12	¥164,000	-	-	-		
LC 4		≤95	P		640-0434-00	¥103,000	-	-	642-0434-00	¥164,000	-	-	-		
LC 4		≥95	P		640-0434-03	¥103,000	-	-	-	-	-	-	-	Length 410 mm	
600 E-GS LC4		88-93	P		640-0434-02	¥103,000	-	-	-	-	-	-	-		
620 EGS LC4		94-98	P		640-0434-01	¥103,000	-	-	642-0434-01	¥164,000	-	-	-	Typ 642: -20 -40	
620 Duke	LC 4	94-98	P		-	-	-	-	642-0434-09	¥164,000	-	-	-		
640 Adventure	KTM 4T-EGS	01-07			640-0434-17	¥103,000	-	-	642-0434-17	¥164,000	-	-	-		
640 Duke II E	KTM DK II	99-07	P		-	-	-	-	642-0434-11	¥164,000	-	-	-		
640 SM LC4-E Supermoto	KTM 4T-EGS	99-06	A		640-0434-08	¥103,000	641-0434-08	¥148,000	642-0434-08	¥164,000	-	-	-		
690 Duke / R	KTM Duke	08-11	P		640-1006-00	¥103,000	-	-	642-1006-00	¥164,000	-	-	-	+20 -20 -55	
690 Duke	KTM 690 Duke	≥12	P		640-1079-00	¥103,000	-	-	-	-	643-1079-00	QS	¥181,000		
690 Duke	KTM 690 Duke	≥12	P		640-1079-01	¥103,000	-	-	-	-	643-1079-01	QS	¥181,000	+25	Raising 25 mm
690 Duke	KTM 690 Duke	≥12	P		640-1079-02	¥103,000	-	-	-	-	643-1079-02	QS	¥181,000	-20	Lowering 20 mm
690 Duke	KTM 690 Duke	≥12	P		640-1079-03	¥103,000	-	-	-	-	643-1079-03	QS	¥181,000	-40	Lowering 40 mm

KTM														
690 SMC Supermoto	KTM 690 LC 4	08-11			-	-	641-0000-115	¥148,000	-	-	-	-	-	Delivery with technical report
690 SMC Supermoto	KTM LC 4	08-11	P		640-0982-00	¥103,000	641-0982-00	¥148,000	-	-	-	-	+10 -90	
690 Enduro	KTM 690 LC 4	08-10			640-0925-00	¥103,000	641-0925-00	¥148,000	-	-	-	-	-80	Hydraulic preload adjustment possible only as special solution without certification of operation
690 Enduro R	KTM 690 LC 4	12-17	P		640-1106-00	¥103,000	641-1106-00	¥148,000	-	-	-	-	-	
690 Enduro R	KTM 690 LC 4	12-17	P		640-1106-01	¥103,000	641-1106-01	¥148,000	-	-	-	-	+20	Raising 20 mm
690 Enduro R	KTM 690 LC 4	12-17	B		640-1106-02	¥103,000	641-1106-02	¥148,000	-	-	-	-	-60	Lowering 60 mm
790 Duke	KTM 790 DUKE	≥18	R		640-1253-00	¥103,000	-	-	-	-	-	-	-	
790 Duke	KTM 790 DUKE	≥18	D		640-1253-01	¥103,000	-	-	-	-	-	-	-20	Lowering 20 mm
790 Duke	KTM 790 DUKE	≥18	D		640-1253-02	¥103,000	-	-	-	-	-	-	-40	Lowering 40 mm
890 Adventure	KTM 890 Adventure	≥20	P		640-1339-00	¥103,000	641-1339-00	¥148,000	-	-	-	-	-	
890 Adventure	KTM 890 Adventure	≥20	P		640-1339-01	¥103,000	641-1339-01	¥148,000	-	-	-	-	+25	Raising 25 mm
890 Adventure	KTM 890 Adventure	≥20	P		640-1339-02	¥103,000	641-1339-02	¥148,000	-	-	-	-	-30	Lowering 30 mm
890 Adventure	KTM 890 Adventure	≥20	P		640-1339-03	¥103,000	641-1339-03	¥148,000	-	-	-	-	-60	Lowering 60 mm
890 Duke / Duke 890 L	KTM 790 DUKE	≥20	D		640-1331-00	¥103,000	641-1331-00	¥148,000	-	-	-	-	-	
890 Duke / Duke 890 L	KTM 790 DUKE	≥20	D		640-1331-01	¥103,000	641-1331-01	¥148,000	-	-	-	-	-20	Lowering 20 mm
890 Duke / Duke 890 L	KTM 790 DUKE	≥20	D		640-1331-02	¥103,000	641-1331-02	¥148,000	-	-	-	-	-40	Lowering 40 mm
890 Duke R	KTM 790 DUKE	≥20	R		640-1307-00	¥103,000	641-1307-00	¥148,000	-	-	-	-	-	
890 Duke R	KTM 790 DUKE	≥20	R		640-1307-01	¥103,000	641-1307-01	¥148,000	-	-	-	-	-20	Lowering 20 mm
890 Duke R	KTM 790 DUKE	≥20	R		640-1307-02	¥103,000	641-1307-02	¥148,000	-	-	-	-	-40	Lowering 40 mm
950 Adventure	KTM LC 8	02-04	P		640-0690-00	¥103,000	-	-	642-0690-00	¥164,000	-	-	-55	Length: 381 mm
950 Adventure	KTM LC 8	02-04	P		640-0690-01	¥103,000	-	-	642-0690-01	¥164,000	-	-	-55	Length: 392 mm
950 Adventure	KTM LC 8	05-06	P		640-0864-01	¥103,000	-	-	642-0864-01	¥164,000	-	-	-55	Length: 372 mm
950 Adventure S	KTM LC 8	05-06	P		640-0864-02	¥103,000	-	-	642-0864-02	¥164,000	-	-	-55	Length: 385 mm
990 Adventure S	KTM LC 8	2006	P		640-1045-01	¥103,000	-	-	642-1045-01	¥164,000	-	-	-	Length: 385 mm
990 Adventure S	KTM LC 8	07-08	P		640-1045-02	¥103,000	-	-	642-1045-02	¥164,000	-	-	-	Length: 392 mm
990 Adventure	KTM LC 8	06-13	P		640-0864-00	¥103,000	-	-	642-0864-00	¥164,000	-	-	+40 -60	Length: 372 mm
990 SMR-/T Supermoto	KTM LC 8	09-13	P*		640-1045-00	¥103,000	-	-	642-1045-00	¥164,000	-	-	-50 -100	Length: 392 mm, combination ride height adj. + hydr. preload not possible with Type 642
990 Super Duke	KTM LC 8 EFI	07-11	A		640-0779-00	¥103,000	-	-	642-0779-00	¥164,000	-	-	+25 +15 -25 -50	Wilbers standard = + 25 mm
990 Super Duke R	KTM LC 8 EFI	07-13	P		640-0966-00	¥103,000	-	-	642-0966-00	¥164,000	-	-	-50	
990 SM-T / SM-R	KTM LC 8 SM	09-13	P		640-1042-00	¥103,000	-	-	642-1042-00	¥164,000	-	-	+30 -60	
1050 / 1090 Adventure	KTM Adventure	15-18	P		640-1167-00	¥103,000	-	-	642-1167-00	¥164,000	-	-	-	
1050 / 1090 Adventure	KTM Adventure	15-18	P		640-1167-01	¥103,000	-	-	642-1167-01	¥164,000	-	-	+25	Raising 25 mm
1050 / 1090 Adventure	KTM Adventure	15-18	B		640-1167-02	¥103,000	-	-	642-1167-02	¥164,000	-	-	-30	Lowering 30 mm
1050 / 1090 Adventure	KTM Adventure	15-18	B		640-1167-03	¥103,000	-	-	642-1167-03	¥164,000	-	-	-60	Lowering 60 mm
1190 Adventure R	KTM Adventure	≥13	T		640-1295-00	¥103,000	-	-	642-1295-00	¥164,000	-	-	-	Hydr. Preload and X-PA recommended
1190 Adventure R	KTM Adventure	≥13	T		640-1295-01	¥103,000	-	-	642-1295-01	¥164,000	-	-	+10	Raising 10 mm, Hydr. Preload and X-PA recommended
1190 Adventure R	KTM Adventure	≥13	T		640-1295-02	¥103,000	-	-	642-1295-02	¥164,000	-	-	-30	Lowering 30 mm, Hydr. Preload and X-PA recommended
1190 Adventure R	KTM Adventure	≥13	T		640-1295-03	¥103,000	-	-	642-1295-03	¥164,000	-	-	-60	Lowering 60 mm, Hydr. Preload and X-PA recommended
1190 RC 8	KTM RC 8	08-11	P		630-0923-00	¥103,000	-	-	-	-	633-0923-00	S	¥164,000	

KTM															
1290 Super Duke R	KTM Super Duke	14-19	T*		640-1135-00	¥103,000	-	-	642-1135-00	¥164,000	-	-	-		From 2017 on, no spring preload possible, fork rebuilt "Racetrack", 016-0200-20, without fork springs recommended
1290 Super Duke R	KTM Super Duke	14-19	F*		640-1135-01	¥103,000	-	-	642-1135-01	¥164,000	-	-	-	-30	Lowering 30 mm - From 2017 on, no spring preload possible, fork rebuilt "Racetrack", 016-0200-21, without fork springs recommended
LAVERDA															
650 / 750 S + Formula		95-00	P		640-0325-00	¥103,000	641-0325-00	¥148,000	-	-	-	-	-		
SFC 750	750	71-75	A	X	630-0325-01	¥186,000	-	-	-	-	-	-	-		
1000/1200	1000 / 1200	72-82	A	X	630-0325-02	¥186,000	-	-	-	-	-	-	-		
1200		72-82		X	-	-	-	-	632-0325-04	¥285,000	-	-	-		Type 632: Please state if the rear ist fully disguised!
MOTO GUZZI															
Breva 750 ie	LL	03-07	A	X	630-0684-00	¥186,000	-	-	-	-	-	-	-	-25 -50	
S3 750	VK 2	75-76	A	X	630-0774-00	¥186,000	-	-	632-0774-00	¥285,000	633-0774-00	S	¥296,000		State original length!
Nevada 750 Anniversario /S	LM	12-13	A	X	630-1029-00	¥186,000	-	-	632-1029-00	¥285,000	633-1029-00	S	¥296,000	-30	Type 632 / 633: shock absorbers up side down installed
Breva 850	LP	06-10	B		640-0866-04	¥103,000	641-0866-04	¥148,000	-	-	-	-	-	-40	
Griso 850	LS	06-09	I, R		640-0828-01	¥103,000	-	-	-	-	643-0828-01	QS	¥181,000	-25 -50	
850 T 1-3	VC / VD	73-75	A	X	630-0333-00	¥186,000	-	-	632-0333-00	¥285,000	633-0333-00	S	¥296,000		Wilbers standard length = + 7 mm
V 850 California / T3	VD	72-79	A	X	630-0334-03	¥186,000	-	-	-	-	-	-	-		
MK 3 A				X	630-0334-02	¥186,000	-	-	-	-	-	-	-		
Bellagio 940 i.e. / Aquila Nera	LY	07-14	F		640-0989-00	¥103,000	641-0989-00	¥148,000	-	-	-	-	-		Wilbers standard length = suspension + 35 mm
California 1100	EV / KD	98-05	A	X	630-0648-00	¥186,000	-	-	-	-	-	-	-		
California III	VW	87-94	A	X	630-0334-00	¥186,000	-	-	632-0334-00	¥285,000	633-0334-00	S	¥296,000		
California Jackal/ Stone/Titanium	KD	99-05	A	X	630-0591-00	¥186,000	-	-	632-0591-00	¥285,000	633-0591-00	S	¥296,000	-25	
California 1100	KC / KD	94-00	A	X	630-0496-00	¥186,000	-	-	632-0496-00	¥285,000	633-0496-00	S	¥296,000	-30	
California Vintage	KD	06-11	A	X	630-1022-00	¥186,000	-	-	632-1022-00	¥285,000	633-1022-00	S	¥296,000	-30	
EV-Touring / California	KD	01-05	A	X	630-0681-00	¥186,000	-	-	-	-	633-0681-00	S	¥296,000	-30	Type 633: Wilbers standard length = suspension + 15 mm
850 T 3/4, Le Mans 850 MK 1/2, 1000 SP	VD / VE / VG	75-83	A	X	630-0337-00	¥186,000	-	-	632-0337-00	¥285,000	633-0337-00	S	¥296,000		Length 330 mm / please check length
850 T5, Le Mans 850 MK 3/4, 1000 S, Mille GT	VR / VF / VV / W / VH	81-94	A	X	630-0335-00	¥186,000	-	-	632-0335-00	¥285,000	633-0335-00	S	¥296,000		Length 340 mm / please check length
V7 750 Café Classic	LW	09-12	A	X	630-0958-00	¥186,000	-	-	-	-	-	-	-		
V7 750 Café Classic	LW	09-12	A	X	630-0958-04	¥186,000	-	-	-	-	-	-	-	+30	Raising 30 mm
V7 750 Café Classic	LW	09-12	A	X	630-0958-05	¥186,000	-	-	-	-	-	-	-	-30	Lowering 30 mm
V7 750 Classic	LW	08-12	A	X	630-0958-01	¥186,000	-	-	-	-	-	-	-		
V7 750 Classic	LW	08-12	A	X	630-0958-06	¥186,000	-	-	-	-	-	-	-	+30	Raising 30 mm
V7 750 Classic	LW	08-12	A	X	630-0958-07	¥186,000	-	-	-	-	-	-	-	-30	Lowering 30 mm
V7 Racer	LW	11-14	A	X	630-1024-00	¥186,000	-	-	632-1024-00	¥285,000	633-1024-00	S	¥296,000	-30	Type 632 / 633: shock absorbers up side down installed
V7 750 Special	LW	12-14	A	X	630-0958-02	¥186,000	-	-	-	-	-	-	-		
V7 750 Special	LW	12-14	A	X	630-0958-08	¥186,000	-	-	-	-	-	-	-	+30	Raising 30 mm
V7 750 Special	LW	12-14	A	X	630-0958-09	¥186,000	-	-	-	-	-	-	-	-30	Lowering 30 mm
V7 750 Stone	LW	12-14	A	X	630-0958-03	¥186,000	-	-	-	-	-	-	-		

MOTO GUZZI														
V7 750 Stone	LW	12-14	A	X	630-0958-10	¥186,000	-	-	-	-	-	-	+30	Raising 30 mm
V7 750 Stone	LW	12-14	A	X	630-0958-11	¥186,000	-	-	-	-	-	-	-30	Lowering 30 mm
V7 II Stone / Stornello / Special / Racer	LW	15-16	A	X	630-1191-00	¥186,000	-	-	-	-	-	-		
V7 II Stone / Stornello / Special / Racer	LW	15-16	A	X	630-1191-01	¥186,000	-	-	-	-	-	-	-30	Lowering 30 mm
V7 III Anniversario / Carbon / Carbon Shine / Limited / Milano / Night Pack / Rough / Special / Stone	LD	17-20	D	X	630-1239-00	¥186,000	-	-	-	-	633-1239-00	S	¥296,000	
V7 III Anniversario / Carbon / Carbon Shine / Limited / Milano / Night Pack / Rough / Special / Stone	LD	17-20	D	X	630-1239-01	¥186,000	-	-	-	-	633-1239-01	S	¥296,000	-20 Lowering 20 mm
V7 Spezial	KZ	≥21		X	630-1330-00	¥186,000	-	-	632-1330-00	¥285,000	-	-	-	
V7 Spezial	KZ	≥21		X	630-1330-01	¥186,000	-	-	632-1330-01	¥285,000	-	-	-	+20 Höherlegung 20 mm
V7 Spezial	KZ	≥21		X	630-1330-02	¥186,000	-	-	632-1330-02	¥285,000	-	-	-	-20 Lowering 20 mm
V85TT	KW	≥19	B		640-1270-00	¥103,000	-	-	-	-	643-1270-00	P	¥164,000	
V85TT	KW	≥19	B		640-1270-01	¥103,000	-	-	-	-	643-1270-01	P	¥164,000	+30 Raising 30 mm
V85TT	KW	≥19	B		640-1270-02	¥103,000	-	-	-	-	643-1270-02	P	¥164,000	-25 Lowering 25 mm
V85TT	KW	≥19	B		640-1270-03	¥103,000	-	-	-	-	643-1270-03	P	¥164,000	-50 Lowering 50 mm
V9 Bobber / V9 Roamer	LH	≥16		X	630-1228-00	¥186,000	-	-	632-1228-00	¥285,000	-	-	-	
V9 Bobber / V9 Roamer	LH	≥16		X	630-1228-01	¥186,000	-	-	632-1228-01	¥285,000	-	-	-	+30 Raising 30 mm
V9 Bobber / V9 Roamer	LH	≥16		X	630-1228-02	¥186,000	-	-	632-1228-02	¥285,000	-	-	-	-20 Lowering 20 mm
Daytona 1000	KA	92-96	P		640-0220-00	¥103,000	641-0220-00	¥148,000	-	-	-	-	-	+20
Daytona 1000	KL	97-00	B		-	-	641-0519-02	¥148,000	-	-	-	-	-	-30
Centaur V10	KK	97-00	B		-	-	641-0519-03	¥148,000	-	-	-	-	-	+5 mm = Wilbers standard
V 1000 GS Convert	VG	78-85	A	X	630-0334-05	¥186,000	-	-	-	-	-	-	-	
Quota 1000 i.e.	KB	92-97			630-0483-00	¥103,000	-	-	632-0483-00	¥156,000	633-0483-00	S	¥164,000	Old
Quota 1100 ES	KM	98-01	T		640-0478-00	¥103,000	641-0478-00	¥148,000	-	-	-	-	-	Handwheel of the hydraulic spring preload is mounted on the handlebar (-bock)
Sport 1100	KE / KF	94-00			640-0338-00	¥103,000	641-0338-00	¥148,000	-	-	-	-	-	-30 Type 641: neither ride height adjustment nor hydraulic preload adjustment possible
V11 Sport	KR	98-01	B		-	-	641-0519-00	¥148,000	-	-	-	-	-	-30
V11 Le Mans, Tenni	KT	02-05	B		-	-	641-0519-01	¥148,000	-	-	-	-	-	-30
Griso 1100	LS	05-09	I		640-0828-00	¥103,000	-	-	-	-	643-0828-00	QS	¥181,000	-15 -50
Griso V8 (1200 ccm)	LS	07-17	I		640-0828-02	¥103,000	-	-	-	-	643-0828-02	QS	¥181,000	
Breva 1100	LP	04-07	B		640-0866-00	¥103,000	641-0866-00	¥148,000	-	-	-	-	-	-40
Breva 1200	LP	≥07	B		640-0866-03	¥103,000	641-0866-03	¥148,000	-	-	-	-	-	-40
Norge 1200 GT	LP	06-10	B		640-0733-00	¥103,000	-	-	-	-	-	-	-	-25 -50
Sport 1200	LP	06-11	B		640-0866-01	¥103,000	641-0866-01	¥148,000	-	-	-	-	-	-40
Stelvio 1200	LZ	08-17	B		640-1005-00	¥103,000	641-1005-00	¥148,000	-	-	-	-	-	-30
California 1400 Touring	LV	≥13	A	X	630-1118-00	¥186,000	-	-	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
California 1400 Touring	LV	≥13	A	X	630-1118-01	¥186,000	-	-	-	-	-	-	-	+15 Raising 15 mm, hydraulic preload adjustment possible only as special solution without certification of operation
MOTO MORINI														
350 Canguro					640-0480-00	¥103,000	641-0480-00	¥148,000	-	-	-	-	-	Only 12 V Version
500 Camel					640-0480-01	¥103,000	-	-	-	-	-	-	-	

MOTO MORINI													
175 Tresette	175	≥52		X	630-0480-00	¥186,000	-	-	-	-	-	-	-
Corsaro 1200	ZLM01	≥05	B		630-0813-00	¥103,000	-	-	-	-	-	-	-
Corsaro 1200	ZLM01	≥05	B		630-0813-01	¥103,000	-	-	-	-	-	-20	Lowering 20 mm
9 1/2	02	≥06			640-0932-00	¥103,000	-	-	642-0932-00	¥164,000	-	-	Type 642: shock absorber up side down installed
Scrambler 1200	02	≥08	A*		640-1098-00	¥103,000	-	-	642-1098-00	¥164,000	-	-	Ride height adjustment only with type 640
Scrambler 1200	02	≥08	A*		640-1098-01	¥103,000	-	-	642-1098-01	¥164,000	-	-	+15 Raising 15 mm, , ride height adjustment only with type 640
1200 Sport	02	≥08			640-0932-01	¥103,000	-	-	642-0932-01	¥164,000	-	-	Type 642: shock absorber up side down installed
MZ													
Baghira Enduro-Supermoto	MuZ 660 E	≥97			640-0457-00	¥103,000	-	-	642-0457-00	¥164,000	-	-	-
SM 125	MZ 125	≥00			630-0603-00	¥103,000	631-0603-00	¥164,000	-	-	-	-	Suitable for solo riders with 50 kg or less!
250 Enduro		≥89			640-0341-00	¥103,000	-	-	642-0341-00	¥164,000	-	-	-
Mastiff	MuZ 660 E	≥97			640-0499-00	¥103,000	-	-	-	-	-	-	-
Skorpion 660	TE / SE / SEK	≥94	A		640-0342-00	¥116,000	641-0342-00	¥161,000	-	-	-	-	Suspension = + 8 mm, incl. ride height adjustment
Skorpion Replica	TE / SE / SEK	≥95			640-0342-02	¥116,000	641-0342-02	¥161,000	-	-	-	-	Suspension = + 8 mm, incl. ride height adjustment
Skorpion 660 Tour/Sport	TE / SE / SEK	≥95			640-0342-01	¥116,000	641-0342-01	¥161,000	-	-	-	-	Suspension = + 8 mm, incl. ride height adjustment
1000 SF	SNZ 105	≥05			-	-	641-0761-00	¥148,000	-	-	-	-	-
MV AGUSTA													
Brutale 675	B 3	12-17	B		640-1120-00	¥103,000	-	-	-	643-1120-00	P	¥164,000	Type 643 only without ABS
Brutale 675	B 3	12-17	B		640-1120-01	¥103,000	-	-	-	643-1120-01	P	¥164,000	-25 Lowering 25 mm, Type 643 only without ABS
F3 675	F 3	≥12	B*		640-1071-00	¥103,000	-	-	-	643-1071-00	P	¥164,000	Hydr. preload only with type 643, Type 643 only without ABS
F3 675	F 3	≥12	B*		640-1071-01	¥103,000	-	-	-	643-1071-01	P	¥164,000	+10 Raising 10 mm, hydr. preload only with type 643, Type 643 only without ABS
F3 675	F 3	≥12	B*		640-1071-02	¥103,000	-	-	-	643-1071-02	P	¥164,000	-20 Lowering 20 mm, hydr. preload only with type 643, Type 643 only without ABS
F3 675	F 3	≥12	B*		640-1071-03	¥103,000	-	-	-	643-1071-03	P	¥164,000	-40 Lowering 30 mm, hydr. preload only with type 643, Type 643 only without ABS
F 4 750 S Strada	F 4 / F 5	99-05	P		640-0006-00	¥103,000	-	-	-	643-0006-00	QMV	¥197,000	-30 -50
750 S-Amerika	750 S	1978	B	X	630-0609-00	¥186,000	-	-	-	-	-	-	-
Brutale 800	B3	13-15	B		640-1127-00	¥103,000	-	-	-	643-1127-00	P	¥164,000	Type 643 only without ABS
Brutale 800	B3	13-15	B		640-1127-01	¥103,000	-	-	-	643-1127-01	P	¥164,000	-25 Lowering 25 mm, Type 643 only without ABS
Rivale 800	S 3	14-17	B		640-1161-00	¥103,000	-	-	-	643-1161-00	QS	¥181,000	-
Rivale 800	S 3	14-17	B		640-1161-01	¥103,000	-	-	-	643-1161-01	QS	¥181,000	+25 Raising 25 mm
Rivale 800	S 3	14-17	B		640-1161-02	¥103,000	-	-	-	643-1161-02	QS	¥181,000	-20 Lowering 20 mm
Brutale 910 S/R	F 4 / F 5	85-08	P		640-0006-00	¥103,000	-	-	-	643-0006-00	QMV	¥197,000	-30 -50
F 4 1000	F 5	99-09	P		640-0006-00	¥103,000	-	-	-	643-0006-00	QMV	¥197,000	-30 -50
F 4 1000	F 6	10-12	B		640-0998-00	¥103,000	-	-	642-0998-00	¥164,000	-	-	Hydr. preload not possible
Brutale 1090	B 5	13-18	B		640-1132-00	¥103,000	-	-	642-1132-00	¥164,000	-	-	-
Brutale 1090	B 5	13-18	B		640-1132-01	¥103,000	-	-	642-1132-01	¥164,000	-	-	+30 Raising 30 mm
Brutale 1090	B 5	13-18	B		640-1132-02	¥103,000	-	-	642-1132-02	¥164,000	-	-	-20 Lowering 20 mm

MV AGUSTA															
Brutale 1090	B 5	13-18	B		640-1132-03	¥103,000	-	-	642-1132-03	¥164,000	-	-	-	-40	Lowering 40 mm
SUZUKI															
125 Burgman (WVBP)	BP	≥00	P		630-0647-00	¥103,000	-	-	-	-	-	-	-	-	
RM 125		77-82	A	X	630-0920-00	¥186,000	-	-	-	-	-	-	-	-	Length 415 mm
DR 250 S	SJ 42 A	83-89	P		640-0347-00	¥103,000	641-0347-00	¥148,000	-	-	-	-	-	-	
RG 250 W	GJ 21 B	86-88	B		640-0205-00	¥103,000	-	-	-	-	-	-	-	-	
RGV 250	VJ 21 A	89-90	P		630-0089-01	¥103,000	631-0089-01	¥164,000	-	-	-	-	-	-	
RGV 250	VJ 22 B / VJ 21 A / B	89-96	P		630-0089-00	¥103,000	631-0089-00	¥164,000	-	-	-	-	-	-	
RMZ 250	RJ 41 A	07-09	P		-	-	-	-	642-0946-00	¥164,000	-	-	-	-	
TS 250 X	SJ 11 B	85-90	P		640-0348-00	¥103,000	-	-	-	-	-	-	-	-	
GT 250 X7	GT 200 2	79-81	A	X	630-0634-00	¥186,000	-	-	-	-	-	-	-	-	
DR 350	DK 41 A	89-95	I		640-0070-00	¥103,000	641-0070-00	¥148,000	-	-	-	-	-	+25	
DR 350 S / SH	SK 42 B	90-97	F		640-0563-00	¥103,000	641-0563-00	¥148,000	-	-	-	-	-	-	
AN 400 Burgman	WVAU	99-06	P		640-0643-00	¥103,000	-	-	-	-	-	-	-	-	
DR 400 S	DR 400	80-81	A	X	630-0541-00	¥186,000	-	-	-	-	-	-	-	+20	Wilbers standard = suspension + 20 mm
DR-Z 400 / S	WVBE / WVBC	00-06	P		640-0562-00	¥103,000	-	-	642-0562-00	¥164,000	-	-	-	-50	
DR-Z 400 E	WVBF	00-07	P		640-0562-01	¥103,000	-	-	642-0562-01	¥164,000	-	-	-	-50	
DR-Z 400 SM	WVB8	05-08	A		640-0772-00	¥103,000	-	-	642-0772-00	¥164,000	-	-	-	-25 -50	Hydraulic preload adjustment possible only as special solution without certification of operation
GSF 400 Bandit	GK 75 B	89-95	P		630-0349-00	¥103,000	631-0349-00	¥164,000	-	-	-	-	-	-	
GSX 400 Impulse	GK 79 A	86-88	A		630-0350-00	¥103,000	-	-	-	-	-	-	-	-	
GSX 400 Impulse	GK 79 A	94-07	A	X	630-0351-00	¥186,000	-	-	632-0351-00	¥285,000	633-0351-00	S	¥296,000	-	
GSX-R 400	GK 76 A	91-92	P		640-0455-00	¥103,000	641-0455-00	¥148,000	-	-	-	-	-	-	Standard = shock absorber + 5 mm. eye mount bottom
GSX-R 400	GK 76 A	93-97	P		-	-	-	-	-	-	643-0498-00	Q	¥164,000	-	Fork mount bottom
RMZ 450	RL 41 C	05-06	P		640-0752-00	¥103,000	-	-	642-0752-00	¥164,000	-	-	-	-	Supermoto
RMZ 450	RL 41 C	05-06	P		640-0752-01	¥103,000	-	-	642-0752-01	¥164,000	-	-	-	-	Cross
RMZ 450	RL 41 A	2007	P		-	-	-	-	642-0838-00	¥164,000	-	-	-	-	
RMZ 450	RL 42 A	08-17	P		640-1011-00	¥103,000	-	-	642-1011-00	¥164,000	-	-	-	-	
GS 500 E / F	GM 51 B / WVBK / BK	89-08			630-0143-00	¥103,000	631-0143-00	¥164,000	-	-	-	-	-	+20 -20 -50	
RG 500 Gamma	HM 31 A	85-89	P*		640-0090-00	¥103,000	641-0090-00	¥148,000	-	-	-	-	-	-	hydr. preload only with type 641
RG 500 Sport	HM 31 A	70-75	A	X	630-0564-00	¥186,000	-	-	-	-	633-0564-00	S	¥296,000	-	
RM 500 Cross		84-85	P		-	-	641-0919-00	¥148,000	-	-	-	-	-	-	
GSX 550 EF/ ES	GN 71 D	83-88	S		640-0144-00	¥103,000	-	-	-	-	-	-	-	+25 -25 -50	Hydraulic preload adjustment possible only as special solution without certification of operation
DR 600/ S/R	SN 41 A	85-89	P		640-0141-00	¥103,000	641-0141-00	¥148,000	-	-	-	-	-	-	
GSF 600 Bandit	GN 77 B	95-99	P		640-0091-00	¥103,000	641-0091-00	¥148,000	-	-	-	-	-	+20 -20 -40	Wilbers standard height = suspension + 10 mm
GSF 600 / S Bandit	WV A 8	00-04	P		640-0760-00	¥103,000	641-0760-00	¥148,000	-	-	-	-	-	+30 -20 -40	
GSX 600 F	GN 72 B	88-97			640-0145-00	¥103,000	641-0145-00	¥148,000	-	-	-	-	-	+25 -30 -50	Hydraulic preload adjustment possible only as special solution without certification of operation
GSX 600 F	AJ	98-04			640-0140-00	¥103,000	641-0140-00	¥148,000	-	-	-	-	-	+15 -30	
GSX-R 600 Straße	AD	97-00	P		640-0088-00	¥103,000	641-0088-00	¥148,000	-	-	643-0088-00	P	¥164,000	-	
GSX-R 600 Sport	AD	97-00	P		-	-	-	-	-	-	643-0088-00	P	¥164,000	-	

SUZUKI															
GSX-R 600	WVBG	01-03	P		640-0528-01	¥103,000	-	-	-	-	643-0528-01	Q	¥164,000	-30 -50	
GSX-R 600	WVB 2	04-05	P		640-0712-00	¥103,000	-	-	-	-	643-0712-00	QS	¥181,000	-25 -50	
GSX-R 600	WVCE	06-07	P		640-0800-00	¥103,000	-	-	-	-	643-0800-00	QS	¥181,000	+20 -30	
GSX-R 600	WVCV	08-10	P		640-0930-00	¥103,000	-	-	-	-	643-0930-00	QS	¥181,000	+20 -30	
GSX-R 600	WVC 3	11-16	P		640-1025-01	¥103,000	-	-	-	-	643-1025-01	QS	¥181,000		
GSX-R 600	WVC 3	11-16	P		640-1025-02	¥103,000	-	-	-	-	643-1025-02	QS	¥181,000	+20	Raising 20 mm
GSX-R 600	WVC 3	11-16	P		640-1025-03	¥103,000	-	-	-	-	643-1025-03	QS	¥181,000	-20	Lowering 20 mm
GSR 600 / ABS	WVB 9	06-11	P		640-0794-00	¥103,000	-	-	642-0794-00	¥164,000	-	-	-	+15 -25 -50	
VS 600 Intruder	VR 51 B	95-97	R*	X	630-0574-00	¥186,000	-	-	-	-	-	-	-		Hydraulic preload adjustment not tested
RF 600 R Straße	GN 76 B	93-96	P		630-0149-00	¥103,000	631-0149-00	¥164,000	-	-	-	-	-		
AN 650 Burgman	WV BU	02-18		X	630-0676-00	¥186,000	-	-	-	-	-	-	-		Hydr. preload only with one shock absorber
DL 650 K, V-Strom	WVB 1	04-06	P		640-0254-00	¥103,000	641-0254-00	¥148,000	-	-	-	-	-	+25 +15 -25 -50	
DL 650 K V-Strom	WVB 1	07-11	I		640-0410-00	¥103,000	641-0410-00	¥148,000	-	-	-	-	-	+35 -60	
DL 650 V-Strom /XT	WVC 7	12-16	M		640-1064-00	¥103,000	641-1064-00	¥148,000	-	-	-	-	-		
DL 650 V-Strom /XT	WVC 7	12-16	I		640-1064-01	¥103,000	641-1064-01	¥148,000	-	-	-	-	-	+30	Raising 30 mm
DL 650 V-Strom /XT	WVC 7	12-16	I		640-1064-02	¥103,000	641-1064-02	¥148,000	-	-	-	-	-	-25	Lowering 25 mm
DL 650 V-Strom /XT	WVC 7	12-16	I		640-1064-03	¥103,000	641-1064-03	¥148,000	-	-	-	-	-	-50	Lowering 50 mm
DL 650 V-Strom /XT	WC70 / WC71	≥17	M		640-1310-00	¥103,000	641-1310-00	¥148,000	-	-	-	-	-		
DL 650 V-Strom /XT	WC70 / WC71	≥17	I		640-1310-01	¥103,000	641-1310-01	¥148,000	-	-	-	-	-	+30	Raising 30 mm
DL 650 V-Strom /XT	WC70 / WC71	≥17	I		640-1310-02	¥103,000	641-1310-02	¥148,000	-	-	-	-	-	-25	Lowering 25 mm
DL 650 V-Strom /XT	WC70 / WC71	≥17	I		640-1310-03	¥103,000	641-1310-03	¥148,000	-	-	-	-	-	-50	Lowering 50 mm
DR 650 R/ RS	SP 41 / 42 B	90-91	P		640-0072-00	¥103,000	641-0072-00	¥148,000	-	-	-	-	-	+45 +25 -25 -50	If with ride height adjustment = at top, only adjustable when shock absorber is removed
DR 650 RSE	SP 43 B	91-96	P		640-0072-01	¥103,000	641-0072-01	¥148,000	-	-	-	-	-	+45 +25 -25 -50	
DR 650 R/ RE/ SE	SP 44 / 45 B	92-95	P		640-0072-02	¥103,000	641-0072-02	¥148,000	-	-	-	-	-	+45 +25 -25 -50	Type 641: Ask for information on whether single or twin-pipe silencer is mounted.
DR 650 SE	SP 46 B	96-00	P		640-0073-00	¥103,000	641-0073-00	¥148,000	642-0073-00	¥164,000	-	-	-	-30	
GR 650 X	GP 51 A	83-89			640-0352-00	¥103,000	-	-	-	-	-	-	-		
GSF 650	WVB 5	05-06	P		640-0760-01	¥103,000	641-0760-01	¥148,000	-	-	-	-	-	+30 -20 -40	
GSF 650 A/ SA Bandit	WVCJ	07-08	P		640-0935-01	¥103,000	641-0935-01	¥148,000	-	-	-	-	-	+20 -40	
GSF 650 A/ SA Bandit	WVCZ	09-16	P		640-1013-00	¥103,000	641-1013-00	¥148,000	-	-	-	-	-	+25 -40	
GSX 650 F	WVCJ	08-16	P		640-0935-00	¥103,000	641-0935-00	¥148,000	-	-	-	-	-	+20 -40	
SV 650 /S	AV	99-02	B*		640-0485-00	¥103,000	641-0485-00	¥148,000	-	-	-	-	-	-40	Wilbers standard height = suspension + 10 mm, incl. ride height adjustment
SV 650	WVBY	≥08	P		640-0939-00	¥103,000	641-0939-00	¥148,000	-	-	-	-	-		Only CRT Cup, ABS has to be demounted
SV 650 / A / UA / S / SA / SUA	WVBY	03-10	P		640-0671-05	¥103,000	641-0671-05	¥148,000	-	-	-	-	-		
SV 650 / A / UA / S / SA / SUA	WVBY	03-10	P		640-0671-06	¥103,000	641-0671-06	¥148,000	-	-	-	-	-	-30	Lowering 30 mm
SV 650 / A / UA / S / SA / SUA	WVBY	03-10	P		640-0671-07	¥103,000	641-0671-07	¥148,000	-	-	-	-	-	-50	Lowering 50 mm
SV 650 A / X	WCX0 / WCX1	≥16	F		640-1204-00	¥103,000	641-1204-00	¥148,000	-	-	-	-	-		
SV 650 A / X	WCX0 / WCX1	≥16	F		640-1204-01	¥103,000	641-1204-01	¥148,000	-	-	-	-	-	+ 25	Raising 25 mm

SUZUKI															
SV 650 A / X	WCX0 / WCX1	≥16	F		640-1204-02	¥103,000	641-1204-02	¥148,000	-	-	-	-	-	-30	Lowering 30 mm
LS 650 Savage	NP 41 B	86-01	A	X	630-0470-00	¥186,000	-	-	632-0470-00	¥285,000	633-0470-00	S	¥296,000		
SFV Gladius 650	WVCX	09-15	A		630-0954-00	¥103,000	-	-	-	-	633-0954-00	S	¥164,000	-40	Hydraulic preload adjustment possible only as special solution without certification of operation, Type 633 only without ABS
XF 650 / U / Freewind	AC	97-02	P		640-0074-00	¥103,000	641-0074-00	¥148,000	-	-	-	-	-	+25	
VS 700 Intruder	VR 51 B / VS 52 B	87-91	A	X	630-0574-01	¥186,000	-	-	-	-	-	-	-		
VS 750	VR 51 B / VS 52 B	87-91	AS	X	630-0574-02	¥186,000	-	-	-	-	-	-	-		
DR 750	SR 41 B	88-90	P*		640-0075-00	¥103,000	641-0075-00	¥148,000	-	-	-	-	-	+25 -35 -50	Hydraulic preload adjustment has no mounting bracket and no installation instruction
GSR 750	C 5	11-16	I		640-1034-00	¥103,000	-	-	-	-	-	-	-	-25 -45	
GSX 750 EF/ ES	GR 72 A	83-88	P		640-0148-00	¥103,000	-	-	-	-	-	-	-		Hydraulic preload adjustment possible only as special solution without certification of operation
GSX 750 F	GR 78 A	89-97	P		640-0077-00	¥103,000	641-0077-00	¥148,000	-	-	-	-	-		
GSX 750 F	AK / WVAK	98-06	B		640-0140-01	¥103,000	641-0140-01	¥148,000	-	-	-	-	-	+15 -30	
GSX 750 S Katana	GR 71 A	82-84		X	630-0357-02	¥186,000	-	-	632-0357-02	¥285,000	633-0357-02	S	¥296,000		
GSX 750	AE	98-03	A	X	630-0416-00	¥186,000	-	-	632-0416-00	¥285,000	633-0416-00	S	¥296,000		Ride height adjustment little stroke
GSX-R 750	GR 75 A	85-87	P*		640-0080-00	¥103,000	641-0080-00	¥148,000	-	-	-	-	-	+15 -30	Hydraulic preload adjustment possible only as special solution without certification of operation
GSX-R 750	GR 75 A	85-88			630-0080-00	¥103,000	-	-	-	-	-	-	-		Swing-arm and linkage of GSXR 1100 '91
GSX-R 750 limited	RG Edition	85-87	P*		640-0080-01	¥103,000	641-0080-01	¥148,000	-	-	-	-	-	+10 -30	Hydraulic preload adjustment possible only as special solution without certification of operation
GSX-R 750	GR 77 B	88-89	P		640-0081-00	¥103,000	641-0081-00	¥148,000	-	-	-	-	-	-20 -40	Ride height adjustment standard = + 10 mm, with ride height adjustment less stroke
GSX-R 750 R	GR 79 B	89	P		640-0147-00	¥103,000	641-0147-00	¥148,000	-	-	-	-	-		
GSX-R 750	GR 7 AB / BB	89-92	P		640-0082-00	¥103,000	641-0082-00	¥148,000	-	-	-	-	-	+20 -25 -50	Wilbers standard height = suspension + 10 mm
GSX-R 750 W	GR 7 BB	93-95	P		640-0082-01	¥103,000	641-0082-01	¥148,000	-	-	-	-	-	+20 -25 -50	Wilbers standard height = suspension + 10 mm
GSX-R 750	GR 7 DB	96-99	P*		640-0084-00	¥103,000	641-0084-00	¥148,000	-	-	643-0084-00	Q	¥164,000	-25 -50	Wilbers standard height = seat height + 10 mm, type 643: hydr. preload adjustment not possible
GSX-R 750	WVBD	00-03	P		640-0528-00	¥103,000	-	-	-	-	643-0528-00	Q	¥164,000	-30 -50	
GSX-R 750	WVB 3	04-05	P		640-0712-01	¥103,000	-	-	-	-	643-0712-01	QS	¥181,000	-25 -50	
GSX-R 750	WVCF	06-07	P		640-0800-01	¥103,000	-	-	-	-	643-0800-01	QS	¥181,000	+20 -30	
GSX-R 750	WVCW	08-10	P		640-0929-00	¥103,000	-	-	-	-	643-0929-00	QS	¥181,000	+20	
GSX-R 750	C 4	11-16	P		640-1025-00	¥103,000	-	-	-	-	643-1025-00	QS	¥181,000	+20 -20	
GSX-S 750	WC 50	≥17	I		640-1232-00	¥103,000	641-1232-00	¥148,000	-	-	-	-	-		
GSX-S 750	WC 50	≥17	I		640-1232-01	¥103,000	641-1232-01	¥148,000	-	-	-	-	-	+25	Raising 25 mm
GSX-S 750	WC 50	≥17	I		640-1232-02	¥103,000	641-1232-02	¥148,000	-	-	-	-	-	-20	Lowering 20 mm
GSX-S 750	WC 50	≥17	I		640-1232-03	¥103,000	641-1232-03	¥148,000	-	-	-	-	-	-40	Lowering 40 mm
VL C 800 (C) Intruder	WVBM	06-16	B*		630-1059-00	¥103,000	-	-	-	-	-	-	-		Hydr. preload adjustment recommended
VL C 800 (C) Intruder	WVBM	06-16	B*		630-1059-01	¥103,000	-	-	-	-	-	-	-	-20	Lowering 20 mm, hydr. preload adjustment recommended
VL 800 Volusia	WVBM	01-04	P		640-0430-00	¥103,000	641-0430-00	¥148,000	-	-	-	-	-	-40	

SUZUKI															
DR 800 S/SU	SR 42 / 43 A/B	89-99	P*		640-0075-01	¥103,000	641-0075-01	¥148,000	-	-	-	-	-	+25 -35 -50	Hydraulic preload adjustment has no mounting bracket and no installation instruction
VS 800 GL Intruder	VS 52 B	92-00	A	X	630-0574-03	¥186,000	-	-	-	-	-	-	-		
VX 800	VS 51 B	90-01	A	X	630-0771-00	¥186,000	-	-	-	-	-	-	-		
GS 850 G/ GL	GS 850 / GS 72 A	79-88	A	X	630-0354-00	¥186,000	-	-	632-0354-00	¥285,000	633-0354-00	S	¥296,000		
RF 900 R	GT 73 B	94-99	P		630-0149-01	¥103,000	631-0149-01	¥164,000	-	-	-	-	-		
RF 900 RS 2	GT 73 B	95-99	P		630-0149-02	¥103,000	631-0149-02	¥164,000	-	-	-	-	-		
DL 1000 V-Strom	WVBS	02-10			640-0329-03	¥103,000	641-0329-03	¥148,000	-	-	-	-	-		
DL 1000 A V-Strom / XT	DD / WDD0	≥14	P		640-1142-00	¥103,000	641-1142-00	¥148,000	-	-	-	-	-		
DL 1000 A V-Strom / XT	DD / WDD0	≥14	P		640-1142-01	¥103,000	641-1142-01	¥148,000	-	-	-	-	-	+25	Raising 25 mm
DL 1000 A V-Strom / XT	DD / WDD0	≥14	P		640-1142-02	¥103,000	641-1142-02	¥148,000	-	-	-	-	-	-30	Lowering 30 mm
DL 1000 A V-Strom / XT	DD / WDD0	≥14	P		640-1142-03	¥103,000	641-1142-03	¥148,000	-	-	-	-	-	-60	Lowering 60 mm
GS 1000 E/ S	GS 1000	78-81		X	630-0355-00	¥186,000	-	-	-	-	-	-	-		
GS 1000 G / GS	GS 100 G	81-82	A	X	630-0354-01	¥186,000	-	-	632-0354-01	¥285,000	633-0354-01	S	¥296,000		
TL 1000 R Spez. Umbaukit "Wilbers"	AM	98-99			640-0439-00	¥146,000	641-0439-00	¥214,000	-	-	-	-	-	+20	
TL 1000 S Spez. Umbaukit "Wilbers"	AG	97-00			640-0426-00	¥156,000	641-0426-00	¥214,000	-	-	-	-	-		
GSX-R 1000	WVBL / BZ	01-04	B		640-0571-00	¥103,000	-	-	-	-	643-0571-00	Q	¥164,000	+25 -45	Ride height adj. not required, already in the frame
GSX-R 1000	WVBL / BZ	01-04	B		-	-	-	-	-	-	643-0571-01	QS	¥181,000	+25 -45	Ride height adj. not required, already in the frame
GSX-R 1000 Race	WVB 6	05-06	B		640-0758-00	¥103,000	-	-	-	-	643-0758-00	QS	¥181,000		Ride height adj. not required, already in the frame
GSX-R 1000 Road	WVB 6	05-06	B		640-0758-01	¥103,000	-	-	-	-	643-0758-01	QS	¥181,000		Ride height adj. not required, already in the frame
GSX-R 1000	WVCL	07-08	P		640-0841-00	¥103,000	-	-	-	-	643-0841-00	QS	¥181,000	+20 -30	Same as YoM 2008 (ride height adjustment + 10 mm)
GSX-R 1000	WVCY	09-16	P		640-0949-00	¥103,000	-	-	-	-	643-0949-00	QS	¥181,000	+25 -40	
GSX-R 1000	WDM0	≥17	R*		640-1214-00	¥103,000	641-1214-00	¥148,000	-	-	-	-	-		Ride height adjustment only + 10 mm possible
GSX-R 1000	WDM0	≥17	R*		640-1214-01	¥103,000	641-1214-01	¥148,000	-	-	-	-	-	+25	Raising 25 mm, Ride height adjustment only + 10 mm possible
GSX-R 1000	WDM0	≥17	R*		640-1214-02	¥103,000	641-1214-02	¥148,000	-	-	-	-	-	-30	Lowering 30 mm, Ride height adjustment only + 10 mm possible
GSX-S 1000 / F	DG	15-21	T		640-1170-00	¥103,000	641-1170-00	¥148,000	-	-	-	-	-		
GSX-S 1000 / F	DG	15-21	P		640-1170-01	¥103,000	641-1170-01	¥148,000	-	-	-	-	-	+15	Raising 15 mm
GSX-S 1000 / F	DG	15-21	B		640-1170-02	¥103,000	641-1170-02	¥148,000	-	-	-	-	-	-30	Lowering 30 mm
SV 1000 N / S	WVBX	03-05	P		640-0671-00	¥103,000	641-0671-00	¥148,000	-	-	643-0671-02	Q	¥164,000	-30 -50	
GSX 1100 EFE/ ESE	GV 71 C	84-87	I		640-0150-00	¥103,000	641-0150-00	¥148,000	-	-	-	-	-		
GSX 1100 F	GV 72 C	88-96	P		640-0078-00	¥103,000	641-0078-00	¥148,000	-	-	-	-	-		Ride height adjustment at the top installed, only adjustable when shock absorber is removed, type 640: hydraulic preload adjustment possible only as special solution without certification of operation
GSX 1100 G	GV 74 A	91-96	B		640-0079-00	¥103,000	641-0079-00	¥148,000	-	-	-	-	-		
GSX 1100 L	GS 110 XS	79-85		X	630-0357-00	¥186,000	-	-	632-0357-00	¥285,000	633-0357-00	S	¥296,000		
GSX 1100 Katana	GS 1100 X	80-85		X	630-0357-01	¥186,000	-	-	632-0357-01	¥285,000	633-0357-00	S	¥296,000		
GSX 1100 S Katana Mono		84	P		640-0463-00	¥103,000	641-0463-00	¥148,000	-	-	-	-	-		
GSX-R 1100	GU 74 C	86-88	P		640-0085-00	¥103,000	641-0085-00	¥148,000	-	-	-	-	-		
GSX-R 1100	GU 74 C	86-88	P		640-0085-01	¥103,000	641-0085-01	¥148,000	-	-	-	-	-		Raising 20 mm

SUZUKI															
GSX-R 1100	GU 74 C	86-88	P		640-0085-02	¥103,000	641-0085-02	¥148,000	-	-	-	-	-	Raising 40 mm	
GSX-R 1100	GV 73 B	89-92	P		640-0082-02	¥103,000	641-0082-02	¥148,000	-	-	-	-	-	Wilbers standard height = suspension + 10 mm	
GSX-R 1100	GV 73 B	89-92	P		640-0082-05	¥103,000	641-0082-05	¥148,000	-	-	-	-	+20	Raising 20 mm	
GSX-R 1100	GV 73 B	89-92	P		640-0082-06	¥103,000	641-0082-06	¥148,000	-	-	-	-	-25	Lowering 25 mm	
GSX-R 1100	GV 73 B	89-92	P		640-0082-07	¥103,000	641-0082-07	¥148,000	-	-	-	-	-50	Lowering 50 mm	
GSX-R 1100	GV 73 C	89-92	P		640-0082-03	¥103,000	641-0082-03	¥148,000	-	-	-	-	+20 -25 -50	Wilbers standard height = suspension + 10 mm	
GSX-R 1100 W	GU 75 C	93-98	P		640-0082-04	¥103,000	641-0082-04	¥148,000	-	-	-	-	+20 -25 -50	Wilbers standard height = suspension + 10 mm	
GSF 1200 Bandit	GV 75 A	96-00	P*		640-0092-00	¥103,000	641-0092-00	¥148,000	-	-	-	-	+20 -30 -45	Wilbers standard length = suspension + 10 mm, with ride height adjustment little stroke	
GSF 1200 Bandit	WV A 9	01-05	P		640-0560-00	¥103,000	641-0560-01	¥148,000	-	-	-	-	+25 -25 -50	Wilbers standard length = suspension + 10 mm	
GSF 1200 Bandit	WVCB	2006	P		640-0849-00	¥103,000	641-0849-00	¥148,000	-	-	-	-	+15 -30 -50		
GSX 1200	WV A 3	99-00	A	X	630-0503-00	¥186,000	-	-	632-0503-00	¥285,000	633-0503-00	S	¥296,000	+25 -25 -50	Wilbers standard height = suspension + 10 mm, ride height adjustment little stroke, main stand limited usable / tire has ground contact, type 632: shock absorbers up side down installed
GSF 1250 / S / SA Bandit	WVCH	07-16	P		640-0850-00	¥103,000	641-0850-00	¥148,000	-	-	-	-	+15 -30 -50		
GSX 1250 F / FA ABS	WVCH	10-16	P		640-0850-01	¥103,000	641-0850-01	¥148,000	-	-	-	-	-		
GSX 1250 F / FA ABS	WVCH	10-16	P*		640-0850-02	¥103,000	641-0850-02	¥148,000	-	-	-	-	+15	Raising 15 mm	
GSX 1250 F / FA ABS	WVCH	10-16	P		640-0850-03	¥103,000	641-0850-03	¥148,000	-	-	-	-	-30	Lowering 30 mm	
GSX 1250 F / FA ABS	WVCH	10-16	P		640-0850-04	¥103,000	641-0850-04	¥148,000	-	-	-	-	-50	Lowering 50 mm	
B-King 1300	WVCR	08-12	P		640-0868-00	¥103,000	-	-	-	-	643-0868-00	QS	¥181,000	+30 -50	With ride height adjustment less stroke
GSX 1300 R Hayabusa	WV A 1	99-07	P		640-0487-00	¥103,000	-	-	-	-	643-0487-00	Q	¥164,000	+15 -25	
GSX 1300 R Hayabusa	WVCK	08-16	P		640-0888-00	¥103,000	-	-	-	-	643-0888-00	Q	¥164,000	+20 -30	
VS 1400 Intruder	VX 51 L	87-03	A	X	630-0549-00	¥186,000	-	-	632-0549-00	¥285,000	633-0549-00	S	¥296,000		
VS 1400 Intruder	VX 51 L	87-03	A	X	630-0629-01	¥186,000	-	-	632-0629-01	¥285,000	633-0629-01	S	¥296,000	-30	Lowering 30 mm
GSX 1400	WVBN	01-07		X	630-0601-00	¥186,000	-	-	-	-	633-0601-00	S	¥296,000	-25 -50	Type 630: Wilbers standard = length +4 mm, type 633: Wilbers standard = length + 6 mm
VL 1500 LC Intruder	AL	98-09	B		640-0607-00	¥103,000	641-0607-00	¥148,000	-	-	-	-	-30		
VZ 1600 Marauder	VNT 60 B	04-05	A	X	630-0744-00	¥186,000	-	-	-	-	633-0744-00	S	¥296,000	-20	
M 1800 R Intruder, VZR 1800/N	WVCA		B		640-0820-00	¥103,000	-	-	-	-	-	-	-25		
VLR 1800 Intruder C 1800	WVCT	08-12	B*		640-1119-00	¥103,000	-	-	-	-	-	-	-	Hydraulic preload recommended	
TRIUMPH															
TT 600	806 AD	00-03	P		640-0530-00	¥103,000	641-0530-00	¥148,000	-	-	-	-	-		
Daytona 600	806 LW	03-04	P		640-0677-00	¥103,000	641-0677-00	¥148,000	-	-	-	-	-20 -40		
Tiger Sport 660	L101/L101R	≥1	P		640-1338-00	¥103,000	641-1338-00	¥148,000	-	-	-	-	-		
Tiger Sport 660	L101/L101R	≥1	P		640-1338-01	¥103,000	641-1338-01	¥148,000	-	-	-	-	+15	Raising 15 mm	
Tiger Sport 660	L101/L101R	≥1	P		640-1338-02	¥103,000	641-1338-02	¥148,000	-	-	-	-	-30	Lowering 30 mm	
Trident 660	L101/L101R	≥1	P		640-1327-00	¥103,000	641-1327-00	¥148,000	-	-	-	-	-		
Trident 660	L101/L101R	≥1	P		640-1327-01	¥103,000	641-1327-01	¥148,000	-	-	-	-	+10	Raising 10 mm	

TRIUMPH															
Trident 660	L101/L101R	≥21	P		640-1327-02	¥103,000	641-1327-02	¥148,000	-	-	-	-	-30	Lowering 30 mm	
Daytona 675	D 67 LC	06-12	P		640-0827-00	¥103,000	-	-	-	643-0827-00	QS	¥181,000	-30		
Daytona 675	D 67 LC	06-12			640-0827-01	¥103,000	-	-	-	643-0827-01	QS	¥181,000		Race setting	
Daytona 675 / R	H67	12-17	P*		640-1126-00	¥103,000	-	-	-	643-1126-00	QS	¥181,000		Hydraulic preload adjustment only with type 643	
Daytona 675	H67	12-17	B*		640-1126-01	¥103,000	-	-	-	643-1126-01	QS	¥181,000	-30	Lowering 30 mm, hydraulic preload adjustment only with type 643	
Street Triple	D 67 LD	07-10	P		640-0858-00	¥103,000	641-0858-00	¥148,000	-	-	643-0858-00	QS	¥181,000	+30 -30	Combination ride height adj. + hydr. preload not possible
Street Triple R	D 67 LD	11-12	P		640-1052-00	¥103,000	641-1052-00	¥148,000	-	-	643-1052-00	QS	¥181,000	+25 -30	
Street Triple R	D 67 LD	11-12	P		640-1052-01	¥103,000	641-1052-01	¥148,000	-	-	643-1052-01	QS	¥181,000		
Street Triple R	D 67 LD	11-12	B		640-1052-02	¥103,000	641-1052-02	¥148,000	-	-	643-1052-02	QS	¥181,000	-30	Lowering 30 mm
Street Triple / R (ABS)	L 67 LR	13-17	P*		640-1100-00	¥103,000	-	-	-	643-1100-00	QS	¥181,000		Wilbers standard height ride height adjustment not with type 640 possible, with ride height adjustment 7 mm less stroke	
Street Triple / R (ABS)	L 67 LR	13-17	P*		640-1100-01	¥103,000	-	-	-	643-1100-01	QS	¥181,000	+15	raising 15 mm, ride height adjustment not with type 640 possible, with ride height adjustment 7 mm less stroke	
Street Triple / R (ABS)	L 67 LR	13-17	B		640-1100-02	¥103,000	-	-	-	643-1100-02	QS	¥181,000	-30	lowering 30 mm, ride height adjustment not possible	
Street Triple R / RS	HD01/HD04	≥17	D		640-1234-00	¥103,000	-	-	-	643-1234-00	QS	¥181,000			
Street Triple R / RS	HD01/HD04	≥17	D		640-1234-01	¥103,000	-	-	-	643-1234-01	QS	¥181,000	+25	Raising 25 mm	
Street Triple R / RS	HD01/HD04	≥17	D		640-1234-02	¥103,000	-	-	-	643-1234-02	QS	¥181,000	-25	Lowering 25 mm	
Trident 750	T 300	90-91	P		640-0095-09	¥103,000	641-0095-09	¥148,000	-	-	-	-	+15 +25 -15 -25		
Trident 750	T 300 C	92-96	P		640-0833-00	¥103,000	641-0833-00	¥148,000	-	-	-	-	+25 -15		
Tiger 800	A 08	11-14	I		640-1016-00	¥103,000	641-1016-00	¥148,000	-	-	-	-	+25 -30 -60		
Tiger 800 XC	A 08	11-14	P*		640-1017-00	¥103,000	641-1017-00	¥148,000	-	-	-	-	-40 -80	Ride height adj. possible, but few stroke	
Tiger 800 XC / XCa / XCx	A 082 / C201	≥15	B*		640-1178-00	¥103,000	641-1178-00	¥148,000	-	-	-	-		Hydraulic preload adjustment recommended	
Tiger 800 XC / XCa / XCx	A 082 / C201	≥15	B*		640-1178-01	¥103,000	641-1178-01	¥148,000	-	-	-	-	+10	Raising 10 mm, hydraulic preload adjustment recommended	
Tiger 800 XC / XCa / XCx	A 082 / C201	≥15	B*		640-1178-02	¥103,000	641-1178-02	¥148,000	-	-	-	-	-30	Lowering 30 mm, hydraulic preload adjustment recommended	
Tiger 800 XC / XCa / XCx	A 082 / C201	≥15	B*		640-1178-03	¥103,000	641-1178-03	¥148,000	-	-	-	-	-60	Lowering 60 mm, hydraulic preload adjustment recommended	
Tiger 800 XR / XRt / XRx / XRX	A082 / C201 / C301 / C302	≥15	P*		640-1163-00	¥103,000	641-1163-00	¥148,000	-	-	-	-		Hydraulic preload adjustment recommended	
Tiger 800 XR / XRt / XRx / XRX	A082 / C201 / C301 / C302	≥15	P*		640-1163-01	¥103,000	641-1163-01	¥148,000	-	-	-	-	+25	Raising 25 mm, hydraulic preload adjustment recommended	
Tiger 800 XR / XRt / XRx / XRX	A082 / C201 / C301 / C302	≥15	B*		640-1163-02	¥103,000	641-1163-02	¥148,000	-	-	-	-	-30	Lowering 30 mm, hydraulic preload adjustment recommended	
Tiger 800 XR / XRt / XRx / XRX	A082 / C201 / C301 / C302	≥15	B*		640-1163-03	¥103,000	641-1163-03	¥148,000	-	-	-	-	-60	Lowering 60 mm, hydraulic preload adjustment recommended	
America	908 M/986 MK/986 MK 2	02-16	A	X	630-0855-01	¥186,000	-	-	-	633-0855-01	S	¥296,000	+10 +20 +30 -10 -20 -30		
Speedmaster	908 ML / 986 ML 2	03-16	A	X	630-0855-00	¥186,000	-	-	-	633-0855-00	S	¥296,000	+10 +20 +30 -10 -20 -30		
Bonneville	908 MD	00-06	A	X	630-0263-00	¥186,000	-	-	632-0263-00	¥285,000	633-0263-00	S	¥296,000	+10 +20 +30 -15 -25 -35	
Bonneville T 100	986 MF	05-15	A	X	630-0263-00	¥186,000	-	-	632-0263-00	¥285,000	633-0263-00	S	¥296,000	+10 +20 +30 -15 -25 -35	
Bonneville T 100 / Black	DB 01	17-20	D	X	630-1235-00	¥186,000	-	-	632-1235-00	¥285,000	-	-	-		
Bonneville T 100 / Black	DB 01	17-20	D	X	630-1235-01	¥186,000	-	-	632-1235-01	¥285,000	-	-	-	+20	Raising 20 mm

TRIUMPH															
Bonneville T 100 / Black	DB 01	17-20	D	X	630-1235-02	¥186,000	-	-	632-1235-02	¥285,000	-	-	-	-30	Lowering 30 mm
Bonneville / SE	986 MF	09-16	A	X	630-0263-00	¥186,000	-	-	632-0263-00	¥285,000	633-0263-00	S	¥296,000	+10 +20 +30 -15 -25 -35	
Tiger 885 i	T 709	99-00	P		640-0520-00	¥103,000	641-0520-00	¥148,000	-	-	-	-	-	-15 -30 -50	
Tiger 900	T 400	93-98	B		640-0093-00	¥103,000	641-0093-00	¥148,000	-	-	-	-	-		Carburettor
Tiger 900 Rally Pro	C 701	≥20	P		640-1302-00	¥103,000	641-1302-00	¥148,000	-	-	-	-	-		
Tiger 900 Rally Pro	C 701	≥20	P		640-1302-01	¥103,000	641-1302-01	¥148,000	-	-	-	-	-	+20	Raising 20 mm
Tiger 900 Rally Pro	C 701	≥20	P		640-1302-02	¥103,000	641-1302-02	¥148,000	-	-	-	-	-	-30	Lowering 30 mm
Tiger 900 Rally Pro	C 701	≥20	P		640-1302-03	¥103,000	641-1302-03	¥148,000	-	-	-	-	-	-60	Lowering 60 mm
Thrupton 900	986 ME / 986 ME 2	05-15		X	630-0734-00	¥186,000	-	-	632-0734-00	¥285,000	633-0734-00	S	¥296,000	+10 +20 +30 -15 -25 -35	
Scrambler 900	986 MG / 2	06-16	A	X	630-0893-00	¥186,000	-	-	632-0893-00	¥285,000	-	-	-	-10 -20 -30	
Daytona 900	T 300 D	93-96	P		640-0095-00	¥103,000	641-0095-00	¥148,000	-	-	-	-	-	+15 +25 -15 -25	
Daytona Super III	T 300 B	93-96	P		640-0095-08	¥103,000	641-0095-08	¥148,000	-	-	-	-	-	+15 +25 -15 -25	
Speed Triple 900	T 509	97-04	p		640-0096-03	¥103,000	641-0096-03	¥148,000	-	-	-	-	-	+20 -20 -40	
Speed Triple	T 300 B	94-96	P		640-0095-03	¥103,000	641-0095-03	¥148,000	-	-	-	-	-	+15 +25 -15 -25	
Trident 900	T 300 / T 300 C	92-98	P		640-0833-02	¥103,000	641-0833-02	¥148,000	-	-	-	-	-	+25 -15	
Sprint 900	T 300 A	92-98	P		640-0833-01	¥103,000	641-0833-01	¥148,000	-	-	-	-	-	+25 -15	
Sprint Sport 900	T 300 A	97-99	P		640-0833-03	¥103,000	641-0833-03	¥148,000	-	-	-	-	-	+25 -15	
Sprint Executive 900	T 300 A	97-99	P		640-0833-04	¥103,000	641-0833-04	¥148,000	-	-	-	-	-	+25 -15	
Street Cup	DZ 01	≥17	D	X	630-1238-00	¥186,000	-	-	632-1238-00	¥285,000	-	-	-		
Street Cup	DZ 01	≥17	D	X	630-1238-01	¥186,000	-	-	632-1238-01	¥285,000	-	-	-	+20	Raising 20 mm
Street Cup	DZ 01	≥17	D	X	630-1238-02	¥186,000	-	-	632-1238-02	¥285,000	-	-	-	-20	Lowering 20 mm
Street Scrambler	DC 01 / DC 03	≥17		X	630-1235-03	¥186,000	-	-	632-1235-03	¥285,000	-	-	-		
Street Scrambler	DC 01 / DC 03	≥17		X	630-1235-04	¥186,000	-	-	632-1235-04	¥285,000	-	-	-	+20	Raising 20 mm
Street Scrambler	DC 01 / DC 03	≥17		X	630-1235-05	¥186,000	-	-	632-1235-05	¥285,000	-	-	-	-30	Loering 30 mm
Street Twin	DP 01 / DP02 / DP04	≥16		X	630-1197-00	¥186,000	-	-	632-1197-00	¥285,000	-	-	-		
Street Twin	DP 01 / DP02 / DP04	≥16		X	630-1197-01	¥186,000	-	-	632-1197-01	¥285,000	-	-	-	+15	Raising 15 mm
Street Twin	DP 01 / DP02 / DP04	≥16		X	630-1197-02	¥186,000	-	-	632-1197-02	¥285,000	-	-	-	-20	Lowering 20 mm
Thunderbird 900 / Legend TT	T 309 RT	95-03	I		640-0094-00	¥103,000	641-0094-00	¥148,000	-	-	-	-	-	+20 -25 -50	
Thunderbird 900 Sport	T 309 RT	97-00	P		640-0652-00	¥103,000	641-0652-00	¥148,000	-	-	-	-	-	+20	
Thunderbird Sport	309 RD	03-04	P		640-0167-00	¥103,000	641-0167-00	¥148,000	-	-	-	-	-		
Adventurer	T 309 RT	96-01	P		640-0154-00	¥103,000	641-0154-00	¥148,000	-	-	-	-	-	-20 -40	
Trophy 900	T 300 / E	92-01	P		640-0095-02	¥103,000	641-0095-02	¥148,000	-	-	-	-	-	+15 +25 -15 -25	
Sprint ST 955	T 695 / 695 AB	99-04	P		640-0507-00	¥103,000	641-0507-00	¥148,000	-	-	-	-	-		Wilbers standard height = suspension + 10 mm
Sprint ST 955	T 695 / 695 AB	99-04	P		640-0507-01	¥103,000	641-0507-01	¥148,000	-	-	-	-	-		Original length
Sprint ST 955	T 695 / 695 AB	99-04			640-0507-02	¥103,000	641-0507-02	¥148,000	-	-	-	-	-	-25	Lowering 25 mm
Sprint RS	T 695	00-01	P		640-0585-00	¥103,000	641-0585-00	¥148,000	-	-	-	-	-	-15 -30	Double-sided-swing-arm
Sprint RS	695 AC	02-04			640-0507-03	¥103,000	641-0507-03	¥148,000	-	-	-	-	-		Single-sided-swing-arm, Wilbers standard height = suspension + 10 mm
Sprint RS	695 AC	02-04			640-0507-04	¥103,000	641-0507-04	¥148,000	-	-	-	-	-		Single-sided-swing-arm, original length
Sprint RS	695 AC	02-04			640-0507-05	¥103,000	641-0507-05	¥148,000	-	-	-	-	-	-25	Single-sided-swing-arm, Lowering 25 mm
Tiger 955 i	709 EN	01-03	P		640-0630-00	¥103,000	641-0630-00	¥148,000	-	-	-	-	-	-20 -40	If with ride height adjustment = at top, only adjustable when shock absorber is removed

TRIUMPH															
Tiger 955 i	709 EN	04-06	B		640-0762-00	¥103,000	641-0762-00	¥148,000	642-0762-00	¥164,000	-	-	-	-25 -50	With cast wheels
Speed Triple 955 i	T509 / 595 N	97-04	p		640-0096-00	¥103,000	641-0096-00	¥148,000	-	-	-	-	-	+20 -20 -40	
Daytona / 955 i	T 595	97-01	p		640-0096-01	¥103,000	641-0096-01	¥148,000	-	-	-	-	-	+20 -20 -40	Single-sided-swing-arm
Daytona 955 i	595 N	02-03	P		640-0367-00	¥103,000	641-0367-00	¥148,000	-	-	-	-	-		Double-sided-swing-arm
Daytona 955 i Centennial	595 N	2002	p		640-0096-02	¥103,000	641-0096-02	¥148,000	-	-	-	-	-	+20 -20 -40	Single-sided-swing-arm special model
Daytona 955 i	595 N	04-06	P		640-0736-00	¥103,000	641-0736-00	¥148,000	-	-	-	-	-		
Speed Triple 1050	515 NJ	05-10	P*		640-0778-00	¥103,000	641-0778-00	¥148,000	-	-	-	-	-	-20 -40	Hydr. preload impossible with 640 shock / YoM 05-07 lowering 20 mm or 50 mm, YoM 08-10 lowering 20 mm or 40 mm possible
Speed Triple 1050	515 NV	11-15	P*		640-1015-00	¥103,000	-	-	-	-	643-1015-00	QS	¥181,000	+25 -20 -40	Ride height adj. only with 643 possible, hydraulic preload adjustment with 643 possible
Speed Triple 1050 S	NN01 / NN02	≧16	P*		640-1233-00	¥103,000	-	-	-	-	643-1233-00	QS	¥181,000		Ride height adj. only with 643 possible
Speed Triple 1050 S	NN01 / NN02	≧16	P*		640-1233-01	¥103,000	-	-	-	-	643-1233-01	QS	¥181,000	+25	Raising 25 mm, ride height adj. only with 643 possible
Speed Triple 1050 S	NN01 / NN02	≧16	B		640-1233-02	¥103,000	-	-	-	-	643-1233-02	QS	¥181,000	-30	Lowering 30 mm, ride height adj. only with 643 possible
Tiger 1050	115 NG	07-12	P		640-0180-00	¥103,000	641-0180-00	¥148,000	-	-	-	-	-	+10 -25 -50	hyraulich preload adjustment recommended (Raising 10 mm = 25 % extra suspension travel)
Tiger 1050 Sport	115 NG / NH 01	≧3	P		640-1116-00	¥103,000	641-1116-00	¥148,000	-	-	-	-	-		
Tiger 1050 Sport	115 NG / NH 01	≧3	B		640-1116-01	¥103,000	641-1116-01	¥148,000	-	-	-	-	-	-25	Lowering 25 mm
Tiger 1050 Sport	115 NG / NH 01	≧3	B		640-1116-02	¥103,000	641-1116-02	¥148,000	-	-	-	-	-	-50	Lowering 50 mm
Sprint GT	215 ND	10-14	P		640-1004-00	¥103,000	641-1004-00	¥148,000	-	-	-	-	-	-30	
Sprint ST (1050)	215 NA	05-10	P		640-0792-00	¥103,000	641-0792-00	¥148,000	-	-	-	-	-	-30	
Sprint ST (1050)	215 NA	05-10			640-0792-01	¥103,000	641-0792-01	¥148,000	-	-	-	-	-		Lowering 30 mm
Bonneville Bobber / Black	DV 01	16-20	D*		640-1216-00	¥103,000	-	-	-	-	643-1216-00	QS	¥181,000		Type 640: X-Pa not possible
Bonneville Speedmaster	DV 01	18-20	D		640-1246-00	¥103,000	-	-	-	-	-	-	-		
Bonneville T 120	DU01/DU01A	≧16		X	630-1195-00	¥186,000	-	-	632-1195-00	¥285,000	-	-	-		
Bonneville T 120	DU01/DU01A	≧16		X	630-1195-01	¥186,000	-	-	632-1195-01	¥285,000	-	-	-	+10	Raising 10 mm
Bonneville T 120	DU01/DU01A	≧16		X	630-1195-02	¥186,000	-	-	632-1195-02	¥285,000	-	-	-	-20	Lowering 20 mm
Daytona 1200	T 300 D	93-97	P		640-0095-04	¥103,000	641-0095-04	¥148,000	-	-	-	-	-	+15 +25 -15 -25	
Speed Twin	DD 01	18-20	D	X	630-1267-00	¥186,000	-	-	632-1267-00	¥285,000	-	-	-		
Speed Twin	DD 01	18-20	D	X	630-1267-01	¥186,000	-	-	632-1267-01	¥285,000	-	-	-	+15	Raising 15 mm
Speed Twin	DD 01	18-20	D	X	630-1267-02	¥186,000	-	-	632-1267-02	¥285,000	-	-	-	-30	Lowering 30 mm
Speed Twin	DD 04	≧21	A	X	630-1317-00	¥186,000	-	-	632-1317-00	¥285,000	-	-	-		
Speed Twin	DD 04	≧21	A	X	630-1317-01	¥186,000	-	-	632-1317-01	¥285,000	-	-	-	+ 10	Raising 10 mm
Speed Twin	DD 04	≧21		X	630-1317-02	¥186,000	-	-	632-1317-02	¥285,000	-	-	-	- 20	Lowering 20 mm
Thrupton 1200	DE 01	≧16	A	X	630-1196-00	¥186,000	-	-	632-1196-00	¥285,000	-	-	-		
Thrupton 1200	DE 01	≧16	A	X	630-1196-01	¥186,000	-	-	632-1196-01	¥285,000	-	-	-	+15	Raising 15 mm
Thrupton 1200	DE 01	≧16	A	X	630-1196-02	¥186,000	-	-	632-1196-02	¥285,000	-	-	-	-20	Lowering 20 mm
Tiger Explorer	V 13 VG	12-16	T		640-1077-00	¥103,000	641-1077-00	¥148,000	-	-	-	-	-		
Tiger Explorer	V 13 VG	12-16	P		640-1077-01	¥103,000	641-1077-01	¥148,000	-	-	-	-	-	+15	Raising 15 mm
Tiger Explorer	V 13 VG	12-16	P		640-1077-02	¥103,000	641-1077-02	¥148,000	-	-	-	-	-	-30	Lowering 30 mm, send fork for reconstruction!
Tiger Explorer	V 13 VG	12-16	P		640-1077-03	¥103,000	641-1077-03	¥148,000	-	-	-	-	-	-60	Lowering 60 mm, send fork for reconstruction!
Trophy 1200	T 300 / E	92-03	P		640-0095-06	¥103,000	641-0095-06	¥148,000	-	-	-	-	-	+15 +25 -15 -25	
Trophy / SE	V 13 VH	12-16	P		640-1105-00	¥103,000	641-1105-00	¥148,000	-	-	-	-	-		Hydr. preload adjustmend recommended

TRIUMPH															
Trophy / SE	V 13 VH	12-16	B*		640-1105-01	¥103,000	641-1105-01	¥148,000	-	-	-	-	-	-30	Lowering 30 mm,hydr. preload adjustmend recommended
Thunderbird 1600	B 16 BA	09-15	A	X	640-0968-00	¥207,000	-	-	-	-	-	-	-	+10 -20 -30	Hydraulic preload adjustment possible only as special solution without certification of operation.
Thunderbird LT	B 17 / BF01	14-18		X	640-1177-00	¥207,000	-	-	-	-	-	-	-		
Thunderbird LT	B 17 / BF01	14-18		X	640-1177-01	¥207,000	-	-	-	-	-	-	-	+ 15	Rising 15 mm
Thunderbird 1700 Storm / Nightstorm	B 16 BA / BK01	11-18	A	X	640-0968-01	¥207,000	-	-	-	-	-	-	-		
Thunderbird 1700 Storm / Nightstorm	B 16 BA / BK01	11-18		X	640-0968-02	¥207,000	-	-	-	-	-	-	-	+10	Raising 10 mm
Thunderbird 1700 Storm / Nightstorm	B 16 BA / BK01	11-18		X	640-0968-03	¥207,000	-	-	-	-	-	-	-	-30	Lowering 30 mm
Rocket III / Classic	C 23 XB	04-09		X	640-0738-00	¥207,000	-	-	642-0738-00	¥329,000	-	-	-	+25 +45 -20	
Rocket III Roadster	C 23 XB / C 20	10-17		X	640-1032-00	¥207,000	-	-	642-1032-00	¥329,000	-	-	-	+30 -25	Typ 642 = 2 low speed adjuster
Rocket III Touring	23 XC	07-14		X	640-1035-00	¥207,000	-	-	-	-	-	-	-	+30 -25	
Rocket 3 GT / R / TFC	Y101	≥20	P		640-1277-00	¥103,000	-	-	-	-	643-1277-00	QS	¥181,000		
VICTORY															
Hammer 8 Ball	H/J V/K	10-17	A		640-1165-00	¥103,000	-	-	-	-	-	-	-		
Hammer 8 Ball	H/J V/K	10-17	A		640-1165-01	¥103,000	-	-	-	-	-	-	-	+20	Raising 20 mm
Hammer 8 Ball	H/J V/K	10-17			640-1165-02	¥103,000	-	-	-	-	-	-	-	-20	Lowering 20 mm
VOR															
VOR 530 Supermoto		≥02			-	-	-	-	642-0627-00	¥164,000	-	-	-		
Gras-Bahn		≥01			630-0550-00	¥103,000	-	-	-	-	-	-	-		front
Gras-Bahn		≥01			-	-	-	-	632-0550-01	¥156,000	-	-	-		rear
YAMAHA															
TZ 50		92-93	P*		-	-	-	-	632-0358-00	¥156,000	633-0358-00	S	¥164,000		type 633 hydraulic preload adjustment not possible
DT 80	37 A / 53 V	83-97	P		630-0806-00	¥103,000	-	-	-	-	-	-	-		
RD 80	10 X	82-84	P		630-0360-00	¥103,000	-	-	-	-	-	-	-		
DT 125 LC / R	10 V	85-87	P		630-0806-01	¥103,000	-	-	-	-	-	-	-		
DT 125 LC / R	10 V / 4 BL	82-02	A*		630-0359-01	¥103,000	631-0359-01	¥164,000	-	-	-	-	-		Hydraulic preload adjustment possible only as special solution without certification of operation.
RD 125	10 W	82-84			630-0360-01	¥103,000	-	-	-	-	-	-	-		
MT 125	RE 06	08-13	B		630-0897-00	¥103,000	631-0897-00	¥164,000	-	-	-	-	-	+10 -20	
MT 125	RE 11	14-16	B		630-0897-01	¥103,000	631-0897-01	¥164,000	-	-	-	-	-	+10 -20	
TZ 125 Racing		94-03	P		-	-	-	-	-	-	643-0361-00	Q	¥164,000		
TZR 125	4 DL	92-95	P		630-0362-00	¥103,000	631-0362-00	¥164,000	-	-	-	-	-		
TZR 125	4 HW/ 4 FL	96-99	P*		630-0363-00	¥103,000	-	-	632-0363-00	¥156,000	633-0363-00	S	¥164,000		type 633 hydraulic preload adjustment not possible
TT-R 125		01-07	P		630-0697-00	¥103,000	-	-	-	-	-	-	-	-30	
YZF 125 R	RE 06	08-13	B		630-0897-00	¥103,000	631-0897-00	¥164,000	-	-	-	-	-	+10 -20	
YZF 125 R	RE 11	14-16	B		630-0897-01	¥103,000	631-0897-01	¥164,000	-	-	-	-	-	+10 -20	
RD 250	4 L 1	80-82	A*		640-0184-00	¥103,000	641-0184-00	¥148,000	-	-	-	-	-		
RD 250	4 L 1	1983	p		640-0103-00	¥103,000	641-0103-00	¥148,000	-	-	-	-	-	+25 +50	
TDR 250	3 CK	88-93	P		640-0365-00	¥103,000	641-0365-00	¥148,000	-	-	-	-	-		If with height adjustment: Type 640 = height adjustment down + 10mm, type 641 = above, only on the removed shock absorber adjustable.
TY 250 Trial		73-81	P		640-0366-00	¥103,000	-	-	-	-	-	-	-		

YAMAHA															
TZ 250		88-89	P		-	-	631-0370-00	¥164,000	-	-	-	-			
TZ 250		90-91	P		-	-	631-0370-01	¥164,000	-	-	-	-			
TZ 250		92-99	P		-	-	641-0372-00	¥148,000	-	-	-	-			
TZ 250 Cantilever		1975	B		630-0264-00	¥116,000	631-0264-00	¥177,000	-	-	-	-	Please state Length 575 mm or 585 mm / incl. ride height adjustment		
TZ 250 Racing		11129	P		-	-	-	-	-	643-0521-00	Q	¥164,000			
TZ 250	TR 2 Race	1965	A	X	630-0411-00	¥186,000	-	-	-	-	-	-			
TZR 250	2 MA	85-90	P		640-0183-00	¥103,000	-	-	-	-	-	-	Eye mount bottom		
TZR 250	2 MA / 2 XV	88-90	B		640-0182-00	¥103,000	641-0182-00	¥148,000	-	-	-	-	Fork mount bottom, reload adjustment difficult to access		
TZR 250	3 MA / 3 XV	91-96	P		640-0510-00	¥103,000	641-0510-00	¥148,000	-	-	-	-			
TZR 250 R / RS / SP	2 MA / 3 XV	91-96	P		630-0373-00	¥103,000	631-0373-00	¥164,000	-	-	-	-			
WR 250 F	CG	01-15	P		640-0065-00	¥103,000	-	-	642-0065-00	¥164,000	-	-			
XT 250	3 Y 3	81-90	P		640-0461-00	¥103,000	-	-	-	-	-	-			
TZ 350 Race		73-75	A	X	630-0749-01	¥186,000	-	-	-	-	-	-			
TZ 350 Cantilever		76-81	B		630-0264-01	¥116,000	631-0264-01	¥177,000	-	-	-	-	Please state Length 575 mm or 585 mm / incl. ride height adjustment		
RD 350 LC	4 LO	80-82	A*		640-0184-01	¥103,000	641-0184-01	¥148,000	-	-	-	-			
RD 350 F, N, YPVS, LC	31 K / 1 WW / 1 WX	83-89	p		640-0103-01	¥103,000	641-0103-01	¥148,000	-	-	-	-	+25 +50		
TT 350	1 TJ	86-93	P		640-0374-00	¥103,000	641-0374-00	¥148,000	-	-	-	-			
XT 350	1 MM / 55 V / 3 YT	85-95	A		640-0185-00	¥103,000	-	-	642-0185-00	¥164,000	-	-			
FZR 400 R	3 BF / 3 TB	86-90	B		640-0100-00	¥103,000	641-0100-00	¥148,000	-	-	-	-			
FZR 400 RR	3 TJ / 4 DX	90-94	P		640-0377-00	¥103,000	641-0377-00	¥148,000	-	-	643-0377-00	Q	¥164,000		
SRX 400	1 XL	85-89	A	X	630-0189-01	¥186,000	-	-	632-0189-01	¥285,000	633-0189-01	S	¥296,000	Type 632: shock absorbers up side down installed	
SRX 400	1 XL	90-96	I		640-0380-00	¥103,000	641-0380-00	¥148,000	-	-	-	-	+25	Ride height adjustment not possible	
XJR 400		93-99	D	X	630-0113-02	¥186,000	-	-	632-0113-02	¥285,000	633-0113-02	S	¥296,000	+10 -20 -50	If with ride height adjustment = 20 mm less stroke, type 632: shock absorbers up side down installed
XS 400 DOHC	12 E	82-84	P		640-0382-00	¥103,000	-	-	-	-	-	-			
WR 400 F	CH 02	98-99	P		640-0539-02	¥103,000	-	-	642-0539-02	¥164,000	-	-			
YZ 400 F	CH 01 / CH 03	98-99	P		640-0539-03	¥103,000	-	-	642-0539-03	¥164,000	-	-			
WR 426 F / WR 450 F	CJ 02 / CJ 04	01-02	P		640-0065-01	¥103,000	-	-	642-0065-01	¥164,000	-	-			
YZ 426 F	CJ 01	00-02	P		640-0539-00	¥103,000	-	-	642-0539-00	¥164,000	-	-			
YZF 426 Cross	CJ 01	00-02	P		640-0539-01	¥103,000	-	-	642-0539-01	¥164,000	-	-			
WR 450 F	DJ 03	12-15			640-1068-00	¥103,000	-	-	642-1068-00	¥164,000	-	-			
WR 450 F	DJ 03	12-15			640-1068-01	¥103,000	-	-	642-1068-01	¥164,000	-	-	-30	Lowering 30 mm	
YZ 450 F	CJ 10	06-10	P		640-0949-00	¥103,000	-	-	642-0949-00	¥164,000	-	-			
RD 500 LC	47 X / 1 GE	84-85	P*		640-0104-00	¥103,000	641-0104-00	¥148,000	-	-	-	-	+30	Type 640 ride height adj. not possible	
TZ 500 Cantilever		75-78	B		630-0264-00	¥116,000	631-0264-00	¥177,000	-	-	-	-		Please state Length 575 mm or 585 mm / incl. ride height adjustment	
XT 500	1 U 6	76-79	A	X	630-0384-00	¥186,000	-	-	632-0384-00	¥285,000	633-0384-00	S	¥296,000	Wilbers standard height = suspension + 10 mm	
XV 535	2 YL / 3 BR / VJ 01	88-03	A	X	630-0689-00	¥186,000	-	-	-	-	-	-	-25 -50		
XT 550	5 Y 3	82-83	P		640-0186-00	¥103,000	641-0186-00	¥148,000	-	-	-	-			
XZ 550	11 U	82-84	P		640-0385-00	¥103,000	-	-	-	-	-	-			
FZR 600 Genesis	3 RH / 3 HE	89-93			630-0187-00	¥103,000	631-0187-00	¥164,000	-	-	-	-	+20 -30		
FZR 600 R	4 MH / 4 JH	94-95	P		640-0188-00	¥103,000	641-0188-00	¥148,000	-	-	-	-			

YAMAHA														
FZS 600 Fazer	RJ 02	98-03	B		640-0401-00	¥103,000	641-0401-00	¥148,000	-	-	-	-	-25 -50	
FZ 6 N/S/S2 Fazer	RJ 14	07-10	R		640-0856-00	¥103,000	641-0856-00	¥148,000	-	-	-	-	+25 -40	
FZ 6 N/S Fazer	RJ 07	04-06	P		640-0693-00	¥103,000	641-0693-00	¥148,000	-	-	-	-	+30 -40	
SRX 600	1 XM / 1 XL	85-89	A*	X	630-0189-00	¥186,000	-	-	632-0189-00	¥285,000	633-0189-00	S	¥296,000	Type 632: shock absorbers up side down installed / Ride height adjustment not possible
SRX 600	1 XM / 1 XL	1990	I		640-0380-01	¥103,000	641-0380-01	¥148,000	-	-	-	-	+25	
TT 600	59 X	85-89	P		640-0388-01	¥103,000	641-0388-01	¥148,000	-	-	-	-	-	Hydraulic preload adjustment possible only as special solution without certification of operation
TT 600 L / N	4 LW	≤93	P		640-0108-00	¥103,000	641-0108-00	¥148,000	-	-	-	-	-	If with ride height adjustment at top, only +10 mm possible, only adjustable when shock absorber is removed, hydraulic preload adjustment possible only as special solution without certification of operation
TT 600 S	4 LW / 4 GV	93-97	P		640-0109-00	¥103,000	641-0109-00	¥148,000	-	-	-	-	+20 +30 -25 -50	Hydraulic preload adjustment possible only as special solution without certification of operation
TT 600 E	4 LW / 4 GV	94-98	P		640-0533-00	¥103,000	641-0533-00	¥148,000	-	-	-	-	+20 -25 -50	E = electro-starter / chassis lower ex-factory, hydraulic preload adjustment possible only as special solution without certification of operation
TT 600 R	DJ 01	99-03	P		640-0600-00	¥103,000	641-0600-00	¥148,000	-	-	-	-	-	
XJ 600	51 J / 3 KM / 3 KN	84-91	P		640-0190-00	¥103,000	-	-	-	-	-	-	-25 -50	Hydraulic preload adjustment not tested
XJ 600 N / S Diversion	4 LX / 4 BR / RJ 01	91-03	I		640-0111-00	¥103,000	641-0111-00	¥148,000	-	-	-	-	+15 -20 -40	
XJ6 F / N / S Diversion	RJ 19	09-12	I		640-0945-00	¥103,000	641-0945-00	¥148,000	-	-	-	-	+15 -45	
XT 600	5 Y 3	1984	P		640-0114-01	¥103,000	641-0114-01	¥148,000	-	-	-	-	+20 -25 -50	Wilbers standard height = suspension + 10 mm
XT 600	2 KF / 2 NF	87-90	P		640-0114-02	¥103,000	641-0114-02	¥148,000	-	-	-	-	+20 -25 -50	Wilbers standard height = suspension + 10 mm
XT 600 E / K	3 TB / 3UW / DJ01 / DJ 02	90-03	P		640-0115-00	¥103,000	641-0115-00	¥148,000	-	-	-	-	-	Hydr. preload recommended
XT 600 E / K	3 TB / 3UW / DJ01 / DJ 02	90-03	P		640-0115-01	¥103,000	641-0115-01	¥148,000	-	-	-	-	+25	Hydr. preload recommended
XT 600 E / K	3 TB / 3UW / DJ01 / DJ 02	90-03	P		640-0115-02	¥103,000	641-0115-02	¥148,000	-	-	-	-	-25	Hydr. preload recommended
XT 600 E / K	3 TB / 3UW / DJ01 / DJ 02	90-03	P		640-0115-03	¥103,000	641-0115-03	¥148,000	-	-	-	-	-50	Hydr. preload recommended
XT 600 / Z / N	34L/55W/1VJ/3AJ/43F	83-91	P		640-0114-00	¥103,000	641-0114-00	¥148,000	-	-	-	-	+20 -25 -50	All but 5Y3, Wilbers standard height = suspension + 10 mm
YZF-R6 600 Thundercat	4 TV / WD	96-02	P		640-0118-00	¥103,000	641-0118-00	¥148,000	-	-	-	-	-20 -50	Hydraulic preload adjustment possible only as special solution without certification of operation, ride height adjustment + 10 mm
YZF-R6 600	RJ 03	98-02	P		640-0572-00	¥103,000	-	-	-	-	643-0572-01	QS	¥181,000	Ride height adjustment only + 10 mm possible
YZF-R6 600	RJ 05 / RJ 09	03-05	P*		640-0651-00	¥103,000	641-0651-00	¥148,000	642-0651-00	¥164,000	643-0651-00	Q	¥164,000	Type 642 ride height adj. not possible
YZF-R6 600	RJ 11 / RJ 15	06-16	B*		640-0793-00	¥103,000	-	-	-	-	643-0793-00	QS	¥181,000	Ride height adjustment + 10 mm, less stroke
XJ 650	4 K0	80-85	A*	X	630-0383-00	¥186,000	-	-	-	-	-	-	-	Ride height adjustment + 10 mm, less stroke
XVS 650 / DragStar	4 VR / 4 XR / VM 03	97-03			640-0389-00	¥103,000	641-0389-00	¥148,000	-	-	-	-	-20	Hydraulic preload adjustment possible only as special solution without certification of operation
SZR 660	4 SU	95-98	P		630-0390-00	¥103,000	631-0390-00	¥164,000	-	-	-	-	-	
XT 660 Z Ténére	3 YF / 4 MD	91-99	P		640-0116-00	¥103,000	641-0116-00	¥148,000	-	-	-	-	+40 -50	Wilbers Standard ride height: + 25 mm because less stroke hydr. preload recommended

YAMAHA															
XT 660 Z Ténéré	DM 02 / DM 04	08-16	B		640-0922-00	¥103,000	641-0922-00	¥148,000	-	-	-	-	-	+30 -50 -85	Wilbers Standard ride height = suspension + 10 mm, 20 mm less stroke than original (- 20 mm)/ not for offroad suitable
XT 660 Z Ténéré ABS	DM 02 / DM 04	11-16	B*		640-1096-00	¥103,000	641-1096-00	¥148,000	-	-	-	-	-		Hydr. preload recommended
XT 660 Z Ténéré ABS	DM 02 / DM 04	11-16	B*		640-1096-01	¥103,000	641-1096-01	¥148,000	-	-	-	-	-	+30	Raising 30 mm, hydr. preload recommended
XT 660 Z Ténéré ABS	DM 02 / DM 04	11-16	B*		640-1096-02	¥103,000	641-1096-02	¥148,000	-	-	-	-	-	-25	Lowering 25 mm, hydr. preload recommended
XT 660 Z Ténéré ABS	DM 02 / DM 04	11-16	B*		640-1096-03	¥103,000	641-1096-03	¥148,000	-	-	-	-	-	-50	Lowering 50 mm, hydr. preload recommended
XT 660 X/R	DM 01	04-16	T		640-0732-00	¥103,000	641-0732-00	¥148,000	-	-	-	-	-	+25 -30 -50	
Ténéré 700 (XTZ 690)	DM 07	≧9	D		640-1276-00	¥103,000	-	-	-	-	643-1276-00	PS	¥189,000		643: Adjuster left
Ténéré 700 (XTZ 690)	DM 07	≧9	D		640-1276-01	¥103,000	-	-	-	-	643-1276-01	PS	¥189,000	-30	643: Adjuster left, lowering 30 mm
Ténéré 700 (XTZ 690)	DM 07	≧9	D		640-1276-02	¥103,000	-	-	-	-	643-1276-02	PS	¥189,000	-60	643: Adjuster left, lowering 60 mm
MT-03	RM 02 / RM 05	06-13	P*		640-0797-00	¥103,000	-	-	642-0797-00	¥164,000	-	-	-	+25 -25	660 ccm, combi ride height adj. with lowering not possible
MT-07	RM04 / RM17 / RM 33 RM18 / RM34	≧4	A, M*		640-1141-00	¥103,000	-	-	-	-	-	-	-		Hydr. preload recommended
MT-07	RM04 / RM17 / RM 33 RM18 / RM34	≧4	A, M*		640-1141-01	¥103,000	-	-	-	-	-	-	-	+25	Raising 25 mm, hydr. preload recommended
MT-07	RM04 / RM17 / RM 33 RM18 / RM34	≧4	M*		640-1141-02	¥103,000	-	-	-	-	-	-	-	-20	Lowering 20 mm, hydr. preload recommended
MT-07	RM04 / RM17 / RM 33 RM18 / RM34	≧4	M*		640-1141-03	¥103,000	-	-	-	-	-	-	-	-40	Lowering 40 mm, hydr. preload recommended
MT-07 Tracer	RM 14 / RM 15	≧6	F		640-1203-00	¥103,000	-	-	-	-	-	-	-		
MT-07 Tracer	RM 14 / RM 15	≧6	F		640-1203-01	¥103,000	-	-	-	-	-	-	-	-20	Lowering 20 mm
MT-07 Tracer	RM 14 / RM 15	≧6	F		640-1203-02	¥103,000	-	-	-	-	-	-	-	-40	Lowering 40 mm
XSR 700 / XTribute	RM 11 / 12	≧6	T*		640-1185-00	¥103,000	-	-	-	-	-	-	-		Hydraulic preload adjustment recommended
XSR 700 / XTribute	RM 11 / 12	≧6	T*		640-1185-01	¥103,000	-	-	-	-	-	-	-	+25	Raising 25 mm, hydraulic preload adjustment recommended
XSR 700 / XTribute	RM 11 / 12	≧6	T*		640-1185-02	¥103,000	-	-	-	-	-	-	-	-20	Tieferlegung 20 mm, hydraulic preload adjustment recommended
XSR 700 / XTribute	RM 11 / 12	≧6	M*		640-1185-03	¥103,000	-	-	-	-	-	-	-	-40	Tieferlegung 40 mm, hydraulic preload adjustment recommended
FZ 750	1 FN	85-86	A		640-0192-00	¥103,000	641-0192-00	¥148,000	-	-	-	-	-		
FZ 750 Genesis	2 KK / 2 MG / 3 KT / 3 KS	87-92	P		640-0193-00	¥103,000	641-0193-00	¥148,000	-	-	-	-	-		Hydraulic preload adjustment possible only as special solution without certification of operation.
FZR 750 R	OW 01	88-92	P		640-0391-00	¥103,000	641-0391-00	¥148,000	-	-	-	-	-		
FZX 750	2 JE	87-89	A	X	630-0392-00	¥186,000	-	-	632-0392-00	¥285,000	633-0392-00	S	¥296,000		
TX 750		72-74	A	X	630-0517-00	¥186,000	-	-	-	-	-	-	-		
XJ 750	11 M	82-84	A	X	630-0383-01	¥186,000	-	-	-	-	-	-	-		
XTZ 750 S.T.	3 LD / WM	89-97	P		640-0117-00	¥103,000	641-0117-00	¥148,000	-	-	-	-	-	-35	Wilbers standard height = suspension + 20 mm
XV 750 SE	5 G 5	81-84	A		640-0130-00	¥103,000	-	-	-	-	-	-	-		Hydraulic preload adjustment possible only as special solution without certification of operation
YZF 750 R/SP	4 HN / HAT	93-98	P*		640-0119-00	¥103,000	641-0119-00	¥148,000	-	-	-	-	-		Hydraulic preload adjustment has no mounting bracket and no installation instruction
FZ8 N / S Fazer	RN 25	10-16	P*		640-01129-00	¥103,000	641-01129-00	¥148,000	-	-	-	-	-	+10 -40	Hydr. preload recommended
TDM 850	3 VD / 4 CM	91-95	P		640-0105-00	¥103,000	641-0105-00	¥148,000	-	-	-	-	-	+25 -30 -50	Combination ride height adj. + hydr. preload not possible

YAMAHA															
TDM 850	4 TX	96-01	P		640-0105-01	¥103,000	641-0105-01	¥148,000	-	-	-	-	-	+25 -30 -50	Combination ride height adj. + hydr. preload not possible
TRX 850	4 UN	96-99	P		640-0107-00	¥103,000	641-0107-00	¥148,000	-	-	-	-	-	+25 -30 -50	
MT-09 / Street Rally / Sport Tracker	RN 29	14-16	P*		640-1133-00	¥103,000	641-1133-00	¥148,000	-	-	-	-	-		Hydr. preload recommended, height ride adjustment not with type 640!
MT-09 / Street Rally / Sport Tracker	RN 29	14-16	B		640-1133-01	¥103,000	641-1133-01	¥148,000	-	-	-	-	-	-30	Lowering 30 mm, hydr. preload recommended
MT-09 / SP	RN 43	17-20	P*		640-1215-00	¥103,000	641-1215-00	¥148,000	-	-	-	-	-		Hydr. preload recommended, ride height adjustment only with type 641 possible
MT-09 / SP	RN 43	17-20	B*		640-1215-01	¥103,000	641-1215-01	¥148,000	-	-	-	-	-	-30	Lowering 30 mm, hydraulic preload adjustment recommended
MT-09 Tracer	RN 29	15-16	B*		640-1157-00	¥103,000	641-1157-00	¥148,000	-	-	-	-	-		Hydraulic preload adjustment recommended. Type 641: It is necessary to change the left side of the cover of the rear, ride height adjustment possible.
MT-09 Tracer	RN 29	15-16	B*		640-1157-01	¥103,000	641-1157-01	¥148,000	-	-	-	-	-	-30	Lowering 30 mm, hydraulic preload adjustment recommended. Type 641: It is necessary to change the left side of the cover of the rear, ride height adjustment possible.
MT-09 Tracer	RN 43	2017	P*		640-1220-00	¥103,000	641-1220-00	¥148,000	-	-	-	-	-		Hydr. preload recommended, ride height adjustment only with type 641 possible. Type 641: It is necessary to change the left side of the cover of the rear.
MT-09 Tracer	RN 43	2017	B*		640-1220-01	¥103,000	641-1220-01	¥148,000	-	-	-	-	-	-30	Lowering 30 mm, hydraulic preload adjustment recommended. Type 641: It is necessary to change the left side of the cover of the rear.
MT-09 Tracer	RN 57	≥18	P*		640-1262-05	¥103,000	641-1262-05	¥148,000	-	-	-	-	-		Hydraulic preload adjustment recommended. Attention: YoC 2018 original bracket is needed = Yamaha item no. B1J-2115K-00. Type 640: ride height adjustment not possible
MT-09 Tracer	RN 57	≥18	P*		640-1262-06	¥103,000	641-1262-06	¥148,000	-	-	-	-	-	+15	Raising 15 mm, hydraulic preload adjustment recommended. Attention: YoC 2018 original bracket is needed = Yamaha item no. B1J-2115K-00. Type 640: ride height adjustment not possible
MT-09 Tracer	RN 57	≥18	B*		640-1262-07	¥103,000	641-1262-07	¥148,000	-	-	-	-	-	-30	Lowering 30 mm, hydraulic preload adjustment recommended. Attention: YoC 2018 original bracket is needed = Yamaha item no. B1J-2115K-00.
MT-09 Tracer GT	RN 57	≥18	P*		640-1262-00	¥103,000	641-1262-00	¥148,000	-	-	-	-	-		Hydraulic preload adjustment recommended. Type 640: ride height adjustment not possible
MT-09 Tracer GT	RN 57	≥18	P*		640-1262-01	¥103,000	641-1262-01	¥148,000	-	-	-	-	-	+15	Raising 15 mm, hydraulic preload adjustment recommended. Type 640: ride height adjustment not possible
MT-09 Tracer GT	RN 57	≥18	B*		640-1262-02	¥103,000	641-1262-02	¥148,000	-	-	-	-	-	-30	Lowering 30 mm, hydraulic preload adjustment recommended.
MT-09	RN 69	≥20	P*		640-1312-00	¥103,000	641-1312-00	¥148,000	-	-	-	-	-		
MT-09	RN 69	≥20	P*		640-1312-01	¥103,000	641-1312-01	¥148,000	-	-	-	-	-	-30	Lowering 30 mm
TDM 900	RN 08 / RN 11	02-06	P*		640-0331-00	¥103,000	641-0331-00	¥148,000	-	-	-	-	-	+30 -25 -50	
TDM 900	RN 18	07-13	P*		640-1062-00	¥103,000	-	-	-	-	643-1062-00	QS	¥181,000		Hydr. preload recommended
TDM 900	RN 18	07-13	P*		640-1062-01	¥103,000	-	-	-	-	643-1062-01	QS	¥181,000	+20	Raising 20 mm, hydr. preload recommended

YAMAHA															
TDM 900	RN 18	07-13	P*		640-1062-02	¥103,000	-	-	-	-	643-1062-02	QS	¥181,000	-20	Lowering 20 mm, hydr. preload recommended
TDM 900	RN 18	07-13	P*		640-1062-03	¥103,000	-	-	-	-	643-1062-03	QS	¥181,000	-40	Lowering 40 mm, hydr. preload recommended
XJ 900	31 A / 58 L / 4 BB	83-94		X	630-0194-00	¥186,000	-	-	632-0194-00	¥285,000	633-0194-00	S	¥296,000		Type 632 + 633: shock absorbers up side down installed
XJ 900 Diversion	4 KM	95-03	I		640-0112-00	¥103,000	641-0112-00	¥148,000	-	-	-	-	-	+10 -30 -50	Wilbers standard = length + 6 mm
XSR 900	RN 43	≥16	B*		640-1188-00	¥103,000	641-1188-00	¥148,000	-	-	-	-	-		Hydraulic preload adjuster recommended
XSR 900	RN 43	≥16	B*		640-1188-01	¥103,000	641-1188-01	¥148,000	-	-	-	-	-	-30	Lowering 30 mm, hydraulic preload adjuster recommended
XV 950 / R / XVS 950	VN 03 / VN 07	≥14		X	630-1148-00	¥186,000	-	-	-	-	633-1148-00	S	¥296,000		Original length
XV 950 / R / XVS 950	VN 03 / VN 07	≥14		X	630-1148-01	¥186,000	-	-	-	-	633-1148-01	S	¥296,000		Wilbers standard length = + 25 mm
XV 920		84-85	P		640-0394-00	¥103,000	-	-	-	-	-	-	-		
XV 920	24N	81-84	B		640-0395-00	¥103,000	-	-	-	-	-	-	-		
FZR 1000	2 LA	86-88	B		640-0101-00	¥103,000	641-0101-00	¥148,000	-	-	-	-	-	+20	With height adjustment less stroke
FZR 1000 Genesis Exup	3 LE	89-95	p		630-0102-00	¥103,000	631-0102-00	¥164,000	-	-	-	-	-		
FZS 1000	RN 06 / RN 14	01-05	B		640-0581-00	¥103,000	641-0581-00	¥148,000	-	-	-	-	-	+25 -20 -40	
GTS 1000	4 BH	93-99			640-0202-00	¥103,000	641-0202-00	¥148,000	-	-	-	-	-		Front
GTS 1000	4 BH	93-99	B		640-0203-00	¥103,000	-	-	-	-	-	-	-		Rear, hydraulic preload adjustment recommended, ride height adjustment not possible
MT-10	RN 45	≥16	D		640-1259-00	¥103,000	-	-	-	-	643-1259-00	QS	¥181,000		
MT-10	RN 45	≥16	D		640-1259-01	¥103,000	-	-	-	-	643-1259-01	QS	¥181,000	+15	Raising 15 mm
MT-10	RN 45	≥16	D		640-1259-02	¥103,000	-	-	-	-	643-1259-02	QS	¥181,000	- 30	Lowering 30 mm
TR1 / XV 1000	5 A 8	81-85	P		640-0195-00	¥103,000	641-0195-00	¥148,000	-	-	-	-	-		Hydraulic preload adjustment possible only as special solution without certification of operation
XV 1000 / SE	23 W	81-85	A		640-0195-01	¥103,000	641-0195-01	¥148,000	-	-	-	-	-		
YZF-R1 1000	RN 01 / 04 / 09	98-03	P		640-0621-00	¥103,000	-	-	642-0621-00	¥164,000	643-0621-01	QS	¥181,000	+20 -20	Type 642: If with ride height adjustment = at top, only adjustable when shock absorber is removed
YZF-R1 1000	RN 01 / 04	98-01			-	-	-	-	-	-	643-0621-00	Q	¥164,000	+20 -20	
YZF-R1 1000	RN 12	04-06	P		640-0719-00	¥103,000	-	-	-	-	643-0719-00	QS	¥181,000	+20 -20 -40	
YZF-R1 1000	RN 19	07-08	A		640-0840-00	¥103,000	-	-	-	-	643-0840-00	QS	¥181,000	-30	
YZF-R1 1000	RN 22	09-14	P*		640-0943-00	¥103,000	-	-	-	-	643-0943-00	QS	¥181,000	+30 -30	Hydr. preload only with type 643 possible
YZF-R1	RN 32 / RN 49	≥15	T*		640-1180-00	¥103,000	-	-	-	-	643-1180-00	QS	¥181,000		Hydr. Preload only with type 643, ride height adjustment only with type 640 even in combination with X.-PA
YZF-R1	RN 32 / RN 49	≥15	T*		640-1180-01	¥103,000	-	-	-	-	643-1180-01	QS	¥181,000	+ 15	Raising 15 mm, hydr. Preload only with type 643, ride height adjustment only with type 640 even in combination with X.-PA
YZF-R1 M	RN32 / RN49 / RN65	≥15	R		-	-	-	-	-	-	643-1180-10	QRR	¥329,000		Only Racing
YZF-R1 1000 Thunderace	4 SV / 4 VD	96-01	P		640-0120-00	¥103,000	641-0120-00	¥148,000	-	-	-	-	-		
FZ-N / FZ-S Fazer	RN 16	06-15	T		640-0808-00	¥103,000	641-0808-00	¥148,000	-	-	-	-	-	+20 -30 -45	
BT 1100 Bulldog	RP 05	02-06	B		640-0606-00	¥103,000	641-0606-00	¥148,000	-	-	-	-	-		
FJ 1100	47 E	84-87	p		640-0097-00	¥103,000	641-0097-00	¥148,000	-	-	-	-	-	+20 -20 -45	Lower mounting: lug
XS 1100	2 H9 / 5 K7	78-82	A	X	630-0397-00	¥186,000	-	-	632-0397-00	¥285,000	633-0397-00	S	¥296,000		
XV 1100 Virago	3 LP / 2 AE	89-99	A	X	630-0551-00	¥186,000	-	-	632-0551-00	¥285,000	633-0551-00	S	¥296,000		
XVS 1100 DRAG STAR	VP 05 / VP 16	00-07	I		640-0492-00	¥103,000	-	-	-	-	-	-	-	-20	

YAMAHA															
FJ 1200	1 XJ	85-87	B		640-0097-01	¥103,000	641-0097-01	¥148,000	-	-	-	-	-	+20 -20 -45	Eye mount bottom
FJ 1200	3 CW / 3 CX	88-90	I		640-0098-00	¥103,000	641-0098-00	¥148,000	-	-	-	-	-	+15 +30 -20 -45	Ride height djustment standard = + 10 mm. fork mount bottom
FJ 1200	3 YA / 4 YA / 3 CY	91-99	I		640-0099-00	¥103,000	641-0099-00	¥148,000	-	-	-	-	-	+25	If ABS only 640, hydraulic preload adjustmend recommended, fork mount bottom
VMX-12 1200 Vmax	2 EN / 2 LT / 2 WE	85-00	D	X	630-0110-00	¥186,000	-	-	632-0110-00	¥285,000	633-0110-00	S	¥296,000	+20 +40 -25 -50	With ride height adjustment less stroke,
XJR 1200/ SP	4 PU	94-98	D	X	630-0113-00	¥186,000	-	-	632-0113-00	¥285,000	633-0113-00	S	¥296,000	+10 -20 -50	With ride height adjustment 20 mm less stroke, type 632: shock absorbers up side down installed
XT 1200 Z Super Ténéré	DP 01	10-13	I		640-1001-00	¥103,000	641-1001-00	¥148,000	-	-	-	-	-	-40 -80	When ordered for side car use very little stroke: 46 instead of 75 mm
XT 1200 Z Super Ténéré	DP 04 / DP07	≥14	I		640-1001-01	¥103,000	641-1001-01	¥148,000	-	-	-	-	-	-	When ordered for side car use very little stroke: 46 instead of 75 mm
XT 1200 Z Super Ténéré	DP 04 / DP07	≥14	I		640-1001-02	¥103,000	641-1001-02	¥148,000	-	-	-	-	-	-40	Lowering 40 mm, when ordered for side car use very little stroke: 46 instead of 75 mm
XT 1200 Z Super Ténéré	DP 04 / DP07	≥14	I		640-1001-03	¥103,000	641-1001-03	¥148,000	-	-	-	-	-	-80	Lowering 80 mm, when ordered for side car use very little stroke: 46 instead of 75 mm
XVZ 1200 Venture Royal	47 G	84-85	P		640-0775-00	¥103,000	-	-	-	-	-	-	-	-	
FJR 1300	RP 04 / 08 / 11	01-05	P*		640-0660-00	¥103,000	641-0660-00	¥148,000	-	-	643-0660-00	QS	¥181,000	+35 -35	ABS, Type 643 ride height adj. not possible
FJR 1300	RP 04 / 08 / 11	01-05	P		640-0660-00	¥103,000	641-0660-00	¥148,000	-	-	643-0660-01	Q	¥164,000	+35 -35	No ABS
FJR 1300 A	RP 13	06-12	P		640-0815-00	¥103,000	641-0815-00	¥148,000	-	-	-	-	-	+20 +40 -40	
FJR 1300 AS	RP 13	06-12			640-0815-00	¥103,000	-	-	-	-	-	-	-	-	
FJR 1300 A	RP 23 / RP28	≥13	P		640-1179-00	¥103,000	641-1179-00	¥148,000	-	-	-	-	-	-	Not suitable for vehicles with electronic suspension
FJR 1300 A	RP 23 / RP28	≥13	P		640-1179-01	¥103,000	641-1179-01	¥148,000	-	-	-	-	-	+ 35	Raising 35 mm, Not suitable for vehicles with electronic suspension
FJR 1300 A	RP 23 / RP28	≥13	P		640-1179-02	¥103,000	641-1179-02	¥148,000	-	-	-	-	-	- 35	Lowering 35 mm, Not suitable for vehicles with electronic suspension
XJR 1300/ SP	RP 02 / RP 06	99-03	D	X	630-0113-01	¥186,000	-	-	632-0113-01	¥285,000	633-0113-01	S	¥296,000	+10 -20 -50	With ride height adjustment 20 mm less stroke, type 632: shock absorbers up side down installed
XJR 1300	RP 10 RP 19RP 10 RP 19	04-06 07-1404-06 07-14	D	X	630-0113-03	¥186,000	-	-	632-0113-03	¥285,000	633-0113-03	S	¥296,000	+25 -20 -50	With ride height adjustment 20 mm less stroke, type 632: shock absorbers up side down installed
XJR 1300 / Racer	RP 19	15-16		X	630-1175-00	¥186,000	-	-	632-1175-00	¥285,000	-	-	-	-	
XJR 1300 / Racer	RP 19	15-16		X	630-1175-01	¥186,000	-	-	632-1175-01	¥285,000	-	-	-	+25	Raising 25 mm
XJR 1300 / Racer	RP 19	15-16		X	630-1175-02	¥186,000	-	-	632-1175-02	¥285,000	-	-	-	-25	Lowering 25 mm
XVS 1300 Midnight Star	VP 26	07-14	P*		640-1063-00	¥103,000	-	-	-	-	-	-	-	-	Hydr. preload recommended
XVS 1300 Midnight Star	VP 26	07-14	P*		640-1063-01	¥103,000	-	-	-	-	-	-	-	+30	Raising 30 mm, hydr. preload recommended
XVS 1300 Midnight Star	VP 26	07-14	P*		640-1063-02	¥103,000	-	-	-	-	-	-	-	-20	Lowering 20 mm, hydr. preload recommended
XV 1600 Wild Star	VP 08	99-04	K		-	-	641-0584-00	¥148,000	-	-	-	-	-	-30	With hydraulic preload adjustment: length + 6 mm
MT 01	RP 12 / RP 18	04-10	B		-	-	641-0773-00	¥148,000	-	-	-	-	-	-40	
VMX-17 1700 VMax	RP 21	09-16	B		-	-	641-0984-00	¥148,000	-	-	-	-	-	-50	Lowering max. 50 mm only with item 601- 0391-01

YAMAHA														
XV 1700 Road Star Warrior	VP 14	02-05	P		-	-	641-0769-00	¥148,000	-	-	-	-	-50	Lowering 50 mm possible. Hydraulic preload adjustment possible only as special solution without certification of operation
XV 1900 Midnight Star	VP 23	06-16			-	-	641-0983-00	¥148,000	-	-	-	-	-35	
ZERO														
Zero S	M 5	11-13			640-1143-00	¥103,000	-	-	-	-	-	-	-	Wilbers standard = raising 10 mm
					Ecoline TS-Satz		Adjustline Mono		Federbeinkit (530-0876- + 623-0050-)					
					530 / rear		623 / front		+			front + rear		
VESPA														
GTS i.e. Super 150	M 45	14-16			530-0876-02	¥156,000	623-0050-02	¥173,000			623-0530-02	¥329,000		
GTS i.e. Super 250	M 45	14-16			530-0876-01	¥156,000	623-0050-01	¥173,000			623-0530-01	¥329,000		
GTS i.e. Super 300	M 45	14-16			530-0876-00	¥156,000	623-0050-00	¥173,000			623-0530-00	¥329,000		
GTS i.e. Super 300	M 45	08-13			530-0984-00	¥148,000	623-1301-00	¥131,000			623-1301-10	¥280,000		
GTS i.e. Super 300	M45 / MD3C	≥17			530-0984-00	¥148,000	623-1301-00	¥131,000			623-1301-10	¥280,000		
Sonstiges Zubehör Accessories Deutsch														
BMW														
Fußrastentieferlegung	Lowering Footrest				314-3040-20	¥24,500	20 mm tiefer (R nineT >2017, R nineT Pur, R nineT Scrambler, R nineT Urban G/S)							